



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY AND POLLUTION-PREVENTION-

March 26, 2014

Mr. Edward Lawrence V.P. Regulatory Affairs Ecto Development Corporation 850 NW Pink Hill Road Blue Springs, MO 64015-7738

Subject:

Amended Labeling; Label Review for Incorporation of Required Dog Spot-On Mitigation

ECTO DOG & HORSE FLEA & TICK INSECTICIDE, EPA Reg. No. 67505-4

Your Submission Dated October 7, 2009 and E-Resubmissions Dated March 18, 2014 &

March 24, 2014

Dear Mr. Lawrence:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable with the following label revision provision(s):

Amendments to Dog Spot-On Product Registrations:

- 1. This registration is now time-limited, and will expire 2 years from the date of this letter. Wore specifically, this registration will expire on March 26, 2016.
- 2. If the Agency determines that future mitigation measures are necessary for all pet spot-on products, EPA will inform registrants. If mitigation measures are necessary, EPA may take regulatory action.
- 3. Please consider limiting the formulations of this product to one basic confidential statement of formula. The Agency may require this in the future. In addition, it is possible that no additional alternate formulations or minor formulation amendments will be approved for this product in the future.
- 4. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product beginning July 1, 2014. Please flag any Confidential Business Information as such. Enhanced incident reporting should be submitted to the Product Manager. Quarterly sales information should be submitted to the Registration Division (Attn: Kaitlin Keller). The following is a list of information that must be included in the quarterly reports for each incident:
 - EPA Registration Number
 - Product name (brand name)
 - Lot #
 - Where purchased: Internet, store, veterinarian.
 - Active ingredient(s)
 - Weight range for product
 - Date on which incident occurred. (mm/dd/yyyy)
 - State in which the incident occurred. (Standard 2 letter abbreviation)
 - Registrant case #
 - Species: Dog, cat, other (specify).
 - Breed: (As reported by pet owner)
 - Age: Months or years.
 - Sex: M, F, or neutered.
 - Weight: Pounds.
 - Primary Route of Exposure: Dermal, oral, other animal, inhalation, other.
 - Body System: Neurological, dermatological, GI, respiratory, ocular, other.

Conditions of Acceptance/Amendments to Dog Spot-On Product Registrations, continued:

- Major signs noted with separate column for each sign, using standard terminology.
- Time to Onset: (Hours, days)
- Treated by veterinarian: Yes or No
- First time product used: Yes or No
- Misuse: Use on incorrect species, overdose, too frequent dosing, other (describe).
- Any known pre-condition.
- EPA Severity Code: Death, major, moderate, minor.
- Outcome: Died, recovered, still treated, unknown.
- 5. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
 - All incidents should be reported, including all minor dermal and ocular irritation reports.
 - Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.
 - Summary table for dogs showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
 - A summary table for dogs showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
 - A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label.
 - A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range.
 - Table showing number of incidents for each dog breed.
 - Table showing number of incidents in dogs for each clinical sign.
 - Table showing number of incidents in dogs for each organ system.
 - Report aggregate incidents, but do not combine moderate and minor incidents.

Should you wish to add/retain a reference to the company's website, smart phone/tablet app and/or a QR code reader on your product label, please be aware that the website, smart phone/tablet app and/or a QR code reader becomes labeling under FIFRA and is subject to review by the Agency. If the website, smart phone/tablet app, and/or a QR code reader is false or misleading, the product would be misbranded and unlawful to sell or distribute under section 12(a)(1)(E) of FIFRA. 40 CFR §156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website, smart phone/tablet app, and/or a QR code reader is referenced on a product's label, claims made on the website, smart phone/tablet app, and/or a QR code reader may not be substantially differ from those claims approved through the registration process. Therefore, should the Agency find, or if it is brought to our attention that a website, smart phone/tablet app, and/or a QR code reader contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website, smart phone/tablet app, and/or a QR code reader will be referred to EPA's Office of Enforcement and Compliance Assurance (OECA). As an alternative, you may refer consumers to the company's phone number or e-mail address.

A copy of your amended pre-reregistration master label stamped "Accepted" is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR §152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under section 2(gg) of FIFRA and its implementing regulation at 40 CFR §152.3 (emphasis added).

Please note that this letter does not supersede anything contained within the Agency's letter dated September 30, 2011. If you have any questions about this label review, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at <u>Rodia.Carmen@epa.gov</u> or Mr. Richard J. Gebken at (703) 305-6701 or via e-mail at <u>Gebken.Richard@epa.gov</u> during the hours of 9:00 A.M. to 5:30 P.M. EST.

Sincerely yours,

Richard J. Gebken Product Manager (10) Insecticide Branch

Registration Division (7504P)

Enclosure: Label Stamped "Accepted with Comments," dated March 26, 2014 067505-00004 D413352 & D488614



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 26, 2014

Mr. Edward Lawrence V.P. Regulatory Affairs Ecto Development Corporation 850 NW Pink Hill Road Blue Springs, MO 64015-7738

Subject:

Acceptance of Amended Pre-Registration Master Labeling

ECTO DOG & HORSE FLEA & TICK INSECTICIDE, EPA Reg. No. 67505-4

Your Submission Dated October 7, 2009 and E-Resubmissions Dated March 18, 2014,

March 24, 2014 & March 26, 2014

Dear Mr. Lawrence:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the referenced product in connection with the **RED for Permethrin**, and has concluded that your submission is acceptable.

PLEASE NOTE: This product is <u>not</u> being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please note that the record for this product currently contains the accepted CSFs listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated March 26, 2014
- Alternate CSF #1, dated March 26, 2014
- Alternate CSF #2, dated March 26, 2014
- Alternate CSF #3, dated March 26, 2014

Should you wish to add/retain a reference to the company's website, smart phone/tablet app and/or a QR code reader on your product label, please be aware that the website, smart phone/tablet app and/or a QR code reader becomes labeling under FIFRA and is subject to review by the Agency. If the website, smart phone/tablet app, and/or a QR code reader is false or misleading, the product would be misbranded and unlawful to sell or distribute under section 12(a)(1)(E) of FIFRA. 40 CFR §156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website, smart phone/tablet app, and/or a QR code reader is referenced on a product's label, claims made on the website, smart phone/tablet app, and/or a QR code reader may not be substantially differ from those claims approved through the registration process. Therefore, should the Agency find, or if it is brought to our attention that a website, smart phone/tablet app, and/or a QR code reader contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website, smart phone/tablet app, and/or a QR code reader will be referred to EPA's Office of Enforcement and Compliance Assurance (OECA). As an alternative, you may refer consumers to the company's phone number or e-mail address.

A copy of your amended pre-reregistration master label stamped "Accepted" is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR §152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under section 2(gg) of FFRA and its implementing regulation at 40 CFR §152.3 (emphasis added).

Please note that this letter does not supersede anything contained within the Agency's letter dated September 30, 2011 and the conditions of acceptance detailed in the Agency's most recent letter related to this product dated March 26, 2014 (copy enclosed). If you have any questions about this label review, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at Rodia. Carmen@epa.gov or Mr. Richard J. Gebken at (703) 305-6701 or via e-mail at Gebken. Richard@epa.gov during the hours of 9:00 A.M. to 5:30 P.M. EST.

Sincerely Yours,

Richard J. Gebken

Product Manager (10)

Insecticide Branch

Registration Division (7504P)

Amended Pre-Reregistration Master Label Stamped "Accepted," dated March 26, 2014

067505-00004 D413352 & D488614

ECTO DOG & HORSE FLEA & TICK INSECTICIDE

PLEASANT CITRUS SCENT

[Picture of Picture of Horse]

PROTECTS HORSES FROM FLIES, GNATS, MOSQUITOES AND TICKS

- KILLS & REPELS FLEAS UP TO 4 WEEKS!
- KILLS AND REPELS MOSQUITOES!
- PROTECTS AGAINST BLOOD FEEDING BY MOSQUITOES (vector of HEARTWORM) UP TO 4 WEEKS!
- KILLS & REPELS TICKS FOR UP TO 4 WEEKS!
- KILLS & REPELS DEER TICKS (vector of LYME DISEASE) FOR UP TO 4 WEEKS!
- KILLS & REPELS BROWN DOG TICKS (Rhipicephalus sanguineus) FOR UP TO 4 WEEKS!
- KILLS & REPELS AMERICAN DOG TICKS (Dermacentor variabilis) FOR UP TO 4 WEEKS!
- MONTHLY APPLICATION!
- MONTHLY FLEA, TICK AND MOSQUITO TREATMENT!
- KILLS AND REPELS FLEAS AND TICKS FOR UP TO A MONTH!
- KILLS AND REPELS ADULT FLEAS FOR UP TO 4 WEEKS!
- KILLS AND REPELS TICKS FOR UP TO [4 WEEKS] [A MONTH] INCLUDING DEER TICKS (vector of LYME DISEASE), BROWN DOG TICKS AND AMERICAN DOG TICKS!
- PROTECTS HORSES FROM HOUSE FLIES, STABLE FLIES, FACE FLIES, HORN FLIES, EYE GNATS AND TICKS!
- KILLS AND REPELS HOUSE FLIES, STABLE FLIES, FACE FLIES, HORN FLIES, EYE GNATS AND TICKS ON HORSES!
- AIDS IN THE CONTROL OF HORSE FLIES, DEER FLIES, MOSQUITOES AND BLACK FLIES ON HORSES!

ACTIVE INGREDIENTS

1 cis/trans ratio: Max 55% (±) cis and min 45 % (±) trans

² Contains petroleum distillate

KEEP OUT OF THE REACH OF CHILDREN CAUTION

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents:

["No Cat Icon" in yellow box & black image only]

3 [0.34 fl.oz.(10.0 mL)] Applicators [or] 6 [0.34 fl.oz.(10.0 mL)] Applicators

EPA Reg. No.: 67505-4

DO NOT USE ON CATS MAY BE FATAL

Keep away from treated dogs for 24 hours.
If applied to cat, contact your veterinarian immediately



EPA Est. No.:

[Minimum 1.5 x 1.5 cm size black "No Cat loon", on yellow background. Not printed on yellow package]

Manufactured For: Ecto Development Corporation

Blue Springs, MO 64015

[OR Distributor]

(lot number statement as needed) Mfg. & Printed in U.S.A

(label revision number) (product number)

[67505-4] [March 24, 2014] [Page 1 of 18]

ACCEPTED $\mathcal{M}^{arch} \mathcal{Z}_{e}, \mathcal{Z}_{o} \mathcal{H}$ Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under

FRONT PANEL [Continued]

FLEA AND TICK CONTROL FOR DOGS AND PUPPIES OVER 12 WEEKS OF AGE

[Picture of Dog in weight range]

"SMALL DOGS 5-15 LBS" [AND] "Use Only For Dogs between 5 & 15 lbs" "MEDIUM DOGS 16-33 LBS" [AND] "Use Only for Dogs between 16 & 33 lbs" "LARGE DOGS 34- 66 LBS" [AND] "Use Only for Dogs between 34 & 66 lbs" "XLARGE DOGS OVER 66 LBS" [AND] "Use Only for Dogs over 66 lbs"

[Only 1 of the weight ranges (listed above) per package label]

[1 Tube Pack =] "1 Month Supply" / "1 Applicator" [or] 1-pak (1 X 1.5mL) [1]

[3 Tube Pack =] "3 Month Supply" / "3 Applicators" [or] 3-pak (3 X 1.5mL)[1]

[4 Tube Pack =] "4 Month Supply" / "4 Applicators" [or] 4-pak (4 X 1.5 mL)[1]

[6 Tube Pack =] "6 Month Supply" / "6 Applicators" [or] 6-pak (6 X 1.5mL)[1]

[*] [Tube mL size dose to reflect dog size. (1.0mL small dog, 1.5mL medium dog, 3.0mL large dog, 4.5mL x-large dog)]

[Number of Applications in package - Only 1 of above descriptions per package]

FLEA & TICK CONTROL FOR DOGS AND PUPPIES OVER 12 WEEKS OF AGE

- KILLS & REPELS FLEAS UP TO 4 WEEKS!
- KILLS AND REPELS MOSQUITOES!
- PROTECTS AGAINST BLOOD FEEDING BY MOSQUITOES (vector of HEARTWORM) UP TO 4 WEEKS!
- KILLS & REPELS TICKS FOR UP TO 4 WEEKS!
- KILLS & REPELS DEER TICKS (vector of LYME DISEASE) FOR UP TO 4 WEEKS!
- KILLS & REPELS BROWN DOG TICKS (Rhipicephalus sanguineus) FOR UP TO 4 WEEKS!
- KILLS & REPELS AMERICAN DOG TICKS (Dermacentor variabilis) FOR UP TO 4 WEEKS!
- MONTHLY APPLICATION!
- MONTHLY FLEA, TICK AND MOSQUITO TREATMENT!
- KILLS AND REPELS FLEAS AND TICKS FOR UP TO A MONTH [OR] (4 WEEKS)!
- KILLS AND REPELS ADULT FLEAS FOR UP TO 4 WEEKS!
- KILLS AND REPELS TICKS FOR UP TO 4 WEEKS INCLUDING DEER TICKS (vector of LYME DISEASE), BROWN DOG TICKS AND AMERICAN DOG TICKS!

ACTIVE INGREDIENTS

 1 Permethrin (CAS #52645-53-I)...
 45.0 %

 2 OTHER INGREDIENTS...
 55.0 %

 TOTAL 100.0 %

¹ cis/trans ratio: Max 55% (±) cis and min 45 % (±) trans

KEEP OUT OF THE REACH OF CHILDREN CAUTION

DO NOT USE ON CATS - MAY BE FATAL

Keep away from treated dogs for 24 hours. If applied to a cat, contact your veterinarian immediately

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

[Page 2 of 18]

²Contains petroleum distillate

FRONT PANEL [Continued]

Net Contents:

1 [0.03 fl.oz.(I.0 mL)] [.05 fl.oz.(1.5 mL)] [1 fl.oz.(3.0 mL)] [0.15 fl. oz. (4.5 mL] Applicator [or] 3 [0.03 fl.oz(1.0 mL)] [.05 fl.oz(1.5 mL)] [1 fl.oz(3.0 mL)] [0.15 fl. oz. (4.5 mL) Applicators [or]

4 [0.03 fl.oz.(1.0 mL)] [.05 fl.oz.(1.5 mL)] [1 fl.oz(3.0 mL)] [0.15 fl. oz. (4.5 mL) Applicators

EPA Reg. No.:

67505-4

Manufactured For: Ecto Development Corporation

Blue Springs, MO 64015

[OR Distributor]

(lot number statement as needed) Mfg. & Printed in U.S.A

(label revision number) (product number)

["No Cat Icon" in yellow box & black image anly]

DO NOT USE ON CATS MAY BE FATAL Keep away from treated dags for 24 hours. If applied to cat, contact your veterinarian immediately.



[Minimum 1.5 x 1.5 cm size black "No Cat Icon", on yellow background. Not printed on yellow package]

[For Horse Applications Only]

SIDE / BACK PANEL

ECTO DOG & HORSE FLEA & TICK INSECTICIDE [PRODUCT NAME]

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON FOALS OVER 12 WEEKS OF AGE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Hazards to Humans: Contains petroleum distillates. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Hazards to Domestic Animals: FOR EXTERNAL USE ON HORSES ONLY. Do not use on foals under 12 weeks of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing horses. Consult a veterinarian before using on horses with known organ dysfunction. DO NOT USE ON CATS or animals other than horses. If applied to or ingested by a cat, contact your veterinarian immediately. Certain medications can interact with pesticides. It is advisable to consult a veterinarian before using this product with ANY other pesticide or drug.

Adverse Reactions: Some horses may be sensitive to ingredients in this product. Adverse reactions in horses may include skin sensitivity, lethargy, increased pruritis (itchiness), erythema (redness), rash and hair discoloration or hair loss at the application site. Observe the horse following treatment. Sensitivity may occur after using ANY pesticide product on pets. If signs of sensitivity occur bathe your horse with a mild and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. If applied to or ingested by a cat, contact your veterinarian immediately.

SIDE / BACK PANEL [Continued]

FIRST AID

if Swallowed	 Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
olf on Skin or Clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If In Eyes	 Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies, or pesticide concerns), you may call 1-8XX-XXX-XXXX, twenty-four (24) hours per day, seven (7) days per

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE OR STORE THIS PRODUCT NEAR HEAT OR OPEN FLAMES

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

DO NOT USE ON HORSES INTENDED FOR SLAUGHTER AND/OR HUMAN COMSUMPTION. USE ONLY ON FOALS 12 WEEKS OF AGE OR OLDER. DO NOT ALLOW CHILDREN TO APPLY THIS PRODUCT. DO NOT USE ON CATS OR KITTENS - MAY BE FATAL

SIDE / BACK PANEL [Continued]

HOW TO APPLY:

Remove product tube(s) from package. {Fold along perforation between tubes and tear of one tube. refurn unused tubes to package} Holding tube with notched end pointing up and away from face and body, snap off narrow end at notches.

Apply one tube (10.0 mL) of product solution as follows:

- 5 mL along the back line starting at the poll (top of head behind the ears), along the base of the mane, down the dorsal midline to the dock. (base of the tail)
- 1 mL to the top of the forehead under the forelock.
- 1 mL as a stripe to the front of each foreleg, from the ankle up to the knee (2 mL total)
- 1 mL as a stripe to the front of each hindleg, from the ankle up to the hock (2 mL total)
- Do not allow product to contact horses' eyes or mucous membranes.
- Wrap tube and put in trash.
- Do not reapply for 14 days (2 weeks).

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store this product in a cool, dry (preferably locked) place away from heat and open flame, in an area inaccessible to children and animals. Protect from freezing.

Pesticide Disposal: Non-refillable container. If empty: Do not reuse or refill this container. Place in that or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

ECTO DOG & HORSE FLEA & TICK INSECTICIDE [PRODUCT NAME] is an effective and easy to use product. As with all flea and tick control products, this product should be used as part of a program aimed at reducing flea populations in the horse's environment (bedding, carpets, kennel, yard). Consult your veterinarian for program recommendations.

[For Horse Applications Only - Con't]

SIDE / BACK PANEL [Continued]

NOTICE OF WARRANTY

NOTE: Seller warrants this product complies with the specifications expressed in this label, To the extent consistent with applicable law, Seller makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Sellers liability or default, breach, or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

SIDE EFFECTS

Monitor your horse after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort.

Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-8XX-XXXX

["No Cat Icon" in yellow box & black image only]

DO NOT USE ON CATS MAY BE FATALKeep away from treated dogs for 24 hours.
If applied to cot, contact your veterinarian immediately.



[Minimum 1.5 x 1.5 cm size black "No Cat Icon", on yellow background. Not printed on yellow package]

SIDE / BACK PANEL

ECTO DOG & HORSE FLEA & TICK INSECTICIDE [PRODUCT NAME]

USE ONLY ON DOGS & PUPPIES OVER 12 WEEKS OF AGE [OR]
Only for Dogs (dog's weight range) and over 12 weeks of age)

DO NOT USE ON CATS - MAY BE FATAL

[Optional Listing of Tube number and size in package]

[1 Tube Pack =] (Dog's weight range) 1 – (size of tube in mL) Tube [3 Tube Pack =] (Dog's weight range) 3 – (size of tube in mL) Tubes [4 Tube Pack =] (Dog's weight range) 4 – (size of tube in mL) Tubes [6 Tube Pack =] (Dog's weight range) 6 – (size of tube in mL) Tubes

[Number of Applications in package - Only 1 of above descriptions per package]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Hazards to Humans: Contains petroleum distillates. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Hazards to Domestic Animals: FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 12 weeks of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. DO NOT USE ON CATS. Cats, which actively groom or engage in close physical contact with treated dogs, may be at risk of serious harmful effect. Keep cats away from treated dogs for 24 hours. If applied to or ingested by a cat, contact your veterinarian immediately. Certain medications can interact with pesticides. It is advisable to consult a veterinarian before using this product with any other pesticide or drug.

Adverse Reactions: Some dogs may be sensitive to ingredients in this product. Adverse reactions in dogs may include skin sensitivity, lethargy, increased pruritus (itchiness), erythema (redness), rash and hair discoloration or hair loss at the application site. Observe the dog following treatment. Sensitivity may occur after using ANY pesticide product on pets. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Keep cats away from treated dogs for 24 hours. Adverse reactions in cats could include neurological effects such as inactivity, tremors, and convulsions. If applied to or ingested by a cat, contact your veterinarian immediately.

SIDE / BACK PANEL (Con't)

FIRST AID

- If Swallowed Call a poison control center or doctor immediately for treatment advice.
 - Do not induce vomiting unless told to do so by a poison control center or doctor.
 - Do not give any liquid to the person.
 - Do not give anything by mouth to an unconscious person.

If in Eyes:

- Hold eyes open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
- Call a poison control center or doctor for treatment advice.

- If on Skin or Clothing: Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor immediately for treatment advice.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies, or pesticide concerns), you may call 1-8XX-XXX-XXXX, twenty-four (24) hours per day, seven (7) days per week.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE OR STORE THIS PRODUCT NEAR HEAT OR OPEN FLAMES

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

DO NOT USE ON CATS OR KITTENS - MAY BE FATAL

USE ONLY ON DOGS OR PUPPIES 12 WEEKS OF AGE OR OLDER.

DO NOT ALLOW CHILDREN TO APPLY THIS PRODUCT.

Do not apply to dogs/puppies weighing less than 5 lbs. [for smallest size dog package only].

Do not use more than one tube per dog/puppy and do not retreat more than once per month.

Do not get the dog's eyes or mouth and do not allow your dog/puppy to ingest this product.

DO NOT USE ON CATS or animals other than dogs. May be toxic or potentially fatal if applied to or ingested by cats. Do not get this product in your dog's eyes or mouth and do not allow the dog to ingest this product. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

14/ /23

SIDE / BACK PANEL (Con't)

HOW TO APPLY:

[Only 1 of following descriptions per package label, based upon dog size.]

[Dogs 5 to 15 lbs.]

Use Only For Dogs Between 5 & 15 lbs: (1.0 mL applicator tube) [Insert wording for tube type used — tube options listed below, #1 through #8.] Apply one tube (1.0 mL) of product solution as a spot or stripe to the dog's back between the shoulder blades. Squeeze tube to apply all of the solution to the dog's skin. Do not use on dogs less than 5 pounds.

[Dogs 16 to 33 lbs]

Use Only for Dogs Between 16 & 33 lbs: (1.5 mL applicator tube) [Insert wording for tube type used — tube options listed below, #1 through #8.] Apply one tube (1.5 mL) of product solution as a spot or stripe to the dog's back between the shoulder blades and base of the tail. Squeeze tube to apply all of the solution to the dog's skin.

[Dogs 34 to 66 lbs]

Use Only for Dogs Between 34 & 66 lbs: (3.0 ml applicator tube) [Insert wording for tube type used – tube options listed below, #1 through #8.] Apply approximately half of the tube (1.5 mL) of product solution as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (1.5 mL) as a spot or strip to the dog's back directly in front of the base of the tail. Or, apply the entire tube (3.0 ml) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail. Squeeze tube to apply all of the solution to the dog's skin.

[Dogs over 66 lbs.]

Use Only for Dogs Over 66 lbs: (4.5 mL applicator tube) [Insert wording for tube type used – tube options listed below, #1 through #8.] Apply approximately half of the tube (2.25 mL) of product solution as spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (2.25 mL) as a spot or stripe to the dog's back directly in front of the base of the tail. Squeeze tube to apply all of the solution to the dog's skin. DO NOT USE MORE THAN A 4.5 mL DOSE REGUARDLESS OF DOG SIZE. [OR]

(4.5 mL applicator tube) [Insert wording for tube type used – tube options listed below, #1 through #8.] Apply the entire tube (4.5 mL) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail. Squeeze tube to apply all of the solution to the dog's skin. DO NOT USE MORE THAN A 4.5 mL DOSE REGUARDLESS OF DOG SIZE.

SIDE / BACK PANEL (Con't)

[Wording for use - dependent upon tube type used]

- [1] [FOR TWIST TUBES]: Remove product from package. Holding tube upright, twist off cap. Invert tube over dog and use open end to part dog's hair.
- [2] [FOR RATCHET TUBES]: Remove product tube from package. Holding tube upright, pull off cap. Turn the cap around and place opposite end of cap back on tube. Twist cap to break seal, remove cap from tube. Invert tube over dog and use open end to part dog's hair.











[Pictorial for Ratchet Tubes / Drawing of how to apply]

- [3] [FOR TUBES IN BLISTER CARD]: Remove product tube from package. Holding tube with the notched end pointing up and away from face and body, snap or cut off narrow end at notches. Invert tube over dog and use open end to part dog's hair.
- [4] [FOR FLAT CARD UNIT-DOSE PACKAGING]: Separate cards along the perforated line. Holding separated card by its wide end with narrow end pointed up and away from face and body, cut along dotted line. Invert card over dog and use narrow end of the card to part dog's hair.
- [5] [FOR FLAT CARD UNIT DOSE PACKAGING]: [For push pin type applicator] Remove one product tube from the card. With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap and invert tube over dog, with tube close to dog's skin.
- [6] [FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING]: Remove product tab by tearing along perforation. Holding tab with tube end pointed up and away from face and body, cut along dotted line. Invert tab over dog and use narrow end of the card to part dog's hair.
- [7] [BLISTER CARD WITH TRI-LAYER TUBES]: Remove product tube(s) from package. Fold along perforation between tubes and tear off one tube. {Return unused tubes to package} Holding tube with notched end pointing up and away from face and body, snap off narrow end at notches. Invert tube over dog and use open end to part dog's hair.
- [8] FOR PERFORATED 3-PAK TUBE STRIPS WITH BREAKAWAY TABS ON EACH TUBE: Separate one tube at a time from the 3-pak strip. Holding tube upright and away from face and body, snap the tip of the tube open. Invert tube over dog and use open end to part dog's hair.

SIDE / BACK PANEL (Con't)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store this product in a cool, dry (preferably locked) place away from heat and open flame, in an area inaccessible to children and animals. Protect from freezing.

Pesticide Disposal: Non-refillable container. If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

KEEP OUT OF THE REACH OF CHILDREN CAUTION

ECTO DOG & HORSE FLEA & TICK INSECTICIDE [PRODUCT NAME] is an effective and easy to use product. As with all flea and tick control products, this product should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, for program recommendations.

NOTICE OF WARRANTY

NOTE: Seller warrants this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Sellers liability or default, breach, or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

SEE INSERT FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured For: Ecto Development Corp. Blue Springs, MO 64015

[OR Distributor]

EPA Reg. No.: 67505-4

EPA Est. No.:

SIDE EFFECTS

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort.

Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-8XX-XXX-XXX

["No Cat Icon" in yellow box & black image only]

DO NOT USE ON CATS MAY BE FATA!Keep away from treated dogs for 24 hours.
If applied to cat, contact your veterinarian immediately.



[Minimum 1.5 x 1.5 cm size black "No Cat Icon", on yellow background. Not printed on yellow package]

[Optional Insert for Dogs] — Contains information not located on SIDE/BACK panel or duplication of information]

ECTO DOG & HORSE FLEA & TICK INSECTICIDE [Product Name]

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY FOR DOGS "5 TO15 LBS" [OR "16 TO 33 LBS", "34 TO 66 LBS" OR "OVER 66 LBS", depending on dog's size] and OVER 12 WEEKS OF AGE

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

ACTIVE INGREDIENTS

TOTAL 100.0 %

ECTO DOG & HORSE FLEA & TICK INSECTICIDE [PRODUCT NAME] is an effective and easy to use product. As with all flea and tick control products, this product should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, for program recommendations.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Hazards to Humans: Contains petroleum distillates. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Hazards to Domestic Animals: FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 12 weeks of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. DO NOT USE ON CATS. Cats which actively groom or engage in close physical contact with treated dogs may be at risk of serious harmful effect. Keep cats away from treated dogs for 24 hours. If applied to or ingested by a cat, contact your veterinarian immediately. Certain medications can interact with pesticides. It is advisable to consult a veterinarian before using this product with ANY other pesticide or drug.

Adverse Reactions: Some dogs may be sensitive to ingredients in this product. Adverse reactions in dogs may include skin sensitivity, lethargy, increased pruritus (itchiness), erythema (redness), rash and hair discoloration or hair loss at the application site. Observe the dog following treatment. Sensitivity may occur after using ANY pesticide product on pets. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Keep cats away from treated dogs for 24 hours. Adverse reactions in cats could include neurological effects such as inactivity, tremors, and convulsions. If applied to or ingested by a cat, contact your veterinarian immediately.

¹ cis/trans ratio: Max 55% (±) cis and min 45 % (±) trans

² Contains petroleum distillates

FIRST AID

- If Swallowed: Call a poison control center or doctor immediately for treatment advice.
 - Do not induce vomiting unless told to do so by a poison control center or doctor.
 - Do not give any liquid to the person.
 - Do not give anything by mouth to an unconscious person.

If in Eyes:

- Hold eyes open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
- Call a poison control center or doctor for treatment advice.

- If on Skin or Clothing: Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor immediately for treatment advice.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. -For additional information on this pesticide product (including health concerns, medical emergencies, or pesticide concerns), you may call 1-8XX-XXX-XXXX, twenty-four (24) hours per day, seven (7) days per week.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE OR STORE THIS PRODUCT NEAR HEAT OR OPEN FLAMES

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

DO NOT USE ON CATS OR KITTENS - MAY BE FATAL USE ONLY ON DOGS OR PUPPIES 12 WEEKS OF AGE OR OLDER. DO NOT ALLOW CHILDREN TO APPLY THIS PRODUCT.

Do not apply to dogs/puppies weighing less than 5 lbs. [for smallest size dog package only].

Do not use more than one tube per dog/puppy and do not retreat more than once per month.

Do not get the dog's eyes or mouth and do not allow your dog/puppy to ingest this product.

DO NOT USE ON CATS or animals other than dogs. May be toxic or potentially fatal if applied to or ingested by cats. Do not get this product in your dog's eyes or mouth and do not allow the dog to ingest this product. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

HOW TO APPLY: [Only one of following descriptions used per label, based upon dog size.]

[Dogs 5 to 15 lbs.]

Use Only For Dogs Between 5 & 15 lbs: (1.0 mL applicator tube) [Insert wording for tube type used – tube options listed below, #1 through #8.] Apply one tube (1.0 mL) of product solution as a spot or stripe to the dog's back between the shoulder blades. Squeeze tube to apply all of the solution to the dog's skin. Do not use on dogs less than 5 pounds.

[Dogs 16 to 33 lbs]

Use Only for Dogs Between 16 & 33 lbs: (1.5 mL applicator tube) [Insert wording for tube type used – tube options listed below, #1 through #8.] Apply one tube (1.5 mL) of product solution as a spot or stripe to the dog's back between the shoulder blades and base of the tail. Squeeze tube to apply all of the solution to the dog's skin.

[Dogs 34 to 66 lbs]

Use Only for Dogs Between 34 & 66 lbs: (3.0 ml applicator tube) [Insert wording for tube type used – tube options listed below, #1 through #8.] Apply approximately half of the tube (1.5 mL) of product solution as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (1.5 mL) as a spot or strip to the dog's back directly in front of the base of the tail. Or, apply the entire tube (3.0 ml) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail. Squeeze tube to apply all of the solution to the dog's skin.

[Dogs over 66 lbs.]

Use Only for Dogs Over 66 lbs: (4.5 mL applicator tube) [Insert wording for tube type used – tube options listed below, #1 through #8.] Apply approximately half of the tube (2.25 mL) of product solution as soot or stripe to the dog's back between the shoulder blades <u>and</u> apply the rest of the tube's contents (2.25 mL) as a spot or stripe to the dog's back directly in front of the base of the tail. Squeeze tube to apply all of the solution to the dog's skin. DO NOT USE MORE THAN A 4.5 mL DOSE REGUARDLESS OF DOG SIZE.] [OR]

(4.5 mL applicator tube) [Insert wording for tube type used – tube options listed below, #1 through #8.] Apply the entire tube (4.5 mL) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail. Squeeze tube to apply all of the solution to the dog's skin. DO NOT USE MORE THAN A 4.5 mL DOSE REGUARDLESS OF DOG SIZE.]

[Wording for use - dependent upon tube type used]

- [1] [FOR TWIST TUBES]: Remove product from package. Holding tube upright, twist off cap. Invert tube over dog and use open end to part dog's hair.
- [2] [FOR RATCHET TUBES]: Remove product tube from package. Holding tube upright, pull off cap. Turn the cap around and place opposite end of cap back on tube. Twist cap to break seal, remove cap from tube. Invert tube over dog and use open end to part dog's hair.



[Pictorial for Rachet Tubes / Drawing of how to apply]

- [4] [FOR FLAT CARD UNIT-DOSE PACKAGING]: Separate cards along the perforated line. Holding separated card by its wide end with narrow end pointed up and away from face and body, cut along dotted line. Invert card over dog and use narrow end of the card to part dog's hair.
- [5] [FOR FLAT CARD UNIT DOSE PACKAGING]: [For push pin type applicator] Remove one product tube from the card. With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap and invert tube over dog, with tube close to dog's skin.
- [6] [FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING]: Remove product tab by tearing along perforation. Holding tab with tube end pointed up and away from face and body, cut along dotted line. Invert tab over dog and use narrow end of the card to part dog's hair.
- [7] [BLISTER CARD WITH TRI-LAYER TUBES]: Remove product tube(s) from package. Fold along perforation between tubes and tear off one tube. {Return unused tubes to package} Holding tube with notched end pointing up and away from face and body, snap off narrow end at notches. Invert tube over dog and use open end to part dog's hair.
- [8] FOR PERFORATED 3-PAK TUBE STRIPS WITH BREAKAWAY TABS ON EACH TUBE: Separate one tube at a time from the 3-pak strip. Holding tube upright and away from face and body, snap the tip of the tube open. Invert tube over dog and use open end to part dog's hair.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store this product in a cool, dry (preferably locked) place away from heat and open flame, in an area inaccessible to children and animals. Protect from freezing.

Pesticide Disposal: Non-refillable container. If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE OF WARRANTY

NOTE: Seller warrants this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Sellers liability or default, breach, or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For:

Ecto Development Corporation Blue Springs, MO 64015

[OR Distributor]

EPA Reg. No.: 67505-4

SIDE EFFECTS

Monitor your dog after application.
Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-8XX-XXX-XXX

["No Cat Icon" in yellow box & black image only]

DO NOT USE ON CATS MAY BE FATIM

Keep away from treated dogs for 24 hours.
If applied to cat, contact your veterinarian immediately.



[Minimum 1.5 x 1.5 cm size black "No Cat Icon", on yellow background. Not printed on yellow paper]

[Optional Insert for Dogs - Continued - Monthly Reminder (for inclusion with product tubes)]

[Printed on approximately 3'x4" peel off paper, located inside package - not visible from outside]

ECTO DOG & HORSE FLEA & TICK INSECTICIDE [Product Name]

Use these calendar stickers to remind you when your dog is due their next monthly application.

["No Cat Icon" in yellow box & black image only]

DO NOT USE ON CATS MAY BE FATAL

Keep away from treated dogs for 24 hours.
If applied to cat, contact your veterinarian immediately.



[Minimum 1.5 x 1.5 cm size black "No Cat Icon", on yellow background. Not printed on yellow package]

Monthly Sticker Monthly Sticker Monthly Sticker Monthly Sticker

Monthly Sticker Monthly Sticker Monthly Sticker

[Number of stickers dependent upon tube content of package]

[TUBE LABEL FOR HORSES]

VIEW OF APPLICATOR VIAL / TUBE LABELING [OR IMMEDIATE CONTAINER LABELING]

ECTO DOG & HORSE FLEA & TICK INSECTICIDE

["No Cat Icon" in yellow box & black image only]

DO NOT USE ON CATS MAY BE FATAL

Keep away from treated dogs for 24 hours.
If applied to cat, contact your veterinarian immediately.



[Minimum 1.5 x 1.5 cm size black "No Cat Icon", on yellow background. Not printed on yellow package]

PERMETHRIN 45 %

KEEP OUT OF THE REACH OF CHILDREN CAUTION

READ DIRECTIONS AND PRECAUTIONS BEFORE USING

EPA Reg. No. 67505-4 EPA Est. No.

[TUBE LABEL FOR DOGS]

[Product Name]

PERMETHRIN 45 %

KEEP OUT OF THE REACH OF CHILDREN CAUTION

READ DIRECTIONS AND PRECAUTIONS BEFORE USING

[Only For Dogs 5 to 15 lbs. and over 12 weeks of age.]

EPA Reg. No. 67505-4

EPA Est. No.

["No Cat Icon" in yellow box & black image only]

DO NOT USE ON CATS MAY BE FATAL

Lot#

Keep away from treated dogs for 24 hours.
If applied to cat, contact your veterinarian immediately.



[Minimum 1.5 \times 1.5 cm size black "No Cat Icon", on yellow background. Not printed on yellow package]

[ONE OF THE FOLLOWING TEXTS PER VIAL / TUBE OR IMMEDIATE CONTAINER LABELING]

Only For Dogs 5 to 15 lbs.

Only for Dogs 16 to 33 lbs.

and over 12 weeks of age.

and over 12 weeks of age.

Only for Dogs 34 to 66 lbs.

Only for Dogs Over 66 lbs.

and over 12 weeks of age

and over 12 weeks of age