FRONT PANEL

FOR USE ON CATS & KITTENS, DOGS & PUPPIES, FERRETS & FERRET KITS, OVER 12 WEEKS OF AGE

- BREAKS FLEA LIFE CYCLE!
- KILLS FLEA EGGS FOR THREE MONTHS!
- ° KILLS HATCHING FLEA EGGS FOR THREE MONTHS!
- PREVENTS FLEA EGGS FROM DEVELOPING INTO BITING, BREEDING ADULTS FOR THREE MONTHS!
- * PREVENTS FLEAS ON TREATED CATS (DOGS, FERRETS, PETS) FROM INFESTING (REINFESTING) YOUR HOME FOR THREE MONTHS!
- ° AIDS IN THE CONTROL OF FLEA POPULATIONS!
- " WATER BASED FORMULA WITH NO SOLVENT ODOR!
- EASY TO APPLY SPOT-ON FORMULATION!
- ° PREVENTS NEW FLEAS FROM GROWING UP TO BITE!
- · EASY TO APPLY, WATER-BASED FORMULA

ACTIVE INGREDIENTS

Pyriproxyfen:	2-[1-methyl-2-(4-phenoxyphenoxy)	ethoxy]	pyridine	5.3%
OTHER INGREDI	ents			94.78
			TOTAL	100.0%

KEEP OUT OF THE REACH OF CHILDREN CAUTION

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents: (1.5 mL/tube) (___ tubes per package)

EPA Reg. No.: 67505-5 EPA Est. No.:

ACCEPTED JAN 13 2004

Under une l'aire al invertielle, Pungicièle, crai de provinciale Act, as sumendré for le présidade registered unes 27505 – 5

Manufactured For Ecto Development Corporation Excelsior Springs MO, 64024

(lot number statements as needed)
Mfg. & Printed in U.S.A. (label revision number) (product number)

67505-6
Page 1 of 6
October 30, 2003
E724DL6A.DOC-1

SIDE/BACK PANEL

READ ENTIRE LABEL BEFORE USING USE ONLY ON CATS & KITTENS, DOGS & PUPPIES, FERRETS & FERRET KITS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Hazards to Humans:

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Hazards to Domestic Animals: For external use only. Do not use on kittens or puppies under 12 weeks of age or on ferret kits under 16 weeks of age. Consult a veterinarian before using this product on debilitated, aged pregnant, or nursing animals.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bath your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals.

FIRST AID

- If Swallowed ° Call a poison control center or doctor immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - On not induce vomiting unless told to do so by a poison control center or doctor.
 - ° Do not give anything by mouth to an unconscious person.
- If In Eyes
- O Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
- ° Call a poison control center or doctor for treatment advice.

-

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information.

67505-6 Page 2 of 6 October 30, 2003 E724DL6A.DOC-2

SIDE/BACK PANEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PROTECT FROM FREEZING

READ ENTIRE LABEL COMPLETELY BEFORE EACH USE. Do not get this product in your pet's eyes or mouth. Repeat applications may be made if necessary, but do not apply more often than once every 3 weeks. Do not use this product in or on electrical equipment due to the possibility of shock hazard. Do not use on kittens or pupples under 12 weeks of age or on ferret kits under 16 weeks of age.

HOW TO APPLY:

Dosage: For cats, kittens, dogs, puppies, ferrets, and ferret kits weighing less than 33 lbs apply one tube (dose) (1.5ml). For dogs, and puppies weighing more than 33 lbs apply two tubes (doses) (total 3 ml).

FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKING: Remove product tab by tearing along perforation. Holding tab with tube end pointed up and away from face and body, cut along dotted line. While gently holding cat (dog, ferret, pet), use the narrow end of the tab to part cat's (dog's, ferret's pet's) hair, and apply product as a narrow stripe down cat's (dog's, ferret's pet's) back from back of head to base of tail. Squeeze tube firmly to apply all of the solution directly to cat's (dog's, ferret's pet's) skin. Continue to gently restrain cat (dog, ferret, pet) for a few seconds until product absorbs into cat's (dog's, ferret's, pet's) coat. Wrap tab and put in trash.

FOR SARAN TUBES IN BLISTER CARD: Remove product tube from package. Holding tube with notched end pointing up and away from face and body, cut off narrow end at notches. Invert tube over pet and use open end to part cat's (dog's, ferret's, pet's) hair. Squeeze tube firmly to apply all of the solution to the cat's (dog's, ferret's, pet's) skin. Wrap tube and put in trash."

BLISTER CARD WITH TRI-LAYER TUBES: Remove product tube(s) from package. Fold along perforation between tubes and tear off one tube. *{Return unused tubes to package.} Holding tube with notched end pointing up and away from face and body, snap off narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in trash.

*{OPTIONAL}

** FOR MULTI-DOSE PACKAGING: Withdraw 1.5 ml of solution at a time. While gently holding cat (dog, ferret, pet), apply entire given dose directly to the cat's (dog's, ferret's, pet's) skin as a narrow stripe down the cat's (dog's, ferret's, pet's) back from the back of the head to the base of the tail. Continue to gently restrain cat (dog, ferret, pet) for a few seconds until product absorbs into cat's (dog's, ferret's, pet's) coat.

67505-6
Page 3 of 6
October 30, 2003
E724DL6A.DOC-3

SIDE/BACK PANEL DIRECTIONS FOR USE (CONTINUED)

** FOR DROPPER BOTTLE MULTI-DOSE PACKAGING: Insert dropper tube into insecticide solution, squeeze bulb and then release to fill tube barrel to 1.5 ml line. While gently holding cat (dog, ferret, pet), position dropper tube end in cat's (dog's, ferret's, pet's) hair next to skin and squeeze bulb to apply entire given dose directly to the cat's (dog's, ferret's, pet's) skin. Apply as a narrow stripe down cat's (dog's, ferret's, pet's) back for the back of head to the base of the tail. Continue to gently restrain cat, (dog, ferret, pet) for a few seconds until product absorbs into cat's (dog's, ferret's, pet's) coat.

** FOR SALE TO VETERINARIANS ONLY

ECTO F724 is an effective and easy to use product. ECTO F724 prevents eggs from fleas on treated cats (dogs, ferrets, pets) from developing into biting adults for three months. As with all flea and tick control products, ECTO F724 should be used as part of a program aimed at reducing flea populations in the cat's (dog's, ferret's, pet's) environment (bedding, carpets, yard). For existing flea infestations, a premise treatment including an adulticide and larvacide should be used prior to treating your pet with ECTO F724. Consult your veterinarian or entomologist or retailer for program recommendations.

STORAGE AND DISPOSAL

Storage: Store in a cool dry place. Protect from freezing.

Disposal: If empty: Do not reuse this container. Place in Trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE OF WARRANTY 1

ECTO DEVELOPMENT CORP. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

<u>OR</u>

Buyer assumes all responsibility for safety and use not in accordance with directions.

¹ The use of any notice of warranty statement is optional.

67505-6
Page 4 of 6
October 30, 2003
E724DL6A.DOC-4

TUBE LABEL (Folding card and flat card packaging designs)

ECTO F724

PYRIPROXYFEN 5.3% W/W

KEEP OUT OF THE REACH OF CHILDREN
READ DIRECTIONS AND
PRECAUTIONS BEFORE USING

EPA Reg. No. 67505-5

67505-6
Page 5 of 6
October 30, 2003
E724DL6A.DOC-5

TAB LABEL (Folding card and tabbed card packaging designs)

ECTO F724

Active Ingredients: Pyriproxyfen:
2-[1-methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine..... 5.3%

KEEP OUT OF THE REACH OF CHILDREN SEE MAIN LABEL FOR ADDITIONAL PRECAUTIONS AND INSTRUCTIONS FOR USE

EPA Reg. No.: 67505-5