



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
67508-1

Date of Issuance:
MAR 11 1994

NOTICE OF PESTICIDE:
 X Registration
 Reregistration

Term of Issuance:
Conditional

Name of Pesticide Product:
Ronstar 1 $\frac{1}{2}$ with Fertilizer

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

**Golf Ventures, Inc.
2101 East Edgewood Drive
Lakeland, FL 33803**

Notes: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the label changes listed below before you release the product for shipment:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 67508-1".
- b. The Agricultural Use Requirements should be enclosed in a block separate from the Environmental Hazards and the Storage and Disposal block.
- c. Since this product has no aquatic uses, the phrase "For terrestrial uses" may be deleted from the beginning of the second sentence of the Environmental Hazards section.

Signature of Approving Official:

Date:

MAR 11 1994

284

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (7505C)

Enclosure

CONCURRENCES

SYMBOL	7505C							
SURNAME	D. KENNY							
DATE	3/11/94							



RONSTAR® 1% with FERTILIZER

50 lb. Bag Treats up to 11,000 Sq.Ft. of Ornamental Turfgrass
Ask for a Copy of the Supplemental Label

Available For The Use Of This Product On Ornamental Shrubs, Vines and Trees.

**FOR SALE TO, USE AND STORAGE BY NURSERY, TURF AND LANDSCAPE PERSONNEL ONLY
FOR USE ON PARKS, GOLF COURSES, ATHLETIC FIELDS, AND OTHER RECREATIONAL AND ORNAMENTAL TURFGRASS AREAS.**

Controls: Crabgrass, Annual Bluegrass, Goosegrass, Florida Pusley, Oxalis, Stinging Nettle, Carpetgrass, Pigweed and Other Weeds Listed.

ACTIVE INGREDIENT:

Oxadiazon; [2-tert-butyl-4-(2,4-dichloro-5-isopropoxyphenyl) N-1,3,4-oxadiazolin-5-one] - - 1.0%

INERT INGREDIENTS: - - 99.0%
Total 100.0%

Contains RONSTAR® Herbicide a Registered Trade Mark of Rhone-Poulenc Inc.

KEEP OUT OF REACH OF CHILDREN WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se le explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists. **IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye and skin irritation. Avoid contact with skin, eyes or clothing. Do not allow domestic animals to graze treated areas. Avoid contamination of feed and foodstuffs.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear coveralls over short-sleeved shirt and short pants; waterproof gloves; chemical resistant footwear plus socks; protective eyewear; chemical-resistant headgear for overhead exposure; chemical resistant apron when cleaning equipment. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of clothes before removing. As soon as possible, wash thoroughly and change into clean clothes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard.

NON-AGRICULTURAL USES REQUIREMENTS

The requirements of this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants only on farms, forests, nurseries, and greenhouses.

A PRE-EMERGENT WEED CONTROL PLUS FERTILIZER FOR PERENNIAL BLUEGRASS, PERENNIAL RYEGRASS, ST. AUGUSTINE GRASS, BERMUDAGRASS TALL FESCUE and ZOYSIAGRASS.

USE PRECAUTIONS

Do not use on Red Fescue, Bentgrass varieties, Dichondra, or Centipede grass because damage will occur. Do not use on Putting greens or "Tees" due to varying cultural practices used.

For St. Augustinegrass application rates above the 50 lbs. per 7,350 sq.ft. will temporarily discolor and damage the turf. If a higher rate is necessary (such as 50 lbs./5,550 sq.ft. or 50 lbs./6,450 sq.ft.) in order to control Goosegrass, Spurge, Poa Annua, Florida Pusley or Carpetgrass, turf damage can be expected to the St. Augustine, therefore apply only when that damage can be tolerated and when good cultural practices are planned in order to revive the damaged turf.

Avoid product contact with flowers and shrubs except as recommended on the Ornamental Use Supplemental Labeling available for this product. For newly seeded lawns do not apply this product until after the second or third cutting. For best lawn care, place new grass seed in the fall of the year. Spring pre-emergence weed control can then be applied. Reseeding treated Areas: Delay new seeding until 4 months after treatment.

CONTROLS GRASSY WEEDS and BROADLEAF WEEDS

Annual Bluegrass (Poa Annua), Barnyard Grass, Crabgrass, Fall Panicum, Florida Pusley, Goose grass, Green Foxtail, Oxalis, Stinging Nettle, Carpet grass, Pigweed.

HOW TO APPLY

For best weed control rake the area free of leaves and thatch and mow if necessary so that granules will reach the soil surface. Measure the area to be treated and uniformly apply the required amount using a fertilizer spreader (see Spreader Settings chart). Do not apply to turf when it is wet. Do not over-lap spreader applications, on St. Augustinegrass since discoloration "streaking" may temporarily occur from "double rate". After applications if rain is not expected within 24 hours sprinkle the treated turf with 1/4 to 1/2 inch of water to get maximum weed control.

HOW MUCH TO USE

FOR CRABGRASS

Apply 50 lbs./11,000 Sq.Ft. when turf has been in a yearly maintenance program (equal to 2 lbs. A.I. herbicide per acre.) Apply 50 lbs. to treat 7,350 Sq.Ft. of lawn if it has been heavily infested with Crabgrass; equal to 3 lb. A.I. herbicide per acre. Apply in early spring 1 to 2 weeks prior to weed seed germination. This product is a pre-emergence herbicide. It will not control emerged and growing weeds; only

ACCEPTED
with COMMENTS
In EPA Letter Dated

MAR 11 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended for the pesticide
registered under EPA Reg. No.

67509-1

BEST AVAILABLE COPY