FRONT PANEL

INSECTICIDE MIST

- ° FOR DAIRY BARNS, MILK ROOMS, PROCESSING PLANTS AND MILLS
- ° AIDS IN CONTROLLING FLIES, MOTHS, AND CRAWLING INSECTS

ACTIVE INGREDIENT:

Pyrethrins		. 0.1%
Piperonyl Butoxide Technical		1.0%
OTHER INGREDIENTS:		
TO	TAL	100.0%
This product contains petroleum distillates.		


KEEP OUT OF THE REACH OF CHILDREN CAUTION SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No.: 67517-4

EPA Est. No.: 67517-MO-1

Net Contents: ONE U.S. GALLON (3.785 L)

Manufactured By
PM RESOURCES, INC
13001 St. Charles Rock Road
Bridgeton, MO 63044



(Lot/Code/Product/Rev./Numbers as needed) Mfg. & Printed in U.S.A. Precautionary Labeling Must Meet Type Size and Prominence Requirements.

PAGE 1 OF 4 NOVEMBER 13, 2000 PMR04LAB.DOC-1

SIDE/BACK PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANCER

Harmful if swallowed. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Do not apply to uncovered human foodstuffs or food products. Avoid contamination of milk and milk equipment. Do no remain in closed area being treated; ventilate area when treatment is completed. Do not allow spray to remain on plastic materials.

FIRST AID

If On Skin or Clothing	 Take off contaminated clothing. Rinse Skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	
If In Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
If Swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
HOT LINE NUMBER		

Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information.

NOTE TO PHYSICIAN

This product contains petroleum distillate - vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

PAGE 2 OF 4 NOVEMBER 13, 2000 PMR04LAB, DOC-2

SIDE/BACK PANEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dairy Barns and Milk Rooms: Station cows for milking. Close doors and windows to elimina drafts. Direct mist from sprayer towards ceiling to contact flying insects. When using f fogging devices, disperse product horizontally below level of ceiling rafters. Use at a of 1/2 ounce for each 1000 cubic feet of space. Allow mist to settle on animals. Keep building closed for 5 minutes after misting. Repeat spraying daily or as needed. If desi the product can also be applied directly to the animals. To control horn flies and for protection against stable flies, mosquitoes, and gnats - apply 1 to 2 ounces per animal daily, preferably in the morning.

Animal and Poultry Shelters: Use the product for killing house flies, stable flies, less house flies, mosquitoes and gnats at the rate of 1/2 ounce for each 1000 cubic feet of s Direct mist towards roof of animal or poultry shelter to contact flying and resting inse Mist will settle on floor areas killing flies attracted to droppings, litter or animals. Repeat spraying as necessary. Barns, Stables, and Kennels- Keep buildings closed for 5 minutes after misting. Pig Parlors, Loafing Barns, Turkey Confinement Porches- In and ab open-type buildings spray the product when air is still. Cage Laying Houses- Collect egg before spraying.

For Mills, Elevators, Granaries, Warehouses, Box Cars, Dairies, Meat Packing Companies, Poultry and Food Processing or Storage Plants, Canneries: Use the product when mills or food processing plants are not in operation. Close doors and windows, turn off ventilating systems, and extinguish open flames. In poultry and food processing plants - remove exposed products during spraying. Clean premises thoroughly by washing before operations are resumed. Repeat treatment as necessary.

To kill exposed stages of flying insects such as grain, flour, or meal moths, flies, mosquitoes, gnats and wasp- Direct the spray mist toward the upper portions of the enclo Use the product at the rate of 1/2 ounce for each 1000 cubic feet of space. Keep doors a windows closed for 10 minutes following spraying.

To kill exposed stages of weevils, bran bugs, cadelles, roaches, ants, grain or cheese m - Use the product as a space spray at the rate of 2 ounces for each 1000 cubic feet of s Also apply as a coarse wet spray into all places commonly inhabited by the insects. Use gallon of the product for each 750 square feet of surface. Spray floors, walls and other surfaces of bins, storage and handling areas thoroughly.

PAGE 3 OF 4 NOVEMBER 13, 2000 PMR04LAB.DOC-3

SIDE/BACK PANEL

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Do not store near heat or open flame.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on or at an approved waste disposal facility.

Container Disposal (Plastic): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

PAGE 4 OF 4 NOVEMBER 13, 2000 PMR04LAB.DOC-4