FRONT PANEL

DAIRY SPRAY

Kills Horn Flies, Lice, House Flies, Mosquitoes, and Gnats

ACTIVE INGREDIENTS:

 Pyrethrins
 0.06%

 Piperonyl butoxide, technical *
 0.48%

 INERT INGREDIENTS:
 29.46%

 TOTAL 100.00%

* Consists of 0.384% of (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.096% of Related Compounds.

Product contains petroleum distillates.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No.. 67517-12 NET 5 GAL.

EPA Est. No.: 67517-MO-1

Manufactured By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO. 63044

Page 1 of 3 December 29, 1995 PMR12LAA.DOC-1 BEST AVAILABLE COPY

SIDE/BACK PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or inhaled. Avoid contract with skin, eyes or clothing. Avoid breathing of spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Do not wet the skin of animals. Avoid contamination of feed, foodstuffs, milk and milking utensils. Remove animals from barn when fogging or misting.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

If On Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If It Types: Frush eyes with plenty of water. Call physician if irritation persists.

If Inhaled: Persove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-menth. Contraction attention.

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dairy Spray is a quick knockdown contact spray for killing and repelling horn flies, house flies, mosquitoes and gnats and also kills lice. For fly control, apply daily; after using 3 days the residual repellent and killing action may be sufficient so that applications may be needed only every other day.

Dairy Cattle:

Fly Control - Apply Dairy Spray as a mist to the hair coat. Hold sprayer about 18 inches from the cow, apply mist to entire body from mid-neck region to tail, including the underline and the legs. The amount of spray used should not exceed 1 to 2 ounces per adult animal. Spray calves more sparingly. Do not wet the skin. Wash udder before milking.

<u>Lice Control</u> - Spray the animals with 2 ounces of **Dairy Spray**. Immediately rub the spray into the hair, paying particular attention to infested areas. Repeat as necessary, but not more frequently than once every three weeks.

Page 2 of 3 December 29, 1995 PMR12LAA.DOC-2

BEST AVAILABLE COPY

3 of 3

SIDE/BACK PANEL

DIRECTION FOR USE (Continued)

Dairy Barn and Milk Room - When used as a space contact spray for flies and other ins animals from barn and close doors and windows tightly. Spray Dairy Spray towards ceiling in till a light fog hungs in air. Repeat as necessary.

Beef Cattle, Hogs, and Other Farm Animals (Except Horses) - Apply as a mist to the hair coat of farm animals for temporary repellent and killing action. Aids in controlling horn flies, house flies, mosquitoes and gnats. Do not wet the skin.

STORAGE AND DISPOSAL

Do not commissio water food or food by grorger or it pour

Pesticide Disposal: 100 not use, pour, spill or store near an open flame.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and k authorities.

NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

BEST AVAILABLE COPY

Page 3 of 3 December 29, 1995 PMR12LAA.DOC-3