

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

22 MAR 1996

Mr. Joseph E. Dyer
ECTO Development Corporation
1229 N. Jesse James Road
Excelsior Springs, MO 64024

Dear Mr. Dyer:

Subject: Amendment-Label
Space Mist Insecticide
EPA Registration No. 67517-13
Your Submission date December 12, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. On the front panel:

a. Under sites add the word "feed" to "food" i.e.Food/Feed Handling Establishments.

2. Under Precautionary Statements:

a. Delete "or fatal" from the first sentence to read:Harmful if swallowed or inhaled.
b. Revise the first sentence of the second paragraph to read:..... Do not apply directly to food and feed products.

3. Under the Statement of Practical Treatment:

a. Revise :If Swallowed" statement to read:
If Swallowed: Call a physician or Poison Control Center

4 Under Directions for Use:

a. Add the word feed where food is mentioned, i.e.food/feed should be removed or covered.....

CONCURRENCES

SYMBOL							
SURNAME	JW						
DATE							

2 4 5

-all food/feed processing surfaces.....
- b. Revise the second sentence to read:
-all food/feed processing surfaces and utensils.....
-c. Include the text below following the statement:
"apply only when plant is not in operation"
-After space spraying in food/feed processing plants,
wash all equipment thoroughly with a suitable detergent and rinse
with potable water (benches, shelving etc.)

A stamped copy of the label is enclosed for your records.

Sincerely yours,

RPK

Richard P. Keigwin, Jr.
Product Manager 10
Insecticide-Rodenticide Branch
Registration Division (7505C)

cc: Enclosure

3 4 5

FRONT PANEL

SPACE MIST INSECTICIDE

For use in Food and Beverage Plants, Food Handling Establishments, Industrial and Institutional Establishments, Hospitals and Nursing Homes.

KILLS HOUSEFLIES, MOSQUITOES, GNATS, WASPS

ACTIVE INGREDIENTS:

Resmethrin*.....	0.250%
Related Compounds.....	0.034%

INERT INGREDIENTS:**.....	99.716%
TOTAL	100.000%

*Cis/trans isomer ratio: Max 30% (±) cis and min. 70% (±) trans.

**Contains Petroleum Distillate

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

SEE SIDE/BACK PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

BEST AVAILABLE COPY

EPA Reg. No.: 67517-13

EPA Est. No.: 67517-MO-1

Net Contents: 55 GALLONS

Manufactured By
PM RESOURCES, INC
13001 St. Charles Rock Road
Bridgeton, MO 63044

(Lot/Code/Product/Rev./Numbers as needed) Mfg. & Printed in U.S.A.
Precautionary Labeling Must Meet Type Size and Prominence Requirements.

PAGE 1 OF 3
DECEMBER 12, 1995
PMR131AA.1000 1

ACCEPTED
 IN EPA LABORATORY
 22 MAR 1996
 67517-13

SIDE/BACK PANEL.
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful or fatal if swallowed or inhaled. Avoid breathing of spray mist. Do not remain in closed area being treated; ventilate area when treatment is completed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Do not apply to uncovered human foodstuffs or food products. Avoid contamination of milk and milk equipment. Cover fish bowls and remove pets while spraying.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

If Inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Consult your State's Fish and Wildlife agency before treating such waters.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOUSEFLIES, MOSQUITOES, GNATS: Close doors and windows to eliminate drafts. Direct mist from sprayer towards ceiling to contact flying insects. When using fixed misting or fogging devices, disperse Space Mist Insecticide horizontally below level of ceiling rafters. Use at a rate of 1/2 ounce for each 1,000 cubic feet of space. Keep building closed for five minutes after misting. Repeat spraying daily or as needed.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

In hospitals and nursing homes, remove patients during application and ventilate rooms for two hours before reoccupying.

In processing plants, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using Space Mist Insecticide as a space spray in these areas, apply only when plant is not in operation.

SIDE /BACK PANEL.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Do not use or store near heat or open flame.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

BEST AVAILABLE COPY