



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
67517-21

SEP 20 2001

NOTICE OF PESTICIDE:
 Registration
 X Reregistration

Term of Issuance:
Unconditional

Name of Pesticide Product:
Cattle duster
Insecticide

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

PM Resources, Inc.
13001 St. Charles Rock Road
Bridgeton, MO 63044

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3) © (2)(B).

1. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phase "EPA Registration No. 67517-21".

Signature of Approving Official:

Date:

277

page 2
EPA Reg. No.67517-21

2. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosures

3 7 7

FRONT PANEL

CATTLE DUSTER INSECTICIDE

FOR USE ON DAIRY OR BEEF CATTLE, SWINE AND SWINE BEDDING

For Control of Horn Flies and Lice on Beef and Dairy Cattle
Aids in reducing Face Flies on Cattle
For Control of Lice on Swine and Swine Bedding

ACTIVE INGREDIENT:	
Coumaphos (CAS #56-72-4).....	1.00%
OTHER INGREDIENTS:.....	99.00%
TOTAL	100.00%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

SEE SIDE/BACK PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No.: 67517-21

EPA Est. No.: 67517-MO-1

Net Contents: 1 GAL. (3.785L)

Manufactured By
PM RESOURCES, INC
13001 St. Charles Rock Road
Bridgeton, MO 63044

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

(Lot/Code/Product/Rev./Numbers as needed)

Mfg. & Printed in U.S.A.

Precautionary Labeling Must Meet Type Size and Prominence Requirements.

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 20 2001

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for
registered under

67517-21

SIDE/BACK PANEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin and clothing.

User Safety Requirements:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from the other laundry.

Personal Protective Equipment:

Some materials that are chemical-resistant to this product are rubber and waterproof.

Loaders, applicators and other handlers must wear:

- * long sleeve shirt and long pants,
- * chemical-resistant gloves (such as rubber or waterproof)
- * shoes plus socks,
- * chemical-resistant apron,

User Safety Recommendations:

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to mammals, birds, fish and aquatic invertebrates. Coumaphos washed off of wading treated livestock may be hazardous to aquatic organisms. Do not contaminate water when disposing of equipment washwater or rinsate.

SIDE/BACK PANEL

FIRST AID

If Swallowed	<ul style="list-style-type: none"> ◦ Call a poison control center or doctor immediately for treatment advice. ◦ Have person sip a glass of water if able to swallow. ◦ Do not induce vomiting unless told to do so by a poison control center or doctor.
If On Skin or	<ul style="list-style-type: none"> ◦ Take off contaminated clothing. ◦ Rinse Skin immediately with plenty of water for 15-20 minutes. ◦ Call a poison control center or doctor for treatment advice.
If In Eyes	<ul style="list-style-type: none"> ◦ Hold eye open and rinse slowly and gently with water for 15-20 minutes. ◦ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. ◦ Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
<p>Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information.</p>	
NOTE TO PHYSICIAN	
<p>Coumaphos is a cholinesterase inhibitor. Treat symptomatically. Atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.</p>	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Application Restrictions:

For external, insecticidal use on Beef or Dairy Cattle or Swine or Swine Bedding only. Avoid contamination of feed, troughs, water and water utensils. Provide thorough ventilation while dusting. Do not apply to sick, stressed or convalescent animals.

Do not treat areas such as drinking cups, mangers, or troughs where livestock feed. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment.

SIDE /BACK PANEL

USE DIRECTIONS (CONTINUED)

Application Restrictions: (Continued)

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Individuals must limit the number of animals they can treat per day with shaker can to no more than 25 and the area of swine bedding they can treat per day to 1,000 sq. ft.

The use of mechanical dusters is prohibited.

Entry Restrictions: Do not enter treated areas or allow contact with treated animals until dusts have settled.

Application Instructions:**TO CONTROL HORN FLIES AND LICE ON BEEF AND DAIRY CATTLE:**

A ready-to-use insecticide dusting powder for use in refillable Cattle Duster Bag - a weather-proof bag for use in open or sheltered areas. This product can also be used for hand dusting. Effective in controlling horn flies and lice; aids in controlling face flies. No withdrawal period required. May be used with dairy cattle in production or beef cattle being fed for slaughter.

DUST BAG:

Empty contents of bag (Cattle Duster Insecticide) into the Cattle Duster Bag through opening along edge of upper side. Close opening. Use 1 lb. of Cattle Duster Insecticide per 8 animals every two weeks. Do not exceed 3 lbs. of Cattle Duster Insecticide per animal per year.

HOW TO HANG:

Hang Cattle Duster Bag by means of rope or chain placed through straps along top edge. For horn fly and lice control adjust height so that bottom of bag will hang a little below the backline of the animals using it. To aid in reducing face flies hang bag so that animals will be forced to dust face daily.

WHERE TO HANG:

Suspend Cattle Duster Bag in locations where animals will frequently dust themselves on a free-choice basis, or in gateways or lanes through which animals are forced to pass daily for water, feed or mineral.

Dairy Cattle: For lactating dairy cows, hang in the exit of the milking barn.

Restrictions: Do not hang Cattle Duster Bag over feed, mineral or water troughs.

SIDE/BACK PANEL

DIRECTIONS FOR USE (CONTINUED)

Application Instructions: (Continued)

HAND DUSTING:

Apply not more than 2 oz. (6 level tablespoonfuls) evenly into the hair over the head, neck, shoulders, back and tailhead. Repeat as necessary, but not more often than every 14 days. (Maximum Seasonal Application Rate: 26 applications/year).

TO CONTROL LICE ON SWINE:

Apply not more than 1 oz. (3 level tablespoonfuls) per head as a uniform coat to the head, shoulders and back by use of a shaker can. Repeat as necessary but not more often than once every ten days.

Bedding Treatment: Apply 2 oz. (6 level tablespoonfuls) uniformly over each 30 square feet of fresh, dry bedding by use of a shaker can. Repeat as necessary but not more often than once every ten days. Treat no more than six times per year.

NOTE: In severe infestations both individual animals and the bedding may be treated as directed above. No interval is required between treatment and slaughter or between treatment and use of milk as feed.

STORAGE AND DISPOSAL

Pesticide Storage: Keep this product dry in a tightly closed container, when not in use. Store in a cool dry well ventilated area away from heat or open flame. Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill or by incineration or if allowed by State and local authorities by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

OR

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.