PM RESOURCES

RAT CONTROL PELLETS

KILLS NORWAY RATS, ROOF RATS, AND HOUSE MICE

ACTIVE INGREDIENT:

Warfarin, 3-(aipha-Acetonylbenzyl)-

100.000%

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, demestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, Roof rats and House mice in and around homes, industrial buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents and or their signs have been seen. Protect bait from rain or snow. Remove as much afternative food as possible.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE RIGHT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS & DOMESTIC ANIMALS CAUTION

Keep away from humans, domestic animals and pets. If swallowed this material may reduce the clotting ability of the blood and cause bleeding. NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intramuscu

NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring or prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

FOR RATS (Roof and Norway): Use 4 to 16 ounces of RAT CONTROL PELLETS per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

FOR HOUSE MICE: Apply 1/4 to 1/2 ounce (1-2 level tablespoons) of RAT CONTROL PELLETS at 8 to 12 foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

NET WT 50 LB

MANUFACTURED BY:
PM RESOURCES, INC.
13001 ST. CHARLES ROCK ROAD
BRIDGETON, MO 63044



RATS/MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfes-

and dispose of all dead animals and leftover bait properly. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Flegional Office for guidance.

CONTAINER DISPOSAL: Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Est. 67517-MO-1

D-8307

9401 N

Printed in U.S.A.

