MAY

PM Resources, Inc. 13001 St. Charles Rock road Bridgeton, MO 63044

Attention: Mr. Joseph Dyer

)

}

Place Pack Rat Control Subject:

EPA Reg. No. 67517-27

Your letter received May 1, 1998

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you make the following changes and submit one (1) copy to us before you ship your product:

- 1. When printed, preserve the organizational format in the submitted labels.
- 2. On both the outer container and place pack labels, insert a comma between "present" and "establish" in the last sentence of the "RATS/MICE" part of the "APPLICATION DIRECTIONS" subsection of the "DIRECTIONS FOR USE".

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Dan Peacock, Biologist

Insecticide-Rodenticide Branch

Vaniel B. Peacock

Registration Division (H7504C)

Enclosures:

1. Stamped Label

2. A-79 Enclosure

Peacock WP#16:A:\Warfarin\67517-27.May:305-5407:5/7/98

#### FRONT PANEL

# OUTER CONTAINER LABEL PLACE PACK RAT CONTROL

FOR NORWAY RATS, ROOF RATS, AND HOUSE MICE

ACTIVE INGREDIENT:

Warfarin ..... 0.025

OTHER INGREDIENTS..... 99.9758 \*\*

TOTAL 100.00%

KEEP OUT OF THE REACH OF CHILDREN CAUTION

with COMMENTS in EPA Letter Dated:

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MAY 8 1998

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Under the Federal Insecticide, Funcicide, and Rodenticide Act as amended for the pesticide registered under EPA Reg. No. 67517-27

Keep away from humans, domestic animals and pets. If swallowed this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested administer  $Vitamin\ K_1$ , intramuscularly or orally as indicated in bishydroxycourmarin overdose. Repeat as necessary based on monitoring of prothrombin times.

## ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. For terrestrial use, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

EPA Reg. No.: 67517-27

EPA Est. No.: 67517-MO-1

NET CONTENTS: 60 X 4 oz. Placepacks

NET WT.: \_ 15 lbs.

Manufactured By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO 63044

IN CASE OF EMERGENCY CALL: CHEMTREC (POISON CONTROL CENTER) AT 1-800-424-9300

(Lot/Code/Product/Rev. Numbers as needed) Mfg. & Printed in U.S.A. Precautionary Labeling Must Meet Type Size and Prominence Requirements.

PAGE 1 OF 3 MAY 2, 1998 PMR27LBB.DOC-4

,,,,,

,

## SIDE/BACK PANEL

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides.
To help to prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, Roof rats and House mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

FOR RATS (Roof and Norway):

Apply one to four 4-oz. placepacks per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

## FOR HOUSE MICE:

Open place pack and apply 1/4 to 1/2 ounce (1-2 level tablespoons) of bait at 8 to 12 foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

## RATS/MICE:

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources, of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present establish permanent bait stations and replenish bait as needed.

PAGE 2 OF 3 MAY 2, 1998 PMR27LBB.DOC-5

## SIDE/BACK PANEL

#### STORAGE AND DISPOSAL

## HOUSE HOLD USE:

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets.

Disposal: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

## NON-HOUSEHOLD USE:

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Keep product in tightly closed original container. Store in a dry area not accessible to children or pets, domestic animals or wildlife. Do not store near material with a strong odor.

Pesticide Disposal: Pesticide Wastes are toxic. Improper disposal of excess pesticide, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

# NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

PAGE 3 OF 3 MAY 2, 1998 PMR27LBB.DOC-6

#### FRONT PANEL

## PLACEPACK LABEL PLACE PACK RAT CONTROL

## FOR NORWAY RATS, ROOF RATS, AND HOUSE MICE

ACTIVE INGREDIENT:

Warfarin ...... 0.025%

OTHER INGREDIENTS..... 99:975% \*

TOTAL 100.00%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

ACCEPTED with COMMENTS in EPA Letter Dated:

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS Funcione, and Redenticide Act CAUTION

MAY 8 1998 Under the Federal insecticide, as amended, for the pesticide registered under EPA Reg. No.

Keep away from humans, domestic animals and pets. If swallowed this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested administer Vitamin K, intramuscularly or orally as indicated in bishydroxycourmarin overdose. Repeat as necessary based on monitoring of prothrombin times.

#### ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. For terrestrial use, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

EPA Reg. No.: 67517-27

EPA Est. No.: 67517-MO-1

NET WT.: 4 oz.

Manufactured By PM RESOURCES, INC. 13001 St. Charles Rock Road Bridgeton, MO 63044

IN CASE OF EMERGENCY CALL: CHEMTREC (POISON CONTROL CENTER) AT 1-8C0-424-9300

(Lot/Code/Product/Rev. Numbers as needed) Mfg. & Printed in U.S.A. Precautionary Labeling Must Meet Type Size and Prominence Requirements.

PAGE 1 OF 3 MAY 2, 1998 PMR27LAB.DOC-1

## BACK PANEL

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides.
To help to prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, Roof rats and House mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or show. Remove as much alternative food as possible.

# FOR RATS (Roof and Norway):

Apply one to four 4-oz. placepacks per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

## FOR HOUSE MICE:

Open place pack and apply 1/4 to 1/2 ounce (1-2 level tablespoons) of bait at 8 to 12 foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

# RATS/MICE:

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does octur, repeat treatment. Where a continuous source of infestation is present establish permanent bait stations and replenish bait as needed.

PAGE 2 OF 3 MAY 2, 1998 PMR27LAB.DOC-2

## BACK PANEL

## STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

## NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

PAGE 3 OF 3 MAY 2, 1998 PMR27LAB.DOC-3