



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL, SAFETY AND POLLUTION PREVENTION

AUG 2 0 2012

PM Resources c/o
Jim Barron
Exponent
1150 Connecticut Ave., NW, Suite 1200
Washington D.C., 20036

Subject:

Amendment to add new 100' restriction

EPA Registration No./Primary Brand Names:

Assault Mouse Place Pack
Rat-A-Rest Pellets
Place Pack Rat Control
Rat/Mouse-A-Rest Place Pack
Assault Mouse Pellets
Assault Meal Rodenticide
Assault Mouse Place Pack II
Assault Mouse Rat Place Pack
Assault Mouse/Rat Pellets
Mouse-A-Rest Pellets

Submission Date: July 10, 2012

Dear Mr. Barron:

The labels referred to above, submitted under FIFRA, as amended, are <u>acceptable</u>. Please submit one final printed copy for the above mentioned labels before releasing the products for shipment. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at <u>benbow.gene@epa.gov</u>.

Sincerely,

John Hebert

Product Manager 07

Insecticide-Rodenticide Branch Registration Division (7505P)

PLACE PACK RAT CONTROL

This Product May Only be Used Inside and Within 100 Feet of Agricultural, Industrial, and Port or Terminal Buildings or Inside of Transport Vehicles (Ships, Trains, or Aircraft)

Kills Norway Rats, Roof Rats, and House Mice

Sublabel A: Agricultural and Industrial Use

KEEP OUT OF THE REACH OF CHILDREN
CAUTION

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

EPA Reg. No.: 67517-27

EPA Est. No.: 67517-MO-1

TOTAL 100.000%

NET CONTENTS: 4 to 50 POUNDS

16 to 140 x 4 oz. PLACE PACKS

Manufactured By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO 63044

ACCEPTED AUG 2 0 2012

Under the Federal Insecticide, Pungicide, and Rodenticide Act, as any inded, for the pesticide Registered under EPA Reg. No. 675/7-27

IT IS ILLEGAL TO SELL THESE PLACE PACKS INDIVIDUALLY

Lot/Code/Product/Revision Numbers as Needed Precautionary Labeling Must Meet Type Size and Prominence Requirements

Mfg. & Printed in U.S.A.

PAGE 1 of 4 67517-27A.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

CAUTION: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

NOTICE: This product contains an ingredient known in the State of California to cause reproductive toxicity. Wash hands thoroughly after using this product. Dispose of as instructed below.

User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact the Hotline Number 1-800-345-4735 for health concerns, emergency medical treatment information or pesticide incidents.

If Swallowed

- Call a poison control center, doctor, or HOT LINE NUMBER
 1-800-345-4735 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If in Eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present after the first 5 minutes, then continue rinsing eve.
- Call a poison control center or doctor for treatment advice.

If On Skin or Clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center, doctor, or HOT LINE NUMBER
 1-800-345-4735 immediately for treatment advice.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian or 1-800-345-4735 at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the anticoagulant Warfarin. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K₁ orally or intramuscularly.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs, cats and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use

only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides.

To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

- 2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals or birds may access the bait.

USE SITES: This product can only be used to control Norway rats roof rats; and house mice in and within 100 feet of agricultural buildings and man-made agricultural structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

USE RESTRICTIONS: Do not place near or inside ventilation duct openings. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come into contact with food. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. Do not use this product in sewers. Do not broadcast bait. Do not apply further than 100 feet from buildings. Do not sell this product in individual containers holding less than 4 pounds of bait.

Burrow baiting with PLACE PACK RAT CONTROL is prohibited.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rats and mice or their signs have been seen. Protect from rain and snow. Remove as much alternative food accessible to rodents as possible.

PAGE 3 of 4 67517-27A

SIDE/BACK PANEL- Sublabel A

DIRECTIONS FOR USE (CONTINUED)

APPLICATION DIRECTIONS:

For Norway and Roof Rats: Apply one to four 4-oz. place packs per placement in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days.

For House Mice: Apply 1/4 to 1/2 ounce (1-2 level tablespoons) of bait at 8 to 12 foot intervals in infested areas. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Follow-Up: Adjust the amount of bait applied to the level of rat and mouse feeding expected at each bait placement location. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of rat and mouse activity. Maintain bait for at least one week and continue baiting until all signs of rat and mouse activity have ceased or it becomes clear that the remaining rats and mice are not attracted to the bait.

Wearing gloves, collect and properly dispose of all dead rats and mice and leftover bait. To discourage reinfestation, limit sources of rat and mouse food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets, domestic animals or wildlife. Keep containers tightly closed and away from other chemicals.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration. In most states, burning is not allowed.

NOTICE OF WARRANTY

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in strict accordance with directions for use:

PLACE PACK RAT CONTROL

This Product May Only be Used Inside and Within 100 Feet of Buildings or Inside of Transport Vehicles (Ships, Trains or Aircraft)

Kills Norway Rats, Roof Rats, and House Mice

Sublabel B: Professional (PCO) Use

ACTIVE INGREDIENT:

TOTAL 100.000%

KEEP OUT OF THE REACH OF CHILDREN CAUTION SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

EPA Reg. No.: 67517-27

EPA Est. No.: 67517-MO-1

NET CONTENTS: 4 to 50 POUNDS

16 to 140 x 4 oz. PLACE PACKS

Manufactured By PM RESOURCES, INC. 13001 St. Charles Rock Road Bridgeton, MO 63044

IT IS ILLEGAL TO SELL THESE PLACE PACKS INDIVIDUALLY

Lot/Code/Product/Revision Numbers as Needed Precautionary Labeling Must Meet Type Size and Prominence Requirements Mfg. & Printed in U.S.A.

PAGE 1 of 4 67517-27B

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

CAUTION: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

NOTICE: This product contains an ingredient known in the State of California to cause reproductive toxicity. Wash hands thoroughly after using this product. Dispose of as instructed below.

User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact the Hotline Number 1-800-345-4735 for health concerns, emergency medical treatment information or pesticide incidents.

If Swallowed

- Call a poison control center, doctor, or HOT LINE NUMBER
 1-800-345-4735 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If in Eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If On Skin or Clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center, doctor, or HOT LINE NUMBER
 1-800-345-4735 immediately for treatment advice.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian or 1-800-345-4735 at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the anticoagulant Warfarin. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K₁ orally or intramuscularly.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs, cats and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use

only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides.

To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

- 2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals or birds may access the bait.

USE SITES: This product can only be used to control Norway rats, roof rats, and house mice in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes, and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port of terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

USE RESTRICTIONS: Do not place near or inside ventilation duct openings. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come into contact with food. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. Do not use this product in sewers. Do not broadcast bait. Do not apply further than 100 feet from buildings. Do not sell this product in individual containers holding less than 4 pounds of bait.

Burrow baiting with PLACE PACK RAT CONTROL is prohibited.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners PAGE 3 of 4

SIDE/BACK PANEL- Sublabel B

and concealed places, between floors and walls, or in locations where rats and mice or their signs have been seen. Protect from rain and snow. Remove as much alternative food accessible to rodents as possible.

DIRECTIONS FOR USE (CONTINUED)

APPLICATION DIRECTIONS:

For Norway and Roof Rats: Apply one to four 4-oz. place packs per placement in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days.

For House Mice: Apply 1/4 to 1/2 ounce (1-2 level tablespoons) of bait at 8 to 12 foot intervals in infested areas. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Follow-Up: Adjust the amount of bait applied to the level of rat and mouse feeding expected at each bait placement location. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of rat and mouse activity. Maintain bait for at least one week and continue baiting until all signs of rat and mouse activity have ceased or it becomes clear that the remaining rats and mice are not attracted to the bait.

Wearing gloves, collect and properly dispose of all dead rats and mice and leftover bait. To discourage reinfestation, limit sources of rat and mouse food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets, domestic animals or wildlife. Keep containers tightly closed and away from other chemicals.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration. In most states, burning is not allowed.

NOTICE OF WARRANTY

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in strict accordance with directions for use.