

67517-34

06-29-2011

1/2



**U.S. ENVIRONMENTAL
PROTECTION AGENCY**
Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg.
Number:

67517-34

Date of
Issuance:

JUN 29 2011

NOTICE OF PESTICIDE:

☐ Registration
☒ Reregistration
(under FIFRA, as amended)

Terms of Issuance:

Unconditional

Rat-A-Rest Pellets

Name and Address of Registrant (include ZIP Code):

PM Resources, Inc
c/o E^xponent®, Inc.
1000 Centre Green Way, Suite 200,
Cary, NC 27513

Attention: Dr. Jim Barron

Decision # 325064

676 5-898780
1275

Decision # 425406
360 5-898153
1155

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

EPA received your label amendment of June 23, 2011. EPA grants this request under the authority of section 3(c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended.

Signature of Approving Official:

Rosanna Louie-Juzwiak
Product Manager (07)
Insecticide-Rodenticide Branch
Registration Division (7505P)

Date:

JUN 29 2011

Notice of Reregistration (continued)
EPA Reg. No. 67517-34

With this accepted labeling, the product meets the risk management goals of the Reregistration Eligibility Decision (RED) for the 1998 Rodenticide Cluster and the Risk Mitigation Decision for Ten Rodenticides (RMD). Therefore, EPA reregisters the product listed above. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides.

Confidential Statement of Formula

The acceptable Confidential Statement of Formula (CSF) for this product is dated September 6, 2002 (Basic Formulation). All other versions are obsolete.

Terms and Conditions of Registration (Agricultural Building Use Only)

This product is registered only subject to the registrant's commitment to control distribution of the product so that it will only be distributed to or sold in agricultural, farm and tractor stores, and the registrant's commitment not to sell or distribute the product in channels of trade likely to result in retail sale in hardware and home improvement stores, grocery stores, convenience stores, drug stores, club stores, big box stores, and other general retailers.

This product may not be sold in packaging that holds less than 8 pounds of bait.

Terms and Conditions of Registration (PCO Use)

This product is registered only subject to the registrant's commitment to control distribution of the product so that it will only be distributed to or sold in agricultural, farm and tractor stores or directly to PCOs and other professional applicators, and the registrant's commitment not to sell or distribute the product in channels of trade likely to result in retail sale in hardware and home improvement stores, grocery stores, convenience stores, drug stores, club stores, big box stores, and other general retailers.

This product may not be sold in packaging that holds less than 16 pounds of bait.

Page 3

Notice of Reregistration (continued)

EPA Reg. No. 67517-34

Existing Stocks Provisions

- The registrant may not distribute or sell existing stocks of this product after June 4, 2011 unless they conform to the terms and conditions of registration as amended today.
- Any person other than the registrant may sell and distribute existing stocks of this product with the previously approved label until such stocks are exhausted.
- Any person may use existing stocks of this product with the previously approved label until such stocks are exhausted.

Consequence for Non-Compliance

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Submit one (1) copy of final printed labeling before you release the product for shipment. Amended labeling will supersede all previously accepted labels. A copy of your label stamped "Accepted" is enclosed for your records.

Follow the enclosed "Minimum Type Size Requirements for Final Printed Label".

If you have any questions or comments regarding this letter, please contact Mr. Dan Peacock by phone (703- 305-5407) or e-mail (peacock.dan@epa.gov).

Enclosures: 1. Stamped Label
 2. Minimum Type Sizes for Final Printed Label

Dan Peacock, C:\Documents and Settings\dpeacock\Desktop\Backup, 16gb Flash
Drive\Bromadiolone\Re-Reg\67517-34\67517-34, Rereg Notice + RMD, ver 3, 6-28-2011.docx

4
11

067517-00034.20110623

Master Label / Cover Page (Page 1 of 1)

Note: This master label bears directions and sublabels for Agricultural Building and Professional Use with use restrictions specific to the container size and user.

RAT-A-REST PELLETS

ACCEPTED

JUN 29 2011

Sublabel A: Agricultural Building Use
Sublabel B: Professional (PCO) Use
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

EPA Reg. No.: 67517-34

ACTIVE INGREDIENT:

Bromadiolone (Cas No. 28772-56-7) 0.005%

OTHER INGREDIENTS 99.995%

TOTAL 100.000%

Manufactured By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO 63044

EPA Reg. No.: 67517-34
EPA Est. No.: 67517-MO-1

5
12

RAT-A-REST PELLETS

For Use In and Around Agricultural Buildings Only

Indoor and Outdoor Control of
Norway Rats, Roof Rats and House Mice and Warfarin-Resistant Norway Rats

Sublabel A: Agricultural Building Use

Norway Rats, Roof Rats and House Mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

ACTIVE INGREDIENT:

Bromadiolone (CAS No. 28772-56-7)0.005%

OTHER INGREDIENTS99.995%

TOTAL 100.000%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

SEE SIDE/BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

MAY BE HARMFUL IF EATEN
BY CHILDREN OR PETS

EPA Reg. No.: 67517-34

EPA Est. No.: 67517-MO-1

NET CONTENTS: 8 to 50 POUNDS

Manufactured By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO 63044

Lot/Code/Product/Revision Numbers as Needed
Precautionary Labeling Must Meet Type Size and Prominence Requirements

Mfg. & Printed in U.S.A.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Cause moderate eye irritation. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing.

All handlers (including applicators) must wear long-sleeved shirt, long pants, shoes, socks, and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

FIRST AID

Have the label with you when obtaining treatment advice.

- | | |
|-------------------------------|--|
| If swallowed | <ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor. |
| <hr/> | |
| If on skin or clothing | <ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor immediately for treatment advice. |
| <hr/> | |
| If in eyes | <ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice. |
-
-

NOTE TO PHYSICIAN

If swallowed or absorbed through the skin, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.

NOTE TO VETERINARIAN

Anticoagulant Bromadiolone: For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K₁. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

SIDE/BACK PANEL- Sublabel A

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store unused product out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor-above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

USE RESTRICTIONS: This product may only be used to control Norway Rats, Roof Rats, and House Mice in and around agricultural buildings. **Do not apply further than 50 feet from agricultural buildings.** Do not use in homes or other human residences. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food or feed. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait. Do not use this product in sewers.

Do not sell this product in individual containers holding less than 8 pounds of bait.

SELECTION OF TREATMENT AREAS: Determine areas where Rats and/or House Mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors and walls, in or beside burrows, or in locations where Rats and/or House Mice or their signs have been observed. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

Rats: Apply 4 to 16 ounces of bait per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of Rat activity cease

Mice: Apply 1/4 to 1/2 ounce (1-2 level teaspoons) of bait per placement, usually spaced 8 to 12 feet apart. Larger placements up to 2 ounces (56 grams) may be needed at points of very high House

8
12

SIDE/BACK PANEL- Sublabel A

Mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of House Mouse activity ceases.

Follow-Up: Replace contaminated or spoiled bait immediately. Using waterproof gloves, collect and properly dispose of all visible dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be placed in the trash or delivered to an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

NOTICE OF WARRANTY

Buyer assumes all responsibility for safety and use not in accordance with directions.

RMD Label revisions submitted electronically June 23, 2011

9
12

RAT-A-REST PELLETS

Indoor and Outdoor Control of Norway Rats, Roof Rats, House Mice
and Warfarin-Resistant Norway Rats

Sublabel B: Professional Applicators Only

Norway Rats, Roof Rats and House Mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

ACTIVE INGREDIENT:

Bromadiolone (CAS No. 28772-56-7)0.005%

OTHER INGREDIENTS99.995%

TOTAL 100.000%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

SEE SIDE/BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

MAY BE HARMFUL IF EATEN
BY CHILDREN OR PETS

EPA Reg. No.: 67517-34

EPA Est. No.: 67517-MO-1

NET CONTENTS: 16 to 50 POUNDS.

Manufactured By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO 63044

Lot/Code/Product/Revision Numbers as Needed
Precautionary Labeling Must Meet Type Size and Prominence Requirements

Mfg. & Printed in U.S.A.

12
12

SIDE/BACK PANEL- Sublabel B

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Cause moderate eye irritation. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing.

All handlers (including applicators) must wear long-sleeved shirt, long pants, shoes, socks, and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

FIRST AID

Have label with you when obtaining treatment advice.

- | | |
|-------------------------------|--|
| If Swallowed | <ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor. |
| If On Skin or Clothing | <ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor immediately for treatment advice. |
| If in Eyes | <ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice. |

NOTE TO PHYSICIAN

If swallowed or absorbed through the skin, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.

NOTE TO VETERINARIAN

Anticoagulant Bromadiolone: For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K₁. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store unused product out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor-above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

USE RESTRICTIONS: This product may only be used to control Norway Rats, Roof Rats, and House Mice in and around homes and residential buildings, food processing facilities, industrial, commercial, agricultural and public buildings, and similar man-made structures. It may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. **Do not apply further than 50 feet from buildings.** Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food or feed. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait. Do not use this product in sewers.

Do not sell this product in individual containers holding less than 16 pounds of bait.

SELECTION OF TREATMENT AREAS: Determine areas where Rats and/or House Mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls in or beside burrows, or in locations where Rats and/or House Mice or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

Rats: Apply 4 to 16 ounces of bait per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of Rat activity cease.

House Mice: Apply 1/4 to 1/2 ounce (1-2 level teaspoons) of bait per placement, usually spaced 8 to 12 feet apart. Larger placements up to 2 ounces (56 grams) may be needed at points of very high

12
12

SIDE/BACK PANEL- Sublabel B

House Mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of House Mouse activity cease.

Follow-Up: Replace contaminated or spoiled bait immediately. Using waterproof gloves, collect and properly dispose of all visible dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be placed in the trash or delivered to an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

NOTICE OF WARRANTY

Buyer assumes all responsibility for safety and use not in accordance with directions.

RMD Label revisions submitted electronically June 23, 2011