

April 7, 1998

PM Resources, Inc.
13001 St. Charles rock road
Bridgeton, NO 63044

Attention: Mr. Joseph Dyer

Subject: Rat/Mouse-A-Rest Place Pack
EPA Reg. No. 67517-37
Your amended application of January 24, 1997

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you make the following changes and submit one (1) copy to us before you ship your product:

The comments below apply to the labels for the outer container and the 1.5-oz placepack, the only size which may be used for this product at this time.

1. The proposed change of the product name from "PM RESOURCES RAT•A•REST™ PLACEPACK BRAND" to "**RAT/MOUSE-A-REST PLACE PACK**" is acceptable.
2. Change "form" to "from" in the third sentence of item "2." in the "**IMPORTANT:**" subsection of the "**DIRECTIONS FOR USE**".
3. Change "**SELECTIONS**" to "**SELECTION**" to make the relevant subheading read "**SELECTION OF TREATMENT AREAS**".
4. Left-justify the heading "**APPLICATION DIRECTIONS**" so that it is clear that it refers to a subsection of the "**DIRECTIONS FOR USE**". The subheadings to "**APPLICATION DIRECTIONS**" must be reduced in emphasis so that it is clear that they are parts of the "**APPLICATION DIRECTIONS**". These subheadings may remain in bold type, but only their initial letters should be capitalized (i.e., "**Norway and Roof Rats:**", "**House Mice:**", and "**Rats & Mice:**").

Note that, under this labeling, this product's 1.5-oz placepacks may not be sold individually or in lots of less than 10. Labeled outer packaging is required for all sales of this product under this labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



Dan Peacock, Biologist
Insecticide-Rodenticide Branch
Registration Division (H7504C)

Enclosures: 1. Stamped Labels
2. A-79 Enclosure

Peacock WP#16:A:\67517-37.APR:305-5407:4/7/98

67517-373
4-7-98¹⁰

FRONT PANEL

OUTER PACKAGE LABEL

RAT/MOUSE-A-REST PLACE PACK

RAT AND MOUSE POISON

Kills Norway rats, roof rats, house mice and Warfarin resistant Norway rats.

Norway rats may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

ACTIVE INGREDIENT:

3-[3-(4'-Bromo[1,1'-biphenyl]-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-
2H-1-benzopyran-2-one0.005%

INERT INGREDIENTS:99.995%

TOTAL 100.000%

ACCEPTED
with COMMENTS
in EPA Letter Dated:

KEEP OUT OF REACH OF CHILDREN

APR 7 1998

CAUTION

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

**SEE SIDE/BACK PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS** 67517-37

EPA Reg. No.: 67517-37

EPA Est. No.: 67517-MO-1

NET CONTENTS: 30 X 1-½ OZ. PACKETS

Distributed By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO. 63044

REC'D EPA/CPP/DPD1
97 JAN 28 P12:37

SIDE/BACK PANEL**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of the blood and cause bleeding.

Do not get in eyes, on skin or on clothing. Wash arms, hands, and face with soap and water after applying and before eating and smoking. If swallowed, call a physician at once.

NOTE TO PHYSICIAN: If ingested administer Vitamin K₁, intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not apply this product directly to water, or to areas where surface water is present or to areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

SIDE/BACK PANEL

DIRECTIONS FOR USE (Continued)

USE RESTRICTIONS:

This product may be used to control Norway rats, roof rats and house mice in the sites indicted below.

Urban Areas: This product may be used in and around the periphery of homes, industrial, commercial, and public buildings, and in alleys. Do not use this product in sewers.

Non-urban Areas: This product may be used inside homes and inside agricultural buildings.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTIONS OF TREATMENT AREAS:

Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

APPLICATION DIRECTIONS

NORWAY AND ROOF RATS:

Apply 3 to 10 placepacks of bait per placement (usually at intervals of 15 to 30 feet). Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

HOUSE MICE:

Open pack and place $\frac{1}{4}$ to $\frac{1}{2}$ ounce of bait per placement at intervals of 8 to 12 feet. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for least 15 days or until signs of mouse activity cease.

RATS AND MICE:

Replace contaminated or spoiled bait immediately. Collect and properly dispose of all dead animals and leftover bait. To prevent reinfestation, eliminate food, water, and harborage as much as possible. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets.

SIDE/BACK PANEL**STORAGE AND DISPOSAL(Continued)****PESTICIDE DISPOSAL:**

Commercial use: Wastes resulting from the use of this product should be securely wrapped in several layers of newspaper and then disposed of onsite or at an approved waste disposal facility.

Household use: Securely wrap wastes resulting from the use of this product in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL:

Commercial use: Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Household use: Do not reuse bag. Wrap bag securely in several layers of newspaper and discard in trash.

NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

7/10

FRONT PANEL

PLACE PACK LABEL

RAT/MOUSE-A-REST PLACE PACK

RAT AND MOUSE POISON

Kills Norway rats, roof rats, house mice and Warfarin resistant Norway rats.

Norway rats may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

ACTIVE INGREDIENT:

3-[3-(4'-Bromo[1,1'-biphenyl]-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-
2H-1-benzopyran-2-one 0.005%

INERT INGREDIENTS: 99.995%
TOTAL 100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

ACCEPTED
with COMMENTS
in EPA Letter Dated:

**SEE SIDE/BACK PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

APR ' 7 1998

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

67517-37

EPA Est. No.: 67517-MO-1

EPA Reg. No.: 67517-37

NET WT. 1-½ OZ.

Distributed By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO. 63044

REC'D LAA/PP/DPD1
'97 JAN 28 P12:37

SIDE/BACK PANEL

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of the blood and cause bleeding.

Do not get in eyes, on skin or on clothing. Wash arms, hands, and face with soap and water after applying and before eating and smoking. If swallowed, call a physician at once.

NOTE TO PHYSICIAN: If ingested administer Vitamin K₁, intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not apply this product directly to water, or to areas where surface water is present or to areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

9/10

SIDE/BACK PANEL

DIRECTIONS FOR USE (Continued)

USE RESTRICTIONS:

This product may be used to control Norway rats, roof rats and house mice in the sites indicted below.

Urban Areas: This product may be used in and around the periphery of homes, industrial, commercial, and public buildings, and in alleys. Do not use this product in sewers.

Non-urban Areas: This product may be used inside homes and inside agricultural buildings.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTIONS OF TREATMENT AREAS:

Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

APPLICATION DIRECTIONS

NORWAY AND ROOF RATS:

Apply 3 to 10 placepacks of bait per placement (usually at intervals of 15 to 30 feet). Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

HOUSE MICE:

Open pack and place $\frac{1}{4}$ to $\frac{1}{2}$ ounce of bait per placement at intervals of 8 to 12 feet. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for least 15 days or until signs of mouse activity cease.

RATS AND MICE:

Replace contaminated or spoiled bait immediately. Collect and properly dispose of all dead animals and leftover bait. To prevent reinfestation, eliminate food, water, and harborage as much as possible.

Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets.

18/10

SIDE/BACK PANEL

STORAGE AND DISPOSAL(Continued)

Pesticide Disposal: Securely wrap wastes resulting from the use of this product in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse bag. Wrap bag securely in several layers of newspaper and discard in trash.

NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.