



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL, SAFETY  
AND POLLUTION PREVENTION

AUG 20 2012

PM Resources c/o  
Jim Barron  
Exponent  
1150 Connecticut Ave., NW, Suite 1200  
Washington D.C., 20036

Subject: Amendment to add new 100' restriction  
EPA Registration No./Primary Brand Names:

67517-69	Assault Mouse Place Pack
67517-34	Rat-A-Rest Pellets
67517-27	Place Pack Rat Control
67517-37	Rat/Mouse-A-Rest Place Pack
67517-68	Assault Mouse Pellets
67517-67	Assault Meal Rodenticide
67517-70	Assault Mouse Place Pack II
67517-72	Assault Mouse Rat Place Pack
67517-71	Assault Mouse/Rat Pellets
67517-35	Mouse-A-Rest Pellets

Submission Date: July 10, 2012

Dear Mr. Barron:

The labels referred to above, submitted under FIFRA, as amended, are acceptable. Please submit one final printed copy for the above mentioned labels before releasing the products for shipment. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at [benbow.gene@epa.gov](mailto:benbow.gene@epa.gov).

Sincerely,

John Hebert  
Product Manager 07  
Insecticide-Rodenticide Branch  
Registration Division (7505P)

2/9

FRONT PANEL – IMMEDIATE AND OUTER CONTAINER Sublabel A Agricultural Building Use

## RAT/MOUSE-A-REST PLACE PACK

For Use In and Around Agricultural Buildings Only

Indoor and Outdoor Control of, Norway Rats, Roof Rats and House Mice,  
and Warfarin-Resistant Norway Rats

### Sublabel A: Agricultural Building Use

Norway Rats, Roof Rats, and House Mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

#### ACTIVE INGREDIENT:

Bromadiolone (CAS No. 28772-56-7) .....0.005%

OTHER INGREDIENTS .....99.995%  
TOTAL 100.000%

KEEP OUT OF THE REACH OF CHILDREN

#### CAUTION

SEE SIDE/BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS


MAY BE HARMFUL IF EATEN  
BY CHILDREN OR PETS

EPA Reg. No.: 67517-37

EPA Est. No.: 67517-MO-1

NET CONTENTS: 8 to 50 POUNDS  
86 to 258 X 1.5 oz. PLACE PACKS

Manufactured By  
**PM RESOURCES, INC.**  
13001 St. Charles Rock Road  
Bridgeton, MO 63044



Lot/Code/Product/Revision Numbers as Needed  
Precautionary Labeling Must Meet Type Size and Prominence Requirements

Mfg. & Printed in U.S.A.

## SIDE/BACK PANEL- Sublabel A

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or absorbed through the skin. Cause moderate eye irritation. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing.

All handlers (including applicators) must wear long-sleeved shirt, long pants, shoes, socks, and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

#### User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

### FIRST AID

Have the label with you when obtaining treatment advice.

- |                               |  |
|-------------------------------|--|
| <b>If swallowed</b>           | <ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> </ul>              |
| <b>If on skin or clothing</b> | <ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor immediately for treatment advice.</li> </ul>  |
| <b>If in eyes</b>             | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul> |

### NOTE TO PHYSICIAN

If swallowed or absorbed through the skin, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

### TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.

### NOTE TO VETERINARIAN

**Anticoagulant Bromadiolone:** For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K<sub>1</sub>. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

## **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not contaminate water when disposing of equipment wash water or rinsate.

## **DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.**

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for sites, pests, and application methods described on this label.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store unused product out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

**Note:** Bait stations are mandatory for outdoor-above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

**USESITE:** This product can only be used to control Norway rats, roof rats, and house mice in and within 100 feet of agricultural buildings and man-made agricultural structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

**USE RESTRICTIONS:** Do not use in homes or other human residences. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food or feed. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait. Do not use this product in sewers.

Do not sell this product in individual containers holding less than 8 pounds of bait.

Burrow baiting with RAT/MOUSE-A-REST PLACE PACK is prohibited.

**SELECTION OF TREATMENT AREAS:** Determine areas where Rats and/or House Mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors and walls, in or beside burrows, or in locations where Rats and/or House Mice or their signs have been observed. Remove as much alternative food as possible.

## **APPLICATION DIRECTIONS:**

---

**SIDE/BACK PANEL- Sublabel A**

---

**Rats:** Apply 3 to 10 of 1.5 ounce place packs of bait per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of Rat activity cease.

**House Mice:** Open place pack and apply 1/4 to 1/2 ounce (1-2 level teaspoons) of bait per placement, usually spaced 8 to 12 feet apart. Larger placements (up to 1 unopened 1.5 ounce place pack) may be needed at points of very high House Mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of House Mouse activity ceases.

**Follow-Up:** Replace contaminated or spoiled bait immediately. Using waterproof gloves, collect and properly dispose of all visible dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

---

**STORAGE AND DISPOSAL**

---

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be placed in the trash or delivered to an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

---

**NOTICE OF WARRANTY**

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in strict accordance with directions for use.

## RAT/MOUSE-A-REST PLACE PACK

Indoor and Outdoor Control of Norway Rats, Roof Rats  
House Mice, and Warfarin-Resistant Norway Rats

### Sublabel B: Professional Applicators Only

Norway Rats, Roof Rats, and House Mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins. This product is an anticoagulant and is effective against Warfarin resistant rodents.

#### ACTIVE INGREDIENT:

Bromadiolone (CAS No. 28772-56-7).....0.005%

OTHER INGREDIENTS .....99.995%  
TOTAL 100.000%

KEEP OUT OF THE REACH OF CHILDREN

#### CAUTION

SEE SIDE/BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

MAY BE HARMFUL IF EATEN  
BY CHILDREN OR PETS

EPA Reg. No.: 67517-37

EPA Est. No.: 67517-MO-1

NET CONTENTS: 16 to 50 POUNDS  
170 to 258 X 1.5 oz. PLACE PACKS

Manufactured By  
**PM RESOURCES, INC.**  
13001 St. Charles Rock Road  
Bridgeton, MO 63044

Lot/Code/Product/Revision Numbers as Needed  
Precautionary Labeling Must Meet Type Size and Prominence Requirements

Mfg. & Printed in U.S.A.

**SIDE/BACK PANEL- Sublabel B**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed or absorbed through the skin. Cause moderate eye irritation. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing.

All handlers (including applicators) must wear long-sleeved shirt, long pants, shoes, socks, and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

**User Safety Requirements**

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

**FIRST AID**

Have label with you when obtaining treatment advice.

- |                               |  |
|-------------------------------|--|
| <b>If Swallowed</b>           | <ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li></ul>              |
| <b>If On Skin or Clothing</b> | <ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor immediately for treatment advice.</li></ul>  |
| <b>If in Eyes</b>             | <ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul> |

**NOTE TO PHYSICIAN**

If swallowed or absorbed through the skin, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

**TREATMENT FOR PET POISONING**

If animal eats bait, call veterinarian at once.

**NOTE TO VETERINARIAN**

**Anticoagulant Bromadiolone:** For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K<sub>1</sub>. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

---

**SIDE/BACK PANEL- Sublabel B**

---

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not contaminate water when disposing of equipment wash water or rinsate.

**DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.**

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for sites, pests, and application methods described on this label.

- IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:
1. Store unused product out of reach of children and pets.
  2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
  3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

**Note:** Bait stations are mandatory for outdoor-above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

**USE SITE:** This product can only be used to control Norway rats, roof rats, and house mice in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port of terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

**USE RESTRICTIONS:** Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food or feed. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait. Do not use this product in sewers.

Do not sell this product in individual containers holding less than 16 pounds of bait.

Burrow baiting with RAT/MOUSE-A-REST PLACE PACK is prohibited.

**SELECTION OF TREATMENT AREAS:** Determine areas where Rats and/or House Mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors and walls in or beside burrows, or in locations where Rats and/or House Mice or their signs have been observed. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:**



9/9

---

## SIDE/BACK PANEL- Sublabel B

---

**Rats:** Apply 3 to 10 of 1.5 ounce place packs of bait per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of Rat activity cease.

### DIRECTIONS FOR USE (CONTINUED)

**House Mice:** Open place pack and apply  $\frac{1}{4}$  to  $\frac{1}{2}$  ounce (1-2 level teaspoons) of bait per placement, usually spaced 8 to 12 feet apart. Larger placements (up to 1 unopened 1.5 ounce place pack) may be needed at points of very high House Mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of House Mouse activity cease.

**Follow-Up:** Replace contaminated or spoiled bait immediately. Using waterproof gloves, collect and properly dispose of all visible dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

---

---

### STORAGE AND DISPOSAL

---

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be placed in the trash or delivered to an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

---

---

### NOTICE OF WARRANTY

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in strict accordance with directions for use.

Amended Label (Sublabel B) EPA Reg. No. 67517-37 electronically resubmitted 8-29-12