

PM 03

67517-40

2/11/99

1 of 11

United States Environmental Protection Agency

February 11, 1999

Mr. Joseph E. Dyer  
PM Resources, Inc.  
13001 St. Charles Rock Rd.  
Bridgeton, MO 63044

Subject: Label Amendment to Split Label into Livestock and Domestic Animal Uses  
Rabon Dust  
EPA Reg. No. 67517-40  
Your Letter Dated November 20, 1998

Dear Mr. Dyer:

The label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. A stamped copy of the label is enclosed for your records. Please submit two (2) copies of your final printed labeling before you release the product for shipment.

For the Livestock Portion of Your Label:

- 1) Please delete all "Repeat as necessary" statements. This statement is no longer acceptable. Please indicate the minimum time period needed between applications for all treatments. This should be based on your efficacy data.

2) Directly under the Side/Back Panel, please delete the first "Statement of Practical Treatment" since this category is listed again after the Precautionary Statements.

CONCURRENCES

SYMBOL	H7505C						
SURNAME	<i>Keigwin</i>						
DATE	Feb 11 1999						

United States Environmental Protection Agency

3) Please revise your "Hazards to Humans" statement to read the following:

"Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contamination of feed and foodstuffs. This product may cause skin sensitization reactions in certain individuals".

4) Under your Statement of Practical Treatment category, please add:

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with finger, or if available by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.

For the Dog and Cat Portion of your Label:

1) Please state the minimum time period between the dusting of pet bedding and sleeping quarters.

2) Directly under the Side/Back Panel, please delete the first "Statement of Practical Treatment" since this category is listed again after the Precautionary Statements.

3) Please revise your "Hazards to Humans" statement to read the following:

"Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contamination of feed and foodstuffs. This product may cause skin sensitization reactions in certain individuals".

CONCURRENCES

SYMBOL ▶	H7505C			2				
SURNAME ▶								
DATE ▶	Feb 1, 1999							

United States Environmental Protection Agency

4) Under your First Aid category, please add:

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with finger, or if available by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.

If you have any questions regarding this action, please contact Tracy Keigwin of my team at (703) 305-6605.

Sincerely,

George T. LaRocca  
Product Manager 13  
Insecticide Branch  
Registration Division (7505C)

CONCURRENCES								
SYMBOL ▶	H7505C			3				
SURNAME ▶								
DATE ▶	Feb 11, 1999							

4 of 11

**MASTER LABEL SECTION A**

**FRONT PANEL  
RABON DUST**

Contains 3% Rabon®\* Insecticide

For Use On Livestock and Poultry

No Milk or Tissue Withdrawal

A Ready-To-Use Insecticide Dust

ACCEPTED  
with conditions  
by EPA Letter 7-1-93  
**FEB 11 1999**  
EPA Reg. No. 67517-40  
**67517-40**

**On Livestock:**

Controls Horn Flies Cattle Grubs, Lice and aids in the control of Face Flies on Beef and Dairy Cattle. Controls Lice on Swine.

**On Poultry:**

Controls Northern Fowl Mites, Chicken Mites, and Lice on or around Chickens. Controls Darkling Beetle (litter beetle) in litter.

**ACTIVE INGREDIENT:**

Tetrachlorvinphos (CAS # 961-11-5): .....3.00%

**OTHER INGREDIENTS:**.....97.00%

**TOTAL 100.00%**

\* Rabon Insecticide

Rabon is a registered trademark of Shell Oil Company

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**SEE SIDE/BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS**

**PRECAUCION**

Al Usuario: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.  
**(ENGLISH TRANSLATION)**

**CAUTION**

To the User: If you cannot read English, do not use this product until the label has been fully explained to you.

EPA Reg. No.: 67517-40

EPA Est. No.: 67517-MO-1

NET WT. 1 LB (454 g)

Manufactured By  
**PM Resources, Inc.**  
13001 St. Charles Rock Road  
Bridgeton, MO. 63044

IN CASE OF EMERGENCY CALL: NATIONAL PESTICIDE TELECOMMUNICATIONS NETWORK 1-800-258-7378.

50711

**SIDE/BACK PANEL**

**STATEMENT OF PRACTICAL TREATMENT**

**PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

**HAZARD TO HUMANS:** Harmful if swallowed. Avoid breathing dust. Do not get in eyes, on skin, or on clothing. Wear long-sleeved shirt and pants; chemical resistant gloves; shoes and socks. Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not apply in dwellings. This product may cause skin sensitization reactions in certain individuals.

**STATEMENT OF PRACTICAL TREATMENT**

**If In Eyes:** Flush eyes with plenty of water. Call a physician if irritation persists.

**If On Skin:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**NOTE TO PHYSICIAN/VETERINARIAN:** Rabon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Drift and runoff may be hazardous to aquatic organisms in adjacent areas. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**SIDE/BACK PANEL**  
**ENVIRONMENTAL HAZARDS (Continued)**

**USER SAFETY REQUIREMENTS:** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS:**

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

User should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL BEFORE EACH USE.**

**APPLICATION RESTRICTION:** Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

**FOR USE ON POULTRY**

<b>TYPE OF HOUSING</b>	<b>APPLICATION</b>	<b>REMARKS</b>
Wire Cages	1 lb/300 birds Plunger, rotary, type duster or shaker-can duster.	For individual treatment direct dust to vent and fluff area. Group treatment may be preferred. Dust should reach skin. Do not repeat more often than once every 14 days. Wire rungs & corners should also be treated.
<b>NOTE:</b> For northern fowl mites on roosters, thorough individual application of the dust will assure long-lasting control and reduce reinfestation of breeding flocks.		
Floor Management Litter	1 lb/100 sq. ft. Plunger or rotary type duster.	Treat evenly and thoroughly. Also treat roosts, cracks and crevices where pests may hide.
Dust Box	2 lb/100 birds.	Use box about 2 ft. by 2 ft. by 1 ft. deep.
Roost Paint	1 lb/100 sq. ft. Make thick slurry by mixing 1 lb. of dust with 1 pint of water, continually stir.	Treat roosts thoroughly, particularly the cracks and crevices.


**SIDE/BACK PANEL**

**DIRECTIONS FOR USE (Continued)**

**FOR USE ON LIVESTOCK**

Rabon Dust is a ready-to-use insecticide dust which can be applied by hand or through the use of self-treating dust bags. There is no withholding period from last application to slaughter.

Animal	Insect	Remarks
Beef Cattle & Dairy Cattle	Horn Flies Face Flies & Lice	<p><b>HAND DUSTING</b> - Apply approximately 2 oz. of dust by shaking can, rotary duster or by spoon to the upper portions of the back as an aid for the control of face flies. Rub in lightly to carry the dust beneath the hair. Repeat as necessary. ←</p> <p><b>SELF-TREATING DUST BAG</b></p> <p><b>FORCED USE</b> - Put Rabon Dust in cotton cloth or double burlap bags or use weather-proof cattle dust bags and hang in door exits or alleyways leading from animal buildings, salt or mineral blocks, or watering holes. Protect cloth or burlap bags from weather.</p> <p><b>FREE-CHOICE USE</b> - Use the same dust bags as above but place in loafing sheds, holding pens, feedlots, near watering holes or other areas where cattle gather. The free choice aids in the control of lice.</p>
Beef Cattle & Dairy Cattle	Cattle Grubs	<p>After the grubs have encysted (formed warbles) apply 3-4 oz. down the backline and rub in thoroughly, taking care to get the dust into the warble if possible. ←</p>



**SIDE/BACK PANEL**

**DIRECTIONS FOR USE (Continued)**

Animal	Insect	Remarks
Swine	Lice	<b>HAND DUSTING</b> - Apply 3-4 oz. of dust by conventional hand or power duster to each animal with special attention given to the neck and around the ears. Repeat as necessary but not more often than once every 14 days. In severe infestations, both individual animals and bedding may be treated. One lb. of Rabon Dust should be applied per 50 sq. ft. of bedding.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a dry place in original container.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

**Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**NOTICE OF WARRANTY**

**PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENT MADE ON THIS LABEL.**



9' of 11

**MASTER LABEL - SECTION B**

**FRONT PANEL  
RABON DUST**

REGISTERED  
with EPA (EPA # 67517)  
K. S.M.S. (S) (S) (S) (S)

**FEB 11 1999**

**Contains 3% Rabon® Insecticide**

**For Use On Dogs And Cats**

**A Ready-To-Use Insecticide Dust**

Under no circumstances  
should this product be used  
on animals or humans  
or in any manner not  
specifically directed by  
the label.  
67517-40

Controls Both Fleas and Ticks. Kills fleas up to 16 days and Brown Dog Ticks up to 7 days. May also be used to help control Fleas and Ticks in pet's sleeping quarters.

**ACTIVE INGREDIENT:**

Tetrachlorvinphos (CAS # 961-11-5): .....3.00%

**OTHER INGREDIENTS:** .....97.00%

**TOTAL 100.00%**

\* Rabon Insecticide

Rabon is a registered trademark of Shell Oil Company

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**SEE SIDE/BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS**

EPA Reg. No.: 67517-40  
NET WT. 4 OZ.

EPA Est. No.: 67517-MO-1

Manufactured By  
**PM Resources, Inc.**  
13001 St. Charles Rock Road  
Bridgeton, MO. 63044

IN CASE OF EMERGENCY CALL: NATIONAL PESTICIDE TELECOMMUNICATIONS AT 1-800-853-7378.

1.0-8/11

**SIDE/BACK PANEL**

**STATEMENT OF PRACTICAL TREATMENT**

**PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

**HAZARD TO HUMANS:** Harmful if swallowed. Avoid breathing dust. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not apply in dwellings. This product may cause skin sensitization reactions in certain individuals.

**HAZARD TO ANIMALS:** Do not use on puppies or kittens under 12 weeks of age. Do not reapply product for 5 days. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian before using on medicated animals.

Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals.

**FIRST AID**

**If In Eyes:** Flush eyes with plenty of water. Call a physician if irritation persists.

**If On Skin:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**NOTE TO PHYSICIAN/VETERINARIAN:** Rabon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**SIDE/BACK PANEL**

**DIRECTIONS FOR USE**

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

**READ ENTIRE LABEL BEFORE EACH USE.**

**FOR USE ON DOGS AND CATS**

To control fleas and ticks on your pet, dust powder liberally over the animal and rub thoroughly through hair coat to skin. Apply also to feet, between the toes and on the legs for tick control. Repeat at weekly intervals if necessary.

Occasional dusting of pet's bedding and around pet's sleeping quarters and other areas will help free area of fleas and ticks.

**STORAGE AND DISPOSAL**

**Storage:** Store in original container in area inaccessible to children and pets away from heat and sunlight. Avoid exposure to moisture.

**Disposal:** Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

**NOTICE OF WARRANTY**

**PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENT MADE ON THIS LABEL.**