67517-44

) 12/11/2000

1/4

FRONT PANEL

HARD HITTER CATTLE POUR-ON INSECTICIDE

Controls Lice and Flies on Dairy and Beef Cattle Controls Keds and Lice on Sheep

ACTIVE INGREDIENT:

*Permethrin (CAS 52645-53-1)	1.0%
OTHER INGREDIENTS:	
TOTAL 1	00.0%

This product contains petroleum distillates.

*Cis/trans isomer ratio: Min: 35% (+/-) and max. 65% (+/-) trans

KEEP OUT OF THE REACH OF CHILDREN CAUTION SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No.: 67517-44

EPA Est. No.: 67517-MO-1

NET CONTENTS: ONE U.S. GALLON (3.785 L)

ACCE	PTED			
DEC	1 2000			
Under the Pederal Insecticide , Fingliche, and Rodenticide Act , an amended, for the pesticide Registered under EPA Reg. No. 67517-44				

Manufactured By PM RESOURCES, INC 13001 St. Charles Rock Road Bridgeton, MO 63044

Mfg. & Printed in U.S.A. (Lot/Code/Product/Rev./Numbers as needed) Precautionary Labeling Must Meet Type Size and Prominence Requirements. 3 ·..' ;;; * * * *, ا د ز ا د ,,,,,,, PAGE 1 OF 4 NOVEMBER 16, 2000 PMR44LAF DOC-1 ·

SIDE/BACK PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid contact with eyes. Harmful if swallowed. Wash thoroughly with soap and water after handling.

FIRST AID

	<u>────────────────────────────────────</u>				
If In Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 				
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 				
	• Call a poison control center or doctor for treatment advice.				
If Swallowed	° Call a poison control center or doctor immediately for treatment advice.				
	° Have person sip a glass of water if able to swallow.				
	• Do not induce vomiting unless told to do so by a poison control center or doctor.				
	° Do not give anything by mouth to an unconscious person.				
HOT LINE NUMBER					
Have the prod	her container or label with you when calling a poison control center or				

Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information.

NOTE TO PHYSICIAN

This product contains petroleum distillate - vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

4

PAGE 2 OF 4 NOVEMBER 16, 2000 PMR44LAF.DOC-2



SIDE/BACK PANEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLY TO	TARGET INSECTS	APPLICATION INSTRUCTIONS	
Lactating and Non- Lactating Dairy Cattle and Beef Cattle and Calves	LICE, Horn Flies, Face Flies, and Aids in Control of: Horse Flies, Stable Flies, Mosquitoes, Blackflies and Ticks	Ready to Use: Begin at the head, pour along the center of the back. Apply 1/2 fl. oz. per 100 pounds body weight up to a maximum of 5 fl. oz. for any one animal. Repeat treatment as needed, but not more often than once every two weeks. For optimum lice control, two treatments at 14-day intervals is recommended. Back Rubber Use: Mix one pint per gallon #2 diesel or mineral oil, Keep rubbing device charged. Results improved by daily forced use.	
Sheep	SHEEP KEDS	Ready To Use: Pour along back. Apply 1/4 fl. oz. (7.5cc) per 50 lbs body weight of animal, up to a maximum of 3 fl. oz. for any one animal. Repeat treatment as needed, but not more often than once every two weeks. For optimum lice control, two treatments at 14-day intervals is recommended.	
Premises - in and around Horse Beef, Dairy, Swine, Sheep and Poultry premises. Animal Hospital Pens and Kennels and "outside" Meat Processing Premises.	House Flies, Stable Flies, Face Flies, Gnats, Mosquitoes, Black Flies, Fleas, Little House Flies (Fannia spp.). Aid in control of ants, cockroaches, spiders, and crickets.	Ready To Use: For use as a spot spray or premise spray, in a mist sprayer. Apply directly to surface to leave a residual insecticidal coating, paying particular attention to areas where insects crawl or alight. One gallon will treat approximately 7,390 square feet. Repeat treatment as needed but not more often than every two, weeks.	
SPECIAL NOTE: THIS PRODUCT IS NOT EFFECTIVE IN CONTROLLING CATTLE, GRUBS.			
PAGE 3 OF 4 NOVEMBER 16, 2000 PMR44LAF.DOC-3		· · · · · · · · · · · · · · · · · · ·	

58

÷

SIDE/BACK PANEL

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Keep container sealed when not in use. Do not store near food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal (Plastic): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

. , , ,

PAGE 4 OF 4 NOVEMBER 16, 2000 PMR44LAF.DOC-4