

67517-47

12/11/2000

1/4

FRONT PANEL

HARD HITTER WETTABLE POWDER

For Residual Control of House Flies, Stable Flies and other manure breeding flies in Dairies, Barns, Feedlots, Stables, Poultry Houses, Swine Buildings and other livestock premises.

ACTIVE INGREDIENT:

*Permethrin (CAS 52645-53-1).....	25.0%
OTHER INGREDIENTS:.....	75.0%
	TOTAL 100.0%


*Cis/trans isomer ratio: Min: 35% (+/-) and max. 65% (+/-) trans

KEEP OUT OF THE REACH OF CHILDREN
WARNING
SEE SIDE/BACK PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No.: 67517-47

EPA Est. No.: 67517-MO-1

NET CONTENTS: 6.48 oz. {12 X 0.54 oz. (15.5g) scoops}



Manufactured By
PM RESOURCES, INC
13001 St. Charles Rock Road
Bridgeton, MO 63044

(Lot/Code/Product/Rev./Numbers as needed)

Mfg. & Printed in U.S.A.

Precautionary Labeling Must Meet Type Size and Prominence Requirements.

SIDE/BACK PANEL

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING

Causes substantial but temporary eye injury. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash thoroughly before reuse.

FIRST AID

If Inhaled ° Move person to fresh air.
 ° If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
 ° Call a poison control center or doctor for further treatment advice.

If On Skin or Clothing ° Take off contaminated clothing.
 ° Rinse Skin immediately with plenty of water for 15-20 minutes.
 ° Call a poison control center or doctor for treatment advice.

If In Eyes ° Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 ° Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 ° Call a poison control center or doctor for treatment advice.

If Swallowed ° Call a poison control center or doctor immediately for treatment advice.
 ° Have person sip a glass of water if able to swallow.
 ° Do not induce vomiting unless told to do so by a poison control center or doctor.
 ° Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER


Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

SIDE/BACK PANEL

DIRECTIONS FOR USE



For Agricultural Use Only.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Manure removal should precede spraying and sanitation practice continued to eliminate pest breeding sites. Retreat as necessary but not more often than every two weeks.

Spray directly to walls and ceilings as a residual spray only. Do not apply directly to livestock or poultry. Do not apply to manure or litter. Avoid contamination of feed and water.

SHAKE POWDER WELL BEFORE MEASURING AND MIXING.

APPLY TO: Dairies, Barns, Feedlots, Stables, Poultry Houses, Swine Buildings and other livestock premises.

TARGET INSECTS: House Flies, Stable Flies, and other manure-breeding Flies. Aids in control of Cockroaches, Mosquitoes, Spiders, Ants, Crickets and Face Flies.


METHOD OF APPLICATION: SPRAYER

PRODUCT DILUTION: Using the enclosed scoop, measure 1 scoop for each gallon of water. This container will make 12 gallons of spray.

APPLICATION RATE: Do not allow runoff to occur. As a guide, use 1 gallon of spray per 750 sq. ft. (Range 400-1400 sq. ft.) Twelve gallons will normally treat 9,000 sq. ft. (Range 4,800 - 16,800 sq. ft.)

NOTE: Under sever fly pressures, double the concentration for premise application. When spraying inside premises, remove animals prior to treatment. Cover or remove feed and water.

Apply spray to all surfaces where flies rest. Avoid spraying feeders and waterers. Do not apply as a larvicide.



SIDE/BACK PANEL

Braille text block

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Mix only as needed. Do not store diluted material. Keep container closed securely when not in use. Do not store near food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal (Plastic): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

Braille text block