7/30/2003

DRAFT LABEL Front Panel

# DOG AND CAT SPRAY OR DIP

### KILLS FLEAS, TICKS AND LICE

# ACTIVE INGREDIENTS

Pyrethrins: CAS #8003-34-7	0.5%
¹Piperonyl Butoxide Technical: CAS #51-03-6	
OTHER INGREDIENTS	94.5%
TOTAL 1	100.0 <sub>%</sub>

1 Equivalent to 4.0% (Butylcarbityl) (6-Propylpiperonyl) ether and 1.0% related compounds.

# KEEP OUT OF THE REACH OF CHILDREN CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ACCEPTED

age 174

JUL 3 0 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 67517-49

EPA Reg. No.: 67517-49 EPA Est. No.: 67517-m0-1

Net Contents: 16 fl. oz. (473 mL.)

Manufactured By
PM Resources, Inc.
13001 St. Charles Rock Road
Bridgeton, MO, 64033

IN CASE OF EMERGENCY CALL: NATIONAL PESTICIDE TELECOMMUNICATIONS AT 1-800-858-7378

(lot number statements as needed)
Mfg. & Printed in U.S.A. (label revision number) (product number)

Page 1 of 4 MAY 22, 2003 PMR49LAD.DOC-1

# Draft Label Side/Back Panel

#### READ ENTIRE LABEL BEFORE EACH USE

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

HAZARDS TO HUMANS: Harmful if swallowed. Avoid contamination of food and utensils by keeping them covered while spraying area. Wash thoroughly with soap and water after handling.

HAZARDS TO DOMESTIC ANIMALS: FOR USE ON DOGS & CATS.

DO NOT USE ON PUPPIES OR KITTENS UNDER 12 WEEKS OF AGE. Avoid contact with pet's face and eyes. Do not reapply more often than once every 7 days.

Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals.

Remove Pets, birds and cover fish aquaria before room applications are made.

# FIRST AID

\_\_\_\_\_\_\_\_

- If Swallowed ° Call a poison control center or doctor immediately for treatment
  - Have person sip a glass of water if able to swallow.
  - ° Do not induce vomiting unless told to do so by a poison control center or doctor.
  - ° Do not give anything by mouth to an unconscious person.

- If On Skin or ° Take off contaminated clothing.
- Clothing
- ° Rinse Skin immediately with plenty of water for 15-20 minutes.
- ° Call a poison control center or doctor for treatment advice.
- If In Eyes
- O Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

\_\_\_\_\_\_\_\_ Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 for emergency

\_\_\_\_\_\_\_\_\_\_

medical treatment information.

\_\_\_\_\_\_

# Draft Label Side/Back Panel

# ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

# DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

READ ENTIRE LABEL BEFORE EACH USE.

DO NOT USE ON PUPPIES OR KITTENS UNDER 12 WEEKS OF AGE.

SHAKE WELL BEFORE USE

# AS A DIP FOR DOGS AND CATS:

Dilute at the rate of 3 ounces in 1 gallon of water. For rapid control of ticks, lice and fleas sponge, or dip solution on entire animal, thoroughly wetting the skin. Avoid contact with pet's face eyes. Do not reapply more often than once every 7 days. AS A MI

For rapid control of ticks, flea and lice with a mist sprayer. Dilute at the rate of 1 ounce in 9 ounces of water. Spray ticks directly. Apply to moisten the fur lightly. Repeat as needed, but do not apply more often than once each day.

AS A PREMISE/YARD SPRAY: To Control Insects in Kennels and Animal Quarters.

Dilute at the rate of 1 ounce in 10 ounces of water.

Remove pets before treating the area and ventilate thoroughly before allowing them to re-enter the treated area.

For rapid clean-out of fleas and ticks in kennels, apply with a good machine adjusted to deliver coarse droplets. Apply to the point of runoff, with special attention to cracks and crevices and other insect hiding places. Bedding should be removed and sprayed thoroughly. Repeat as needed, but do not apply more often than once each day.

Page 3 of 4 MAY 22, 2003 PMR49LAD.DOC-3 Draft Label Side/Back Panel 4 7 4

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Do not store below 32°F. If frozen, thaw and shake well. Store in original container in a cool, dry place inaccessible to children and pets.

CONTAINER DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly filled: Call your local solid waste agency 1-800-CLEANUP for disposal instructions. Never place any unused product down any indoor or outdoor drain.

# NOTICE OF WARRANTY<sup>2</sup>

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

<u>OR</u>

Buyer assumes all responsibility for safety and use not in accordance with directions.

<sup>2</sup> The use of any notice of warranty statement is optional.