

67517-52

12/07/2000

1/5

FRONT PANEL

5.7% INSECTICIDE

FOR CONTROL OF PESTS ON LIVESTOCK, AND LIVESTOCK PREMISES
FOR CONTROL OF FLEAS, TICKS, LICE AND SARCOPTIC MANGE ON DOGS

ACTIVE INGREDIENT:

*Permethrin (CAS 52645-53-1)..... 5.7%

OTHER INGREDIENTS:..... 94.3%

TOTAL 100.0%

*Cis/trans isomer ratio: Min: 35% (+/-) and max. 65% (+/-) trans

This product contains 50 g. permethrin per liter (1.67 oz. permethrin per quart).

This product contains petroleum distillates.

KEEP OUT OF THE REACH OF CHILDREN
CAUTION

SEE SIDE/BACK PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No.: 67517-52

EPA Est. No.: 67517-MO-1

NET CONTENTS: 32 fl. oz. (946 mL)


Manufactured By
PM RESOURCES, INC
13001 St. Charles Rock Road
Bridgeton, MO 63044

(Lot/Code/Product/Rev./Numbers as needed)

Mfg. & Printed in U.S.A.

Precautionary Labeling Must Meet Type Size and Prominence Requirements.

PAGE 1 OF 5
NOVEMBER 17, 2000
PMR52LAB.DOC-1



SIDE/BACK PANEL

READ ENTIRE LABEL BEFORE EACH USE.
DO NOT USE ON CATS OR KITTENS.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

HAZARDS TO HUMANS: Causes eye irritation. Harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

HAZARDS TO DOMESTIC ANIMALS: USE ONLY ON DOGS. Do not use on puppies under 12 weeks of age. Do not use on cats or kittens. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occurs bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals.

FIRST AID

-
- | | |
|--------------|---|
| If In Eyes | <ul style="list-style-type: none">◦ Hold eye open and rinse slowly and gently with water for 15-20 minutes.◦ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.◦ Call a poison control center or doctor for treatment advice. |
| <hr/> | |
| If Swallowed | <ul style="list-style-type: none">◦ Call a poison control center or doctor immediately for treatment advice.◦ Have person sip a glass of water if able to swallow.◦ Do not induce vomiting unless told to do so by a poison control center or doctor.◦ Do not give anything by mouth to an unconscious person. |
-

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information.

NOTE TO PHYSICIAN


This product contains petroleum distillate - vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.



SIDE/BACK PANEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE:

SHAKE WELL BEFORE EACH USE:

FOR USE ON LACTATING AND NON-LACTATING DAIRY CATTLE AND GOATS, BEEF CATTLE AND SHEEP:

For control of Horn Flies, Face Flies, Stable Flies, House Flies, Horse Flies, Black Flies, Mosquitoes, Eye Gnats, Mange, Scabies, Ticks, Lice and Sheep Keds.

Dilution: Mix at a rate of 1 quart to 25 gallons water (2 1/2 tbs./gal.). Method of Application: Sprayer. Application Rate: 1-2 quarts of spray per animal over whole body surface. For mange, lice and scabies, be sure to thoroughly soak animal and apply a second treatment at 14 days.

For control of Horn Flies and Lice:

Dilution: Mix at a rate of 1 quart to 50 gals. water (1 tbs./gal.) Method of Application: Sprayer. Application Rate: Spray until entire animal is thoroughly covered. For lice a second treatment at 14 days is recommended.

For control of Horn Flies, Face Flies, Stable Flies, and Ear Ticks:

Dilution: Mix at a rate of 1 quart to 2 1/2 gals. water (6 tbs./qt.) Method of Application: Low Pressure Sprayer. Application Rate: 1-2 oz. spray per animal. Spot treat back, face, legs and ears.

For control of Horn Flies, Face Flies, Stable Flies, and Ear Ticks:

Dilution: Mix at a rate of 1 quart to 10 gals. diesel oil (6 tbs./gal.) Method of Application: Back Rubber/Self Oiler. Application Rate: Keep rubbing device charged. Results improved by daily forced use.

FOR USE ON POULTRY AND SWINE:

For control of Lice, Northern Fowl Mites and Mange:

Dilution: Mix at a rate of 1 quart to 25 gals. water (2 1/2 tbs./gal.) Method of Application: Sprayer. Application Rate For Poultry: 1 gal. spray per 100 birds, paying particular attention to vent. Application Rate For Swine: Thoroughly soak, including ears. Repeat at 14 days. Spray walls and change bedding. For maintenance prevention of non-clinical hog mange spray concentrate may be halved (1 quart to 50 gallons water).

NOTE: FOR SWINE ALLOW 5 DAYS BETWEEN LAST TREATMENT AND SLAUGHTER.

4/5

SIDE/BACK PANEL

DIRECTIONS FOR USE (Continued)

FOR USE ON PREMISES - DAIRIES, BARNs, FEEDLOTS, STABLES, POULTRY HOUSES, SWINE AND LIVESTOCK HOUSING:

For control of House Flies, Stable Flies, and Other Manure Breeding Flies. Also aids in control of Cockroaches, Ants, Spiders, Mosquitoes, Crickets and Face Flies.

****Dilute:** Mix at a rate of 1 qt. to 12 1/2 gal. water (5 tbs./gal.). **Method of Application:** Sprayer.

Application Rate: Spray thoroughly but do not allow run off to occur. As a guide, use 1 gal. spray per 750 sq. ft. (400 - 1400 sq. ft.).

**** NOTE:** IT IS PERMISSIBLE TO DOUBLE THIS CONCENTRATION FOR PREMISE APPLICATION UNDER SEVERE FLY PRESSURE.

Dilute: READY TO USE.

Method of Application: Mist Sprayer.

Application Rate: Direct 4 oz. onto 1000 sq. ft. of surface.

Dilute: Mix at a rate of 1 qt. to 12 1/2 gal. diesel or mineral oil (5 tbs./gal.)

Method of Application: Overhead Space Sprayer System.

Application Rate: Direct 4 oz. onto 1000 sq. ft. of air space.

NOTE: DO NOT USE IN MILK ROOMS. FOR SPACE SPRAYING DO NOT REMAIN IN TREATED AREAS AND VENTILATE BEFORE REOCCUPYING. ANIMALS SHOULD BE REMOVED FROM AREA PRIOR TO TREATMENT.

FOR USE ON EXTERIOR BUILDING STRUCTURES:

For control of Cluster Flies.

Dilute: READY TO USE.

Method of Application: Mist Sprayer.

Application Rate: Direct 5 oz. onto 1000 sq. ft. of surface concentrating on caves, roof gables and attics.

Retreat as needed, but not more than once every 2 weeks. Spray directly to walls and ceiling as residue surface treatment only. Do not treat manure or litter. The use of any residual fly spray should be supplemented with proper manure management and general sanitation to reduce or eliminate fly breeding sites.

SIDE/BACK PANEL

DIRECTIONS FOR USE (Continued)

FOR USE ON DOGS:

For control of Fleas, Ticks, Lice, Mange (Sarcoptic), and Mites.

TO DIP A DOG: Place dog into mixed dipping solution. DO NOT submerge the dog's head below the surface of the dipping solution. The head and any parts of the dog's body not submerged should be treated by pouring the dipping solution over it or by sponging (particularly around the eyes and ears and mouth) on dipping solution. Remove the dog from the dipping solution as soon as possible and do not allow the dog to remain in the dipping solution for more than 30 seconds. Do not reapply more often than once every two weeks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Keep container sealed when not in use. Do not store near food or feed. Protect from freezing.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

In case of spill on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical wastes area and dispose of in accordance with State and local regulations.

Container Disposal (Plastic): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

