

06/16/2003

FRONT PANEL

PERMETHRIN WETTABLE POWDER PACKET

LIVESTOCK PREMISE INSECTICIDE IN WATER SOLUBLE PACKETS, FOR AGRICULTURAL USE ONLY

For use in Dairies, Barns, Feedlots, Stables, Poultry Houses, Swine Buildings and Other Livestock Premises.

For residual control of House Flies, Stable flies and other manure breeding flies. Aids in control of cockroaches, mosquitoes, Spiders, Ants, Crickets & Face Flies.

ACTIVE INGREDIENT:

*Permeth	rin:	CAS ;	#	526	45	-5.	3-1	1).	• •	•••	• • •	• • •	••	••	••	••	•••	•••	• •	•••	••	••	• • •	•••	• •	••	2	5.0%
INERT IN	GREDII	INTS.	••				• • •								••	•••					••	••			••	••	•• <u>7</u> !	5.0%
																								TC	TA	L	10	0.0%

*Cis/trans isomer ratio: min. 35% (+) cis and max. 65% (+) trans.

KEEP OUT OF THE REACH OF CHILDREN WARNING SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

A	С	С	E	P	T	E	D
	JU	N	16	21	003		
run	12ICI	1c. 2	eden Ind F	0.06	ntic	ide /	
	111		, for inder	-	-	المقصرك	- 1

1 | 4

NET Wt.: 6 OZ. (172.2g) BAG NET CONTENTS: 6.48 OZ. [12 X 0.54 OZ (15.5g) PACKETS]

EPA Reg. No.: 67517-54

EPA Est. No.: 67517-MO-1

.

Manufactured By PM RESOURCES, Inc 13001 St. Charles Rock Road Bridgeton, MO 63044

PAGE 1 OF 3 APRIL 09, 2003 PMR54LAC.DOC-1

SIDE/BACK PANEL

PERMETHRIN WETTABLE POWDER PACKET

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

May cause eye irritation. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. When spraying inside of premises, remove animals prior to treatment. Cover or remove feed and water.

	FIRST AID
If Swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If Inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If On Skin or Clothing	 Take off contaminated clothing. Rinse Skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If In Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
-	ct container or label with you when calling a poison control center treatment. You may also contact 1-800-XXX-XXXX for emergency medical

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

> r 1

1

PAGE 2 OF 3 APRIL 09, 2003 PMR54LAC.DOC-2

SIDE/BACK PANEL PERMETHRIN WETTABLE POWDER PACKET DIRECTIONS FOR USE

For Agricultural Use Only.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Manure removal should precede spraying and sanitation practices continued to eliminate pest breeding sites. Retreat as necessary but not more often than every two weeks.

Spray directly to walls and ceilings as a residual surface spray only. Do not apply directly to livestock or poultry. Do not apply to manure or litter. Avoid contamination of feed and water.

Apply To: Dairies, Barns, Feedlots, Stables, Poultry Houses, Swine Buildings and Other Livestock Premises.

Target Insects: House Flies, Stable Flies, and other manure-breeding Flies. Aids in control of cockroaches, mosquitoes, Spiders, Ants, Crickets & Face Flies.

Method of Application: Sprayer

Bulk Product Dilution Method: Shake powder well before measuring and mixing. Using the enclosed scoop, measure 15.5 grams of product for each gallon of water.

OR

Packet Dilution Method: Place 1 packet (i.e., containing 15.5 grams or 0.54 ounce of product) for each gallon of water.

Rate of Use: Spray for complete coverage but do not allow runoff to occur. As a guide use 1 gallon of spray per 750 sq. ft. (Range 400 - 1400 sq. ft.).

NOTE: Under severe fly pressure, double the concentration for premise application. Apply spray to all surfaces where flies rest. Avoid spraying feeders and waterers. Do not apply as a larvicide.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Mix only as needed. Do not store diluted material. Keep container closed securely when not in use. Do not store near food or feed.

<u>Pesticide Disposal</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>Container Disposal</u>: Completely empty bag into application equipment. The dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORE WITH THE STATEMENTS MADE ON THIS LABEL.

PAGE 3 OF 3 APRIL 09, 2003 PMR54LAC.DOC-3 WATER SOLUBLE PACKET (WSP) UNIT LABEL

PERMETHRIN WETTABLE POWDER PACKET

PERMETHRIN 25.0%

KEEP OUT OF THE REACH OF CHILDREN WARNING READ DIRECTIONS AND PRECAUTIONS BEFORE USING

EPA REG. NO.: 67517-54

NOTE: THE ABOVE LABELING FOR THE WSP UNIT IS OPTIONAL IF THE WSP IS INTEGRALLY SEALED IN AN OUTER CONTAINER THAT BEARS APPROPRIATE LABELING.

. • • • • •

2

PAGE 1 OF 1 APRIL 09, 2003 PMR54LAC.DOC-4

. .

. .

4/4