1/10

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Dr. Jim Barron, Ph.D. PM Resources 13001 St. Charles Rock Rd. Bridgeton, MO 63044

NOV 0 8 2011

Dear Dr. Barron:

Subject:

Labeling Amendment to change "Warning" to "Caution" for Assault Mouse Place Pack

EPA Registration No. 67517-69 Submission Date: August 19, 2011

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

Note: Should you wish to add a reference to the company's website on your label, please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed. If you have any questions, please contact Jennifer Gaines by phone (703) 305-5967 or e-mail at gaines.jennifer@epa.gov.

Sincerely yours,

John Hebert

Product Manager (07)

Insecticide-Rodenticide Branch Registration Division (7505P) Note: This master label bears directions and sublabels for Agricultural/Industrial and Professional Use with use restrictions specific to the container size and user.

ASSAULT® MOUSE PLACE PACK

Contains Bitrex

ACCEPTED

NOV 0 8 2011
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. (07517-69

Sublabel A: Agricultural and Industrial Use

Sublabel B: Professional (PCO) Use

ACTIVE INGREDIENT:

 Bromethalin (CAS No. 63333-35-7)
 0.01%

 OTHER INGREDIENTS
 99.99%

 TOTAL
 100.00%

Manufactured By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO 63044

EPA Reg. No.:67517-69 EPA Est. No.: 67517-MO-1

ASSAULT® MOUSE PLACE PACK

Contains Bitrex

This product may be used only inside of buildings or inside of transport vehicles (ships, trains, or aircraft).

Effective Indoor and Outdoor House Mouse Control Kills House Mice

Sublabel A: Agricultural and Industrial Use

House Mice usually consume a lethal dose in a single feeding, but it may take two or more days from time of bait consumption for them to die. Due to Stop Feed Action, mice cease feeding after consuming a toxic dose. This product is effective against anticoagulant-resistant mice.

ACTIVE INGREDIENT:

 Bromethalin (CAS No. 63333-35-7).
 0.01%

 OTHER INGREDIENTS
 99.99%

 TOTAL
 100.00%

CAUTION:

KEEP OUT OF REACH OF CHILDREN

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

EPA Reg. No.: 67517-69

EPA Est. No.: 67517-MO-1

NET CONTENTS: 44 to 500 x 1.5 oz. PLACE PACKS

Manufactured By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO 63044

Lot/Code/Product/Revision Numbers as Needed
PRECAUTIONARY STATEMENTS

Mfg. & Printed in U.S.A.

PAGE 1 of 4 67517-69 (A) Submitted 10-24-11

SIDE/BACK PANEL- Sublabel A

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long-sleeved shirt and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

User Safety Requirements:

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact the Hotline Number 1-800-858-7378 for health concerns, emergency medical treatment information or pesticide incidents.

If Swallowed

- Call a poison control center, doctor, or HOT LINE NUMBER
 1-800-858-7378 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If in Eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If On Skin or

Clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center, doctor, or HOT LINE NUMBER
 1-800-858-7378 immediately for treatment advice.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian or 1-800-345-4735 at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison Bromethalin. This product is not an anticoagulant-type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

SIDE/BACK PANEL- Sublabel A

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not contaminate water when disposing of equipment wash water or rinsate. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use

only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides.

To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target animals, or birds may access the bait.

USE SITES: This product may only be used to control House Mice. This product may be used inside and outside within 50 feet of industrial and agricultural buildings and similar man-made structures, and in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft) and similar man-made structures and inside and outside within 50 feet of related port or terminal buildings. For use only in non-food/non-feed areas.

USE RESTRICTIONS: Do not place near or inside of ventilator duct openings. Do not contaminate water, food, feedstuffs, food, or feed-handling equipment or milk or meat handling equipment or surfaces that come into direct contact with food. Do not use this product in sewers. Do not broadcast bait.

Do not sell this product in individual containers holding less than 4 pounds of bait.

SELECTION OF TREATMENT AREAS: Determine which areas mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been observed. Remove as much alternative food accessible to mice as possible.

PAGE 3 of 4 67517-69 (A) Submitted 10-24-11

SIDE/BACK PANEL- Sublabel A

APPLICATION DIRECTIONS: The active ingredient in this product is different from anticoagulant rodenticides. Individual rodents cease feeding after consuming a toxic dose.

Mice: Apply one place pack per placement. Space placements at 8 to 12 foot intervals.

Follow-Up: Adjust the amount of bait applied to the level of rodent feeding expected at each bait placement location. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of rodent activity. Maintain bait for at least one week and continue baiting until all signs of rodent activity have ceased or it becomes clear that the remaining mice are not attracted to the bait.

Wearing gloves, collect and properly dispose of all dead rodents and leftover bait. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

NOTICE OF WARRANTY

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

ASSAULT® MOUSE PLACE PACK

Contains Bitrex

This product may only be used inside and within 50 feet of buildings or inside of transport vehicles (ships, trains or aircraft)

Effective Indoor and Outdoor House Mouse Control Kills House Mice

Sublabel B: Intended For Professional (PCO) Use

House Mice usually consume a lethal dose in a single feeding, but it may take two or more days from time of bait consumption for them to die. Due to Stop Feed Action, mice cease feeding after consuming a toxic dose. This product is effective against anticoagulant-resistant mice.

ACTIVE INGREDIENT:

Bromethalin (CAS No. 63333-35-7)	0.01%
OTHER INGREDIENTS	99.99%
TOTAL	100.00%

CAUTION: SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

EPA Reg. No.: 67517-69 EPA Est. No.: 67517-MO-1

NET CONTENTS: 44 to 500 x 1.5 oz. PLACE PACKS

Manufactured By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO 63044

Lot/Code/Product/Revision Numbers as Needed Precautionary Labeling Must Meet Type Size and Prominence Requirements Mfg. & Printed in U.S.A.

SIDE/BACK PANEL- Sublabel B

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long-sleeved shirt and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

User Safety Requirements:

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact the Hotline Number 1-800-858-7378 for health concerns, emergency medical treatment information or pesticide incidents.

If Swallowed

- Call a poison control center, doctor, or HOT LINE NUMBER
 1-800-858-7378 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If in Eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If On Skin or Clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center, doctor, or HOT LINE NUMBER 1-800-858-7378 immediately for treatment advice.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian or 1-800-345-4735 at once.

NOTE TO PHYSICIAN OR VETERINARIAN

This product is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not contaminate water when disposing of equipment wash water or rinsate. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. . Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides.

To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target animals, or birds may access the bait.

USE SITES: This product may only be used to control House Mice. This product may be used inside and outside within 50 feet of homes, industrial and agricultural buildings and similar man-made structures, and in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft) and similar man-made structures and inside and outside within 50 feet of related port or terminal buildings. For use only in non-food/non-feed areas.

USE RESTRICTIONS: Do not place near or inside of ventilator duct openings. Do not contaminate water, food, feedstuffs, food, or feed-handling equipment or milk or meat handling equipment or surfaces that come into direct contact with food. Do not use this product in sewers. Do not broadcast bait. This product may be applied only by licensed pest control operators, (PCO's).

Do not sell this product in individual containers holding less than 4 pounds of bait.

SELECTION OF TREATMENT AREAS: Determine which areas mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been observed. Remove as much alternative food accessible to mice as possible.

SIDE/BACK PANEL- Sublabel B

APPLICATION DIRECTIONS: This active ingredient in this product is different from anticoagulant rodenticides. Individual mice cease feeding after consuming a toxic dose.

Mice: Apply one place pack per placement. Space placements at 8 to 12 foot intervals.

Follow-Up: Adjust the amount of bait applied to the level of feeding expected at each bait placement location. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of mouse activity. Maintain bait for at least one week and continue baiting until all signs of rodent activity have ceased or it becomes clear that the remaining mice are not attracted to the bait.

Wearing gloves, collect and properly dispose of all dead rodents and leftover bait. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

NOTICE OF WARRANTY

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.