

67517-69

08/20/2012

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL, SAFETY
AND POLLUTION PREVENTION

AUG 20 2012

PM Resources c/o
Jim Barron
Exponent
1150 Connecticut Ave., NW, Suite 1200
Washington D.C., 20036

Subject: Amendment to add new 100' restriction
EPA Registration No./Primary Brand Names:

- | | |
|----------|------------------------------|
| 67517-69 | Assault Mouse Place Pack |
| 67517-34 | Rat-A-Rest Pellets |
| 67517-27 | Place Pack Rat Control |
| 67517-37 | Rat/Mouse-A-Rest Place Pack |
| 67517-68 | Assault Mouse Pellets |
| 67517-67 | Assault Meal Rodenticide |
| 67517-70 | Assault Mouse Place Pack II |
| 67517-72 | Assault Mouse Rat Place Pack |
| 67517-71 | Assault Mouse/Rat Pellets |
| 67517-35 | Mouse-A-Rest Pellets |

Submission Date: July 10, 2012

Dear Mr. Barron:

The labels referred to above, submitted under FIFRA, as amended, are **acceptable**. Please submit one final printed copy for the above mentioned labels before releasing the products for shipment. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at benbow.gene@epa.gov.

Sincerely,

John Hebert
Product Manager 07
Insecticide-Rodenticide Branch
Registration Division (7505P)

2/9

FRONT PANEL -Sublabel A

ASSAULT[®] MOUSE PLACE PACK

Contains Bitrex

This product may be used only inside of buildings or inside of transport vehicles (ships, trains, or aircraft).

Effective Indoor and Outdoor House Mouse Control
Kills House Mice

Sublabel A: Agricultural and Industrial Use

House Mice usually consume a lethal dose in a single feeding, but it may take two or more days from time of bait consumption for them to die. Due to Stop Feed Action, mice cease feeding after consuming a toxic dose. This product is effective against anticoagulant-resistant mice.

ACTIVE INGREDIENT:

Bromethalin (CAS No. 63333-35-7).....0.01%

OTHER INGREDIENTS99.99%

TOTAL 100.00%

CAUTION:

KEEP OUT OF REACH OF CHILDREN

SEE SIDE/BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

**MAY BE HARMFUL IF EATEN
BY CHILDREN OR PETS**

EPA Reg. No.: 67517-69

EPA Est. No.: 67517-MO-1

NET CONTENTS: 44 to 500 x 1.5 oz. PLACE PACKS

Manufactured By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO 63044

ACCEPTED
AUG 20 2012
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
Registered under
EPA Reg. No. 67517-69

Lot/Code/Product/Revision Numbers as Needed

Mfg. & Printed in U.S.A.

PRECAUTIONARY STATEMENTS

SIDE/BACK PANEL- Sublabel A

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long-sleeved shirt and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

User Safety Requirements:

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact the Hotline Number 1-800-858-7378 for health concerns, emergency medical treatment information or pesticide incidents.

- If Swallowed**
- Call a poison control center, doctor, or HOT LINE NUMBER 1-800-858-7378 immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by a poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.

- If in Eyes**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.

- If On Skin or Clothing**
- Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center, doctor, or HOT LINE NUMBER 1-800-858-7378 immediately for treatment advice.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian or 1-800-345-4735 at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison Bromethalin. This product is not an anticoagulant-type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

4/9

SIDE/BACK PANEL- Sublabel A

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not contaminate water when disposing of equipment wash water or rinsate. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides.

To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target animals, or birds may access the bait.

USE SITES: This product can only be used to control Norway rats, roof rats, and house mice in and within 100 feet of agricultural buildings and man-made agricultural structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

USE RESTRICTIONS: Do not place near or inside of ventilator duct openings. Do not contaminate water, food, feedstuffs, food, or feed-handling equipment or milk or meat handling equipment or surfaces that come into direct contact with food. Do not use this product in sewers. Do not broadcast bait.

Do not sell this product in individual containers holding less than 4 pounds of bait.

Burrow baiting with ASSAULT® MOUSE PLACE PACK is prohibited.

SELECTION OF TREATMENT AREAS: Determine which areas mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been observed. Remove as much alternative food accessible to mice as possible.

SIDE/BACK PANEL- Sublabel A

APPLICATION DIRECTIONS: The active ingredient in this product is different from anticoagulant rodenticides. Individual rodents cease feeding after consuming a toxic dose.

Mice: Apply one place pack per placement. Space placements at 8 to 12 foot intervals.

Follow-Up: Adjust the amount of bait applied to the level of rodent feeding expected at each bait placement location. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of rodent activity. Maintain bait for at least one week and continue baiting until all signs of rodent activity have ceased or it becomes clear that the remaining mice are not attracted to the bait.

Wearing gloves, collect and properly dispose of all dead rodents and leftover bait. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

NOTICE OF WARRANTY

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

6/9

FRONT PANEL -Sublabel B

ASSAULT[®] MOUSE PLACE PACK
Contains Bitrex

This product may only be used inside and within 100 feet of buildings
or inside of transport vehicles (ships, trains or aircraft)

Effective Indoor and Outdoor House Mouse Control
Kills House Mice

Sublabel B: Intended For Professional (PCO) Use

House Mice usually consume a lethal dose in a single feeding, but it may take two or more days from time
of bait consumption for them to die. Due to Stop Feed Action, mice cease feeding after consuming a
toxic dose. This product is effective against anticoagulant-resistant mice.

ACTIVE INGREDIENT:

Bromethalin (CAS No. 63333-35-7).....0.01%

OTHER INGREDIENTS99.99%

TOTAL 100.00%

KEEP OUT OF THE REACH OF CHILDREN
CAUTION:
SEE SIDE/BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

MAY BE HARMFUL IF EATEN
BY CHILDREN OR PETS

EPA Reg. No.: 67517-69

EPA Est. No.: 67517-MO-1

NET CONTENTS: 44 to 500 x 1.5 oz. PLACE PACKS

Manufactured By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO 63044

Lot/Code/Product/Revision Numbers as Needed
Precautionary Labeling Must Meet Type Size and Prominence Requirements

Mfg. & Printed in U.S.A.

7/9

SIDE/BACK PANEL- Sublabel B

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long-sleeved shirt and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

User Safety Requirements:

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact the Hotline Number 1-800-858-7378 for health concerns, emergency medical treatment information or pesticide incidents.

-
- If Swallowed**
- Call a poison control center, doctor, or HOT LINE NUMBER 1-800-858-7378 immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by a poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.

-
- If in Eyes**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.

-
- If On Skin or Clothing**
- Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center, doctor, or HOT LINE NUMBER 1-800-858-7378 immediately for treatment advice.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian or 1-800-345-4735 at once.

NOTE TO PHYSICIAN OR VETERINARIAN

This product is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

SIDE/BACK PANEL- Sublabel B

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not contaminate water when disposing of equipment wash water or rinsate. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides.

To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target animals, or birds may access the bait.

USE SITES: This product can only be used to control Norway rats, roof rats, and house mice in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port of terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

USE RESTRICTIONS: Do not place near or inside of ventilator duct openings. Do not contaminate water, food, feedstuffs, food, or feed-handling equipment or milk or meat handling equipment or surfaces that come into direct contact with food. Do not use this product in sewers. Do not broadcast bait. This product may be applied only by licensed pest control operators, (PCO's).

Do not sell this product in individual containers holding less than 4 pounds of bait.

Burrow baiting with ASSAULT® MOUSE PLACE PACK is prohibited.

SIDE/BACK PANEL- Sublabel B

SELECTION OF TREATMENT AREAS: Determine which areas mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been observed. Remove as much alternative food accessible to mice as possible.

APPLICATION DIRECTIONS: This active ingredient in this product is different from anticoagulant rodenticides. Individual mice cease feeding after consuming a toxic dose.

Mice: Apply one place pack per placement. Space placements at 8 to 12 foot intervals.

Follow-Up: Adjust the amount of bait applied to the level of feeding expected at each bait placement location. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of mouse activity. Maintain bait for at least one week and continue baiting until all signs of rodent activity have ceased or it becomes clear that the remaining mice are not attracted to the bait.

Wearing gloves, collect and properly dispose of all dead rodents and leftover bait. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

NOTICE OF WARRANTY

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.