

67517-70

8/20/2012

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D C 20460

OFFICE OF CHEMICAL, SAFETY
AND POLLUTION PREVENTION

AUG 20 2012

PM Resources c/o
Jim Barron
Exponent
1150 Connecticut Ave , NW Suite 1200
Washington D C , 20036

Subject Amendment to add new 100 restriction
EPA Registration No /Primary Brand Names

67517-69	Assault Mouse Place Pack
67517-34	Rat-A-Rest Pellets
67517-27	Place Pack Rat Control
67517-37	Rat/Mouse-A-Rest Place Pack
67517-68	Assault Mouse Pellets
67517-67	Assault Meal Rodenticide
67517-70	Assault Mouse Place Pack II
67517-72	Assault Mouse Rat Place Pack
67517-71	Assault Mouse/Rat Pellets
67517-35	Mouse-A-Rest Pellets

Submission Date July 10, 2012

Dear Mr Barron

The labels referred to above, submitted under FIFRA, as amended, are **acceptable** Please submit one final printed copy for the above mentioned labels before releasing the products for shipment If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at benbow_gene@epa.gov

Sincerely,

A handwritten signature in black ink, appearing to read "John Hebert", written over a large, stylized flourish.

John Hebert
Product Manager 07
Insecticide-Rodenticide Branch
Registration Division (7505P)

2/9

ASSAULT[®] MOUSE PLACE PACK II

Contains Bitrex

This Product May Only be Used Inside and Within 100 Feet of Agricultural Industrial and Port or Terminal Buildings or Inside of Transport Vehicles (Ships Trains or Aircraft)

Effective Indoor and Outdoor House Mouse Control
Kills House Mice

Sublabel A Agricultural and Industrial Use

House mice usually consume a lethal dose in a single night's feeding but it may take two or more days for them to die. Due to Stop Feed Action, mice cease feeding after consuming a toxic dose. This product is effective against anticoagulant resistant mice.

ACTIVE INGREDIENT

Bromethalin (CAS No. 63333-35-7)

0.01%

OTHER INGREDIENTS

99.99%

TOTAL 100.00%

KEEP OUT OF THE REACH OF CHILDREN
CAUTION
SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

EPA Reg No. 67517-70

EPA Est No. 67517 MO-1

NET CONTENTS 88 to 1000 x 0.75 oz PLACE PACK

Manufactured By
PM RESOURCES, INC
13001 St. Charles Rock Road
Bridgeton MO 63044

ACCEPTED
AUG 20 2012
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg No. 67517-70

IT IS ILLEGAL TO SELL THESE PLACE PACKS INDIVIDUALLY

Lot/Code/Product/Revision Numbers as Needed
Precautionary Labeling Must Meet Type Size and Prominence Requirements

Mfg. & Printed in U.S.A.

SIDE/BACK PANEL- Sublabel A

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

CAUTION Harmful if swallowed or absorbed through the skin Causes moderate eye irritation Keep away from children domestic animals and pets Do not get in eyes on skin or on clothing All handlers (including applicators) must wear long sleeved shirt and gloves Any person who retrieves carcasses or unused bait following application of this product must wear gloves

User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE If no such instructions for washables use detergent and hot water Keep and wash PPE separately from other laundry Remove PPE immediately after handling this product Wash the outside of gloves before removing As soon as possible wash hands thoroughly after applying bait and before eating drinking chewing gum using tobacco or using the toilet and change into clean clothing

FIRST AID

Have the product container or label with you when calling a poison control center or doctor for treatment You may also contact the Hotline Number 1 800-345-4735 for health concerns emergency medical treatment information or pesticide incidents

- If Swallowed**
- Call a poison control center doctor or HOT LINE NUMBER 1 800-345-4735 immediately for treatment advice
 - Have person sip a glass of water if able to swallow
 - Do not induce vomiting unless told to do so by a poison control center or doctor
 - Do not give anything by mouth to an unconscious person

- If On Skin or Clothing**
- Take off contaminated clothing
 - Rinse skin immediately with plenty of water for 15-20 minutes
 - Call a poison control center doctor or HOT LINE NUMBER 1-800 345-4735 immediately for treatment advice

TREATMENT FOR PET POISONING

If animal eats bait call veterinarian or 1-800-345-4735 at once

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison Bromethalin This is not an anticoagulant type rodenticide For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors loss of hind limb use or seizures for animals) limit absorption by either emesis or gastric lavage Sublethal symptoms if present would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait Do not apply directly to water or to areas

4/9

SIDE/BACK PANEL- Sublabel A

where surface water is present or to intertidal areas below the mean high water mark. Runoff may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

READ THIS LABEL Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.
IMPORTANT Do not expose children, pets, or other nontarget animals to rodenticides.

To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of the reach of children, pets, domestic animals, and nontarget wildlife or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

USE SITES This product can only be used to control Norway rats, roof rats, and house mice in and within 100 feet of agricultural buildings and man-made agricultural structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Fence and perimeter baiting beyond 100 feet from a structure as defined above is prohibited. This product must not be applied directly to food or feed crops.

Note Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

USE RESTRICTIONS Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. Do not use this product in sewers. Do not broadcast bait. Do not sell this product in individual containers holding less than 4 pounds of bait.

Burrow baiting with ASSAULT® MOUSE PLACE PACK II is prohibited.

SELECTION OF TREATMENT AREAS Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners, and concealed places, between floors and walls, or in locations where mice or their signs have been seen. Remove as much alternative food accessible to rodents as possible.

APPLICATION DIRECTIONS The active ingredient in this product is different from anticoagulant rodenticides. Individual mice cease feeding after consuming a toxic dose.

Mice Apply one place pack per placement location in infested areas. Space placements at 8 to 12 foot intervals.

DIRECTIONS FOR USE (CONTINUED)

SIDE/BACK PANEL- Sublabel A

Follow-Up Adjust the amount of bait applied to the level of mouse feeding expected at each bait placement location. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of mouse activity. Maintain bait for at least one week and continue baiting until all signs of mouse activity have ceased or it becomes clear that the remaining mice are not attracted to the bait.

Wearing gloves, collect and properly dispose of all dead mice and leftover bait. To discourage reinfestation, limit sources of mouse food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE Store only in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING Nonrefillable container. Do not reuse or refill this container. **If Plastic**, Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration. In most states, burning is not allowed. **If Paper**, Dispose of empty container by placing in trash at an approved waste disposal facility or by incineration. In most states, burning is not allowed.

NOTICE OF WARRANTY

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in strict accordance with directions for use.

Amended Label (Sublabel A) EPA Reg. No. 67517-70 electronically resubmitted 7-31-12

6/9

FRONT PANEL-- Place Pack and Outer Container -- Sublabel B

ASSAULT[®] MOUSE PLACE PACK II

Contains Bitrex

This Product May Only be Used Inside and Within 100 Feet of Buildings or Inside of Transport Vehicles
(Ships Trains or Aircraft)

Effective Indoor and Outdoor House Mouse Control
Kills House Mice

House Mice usually consume a lethal dose in a single night s feeding but it may take two or more days for them to die Due to Stop Feed Action mice cease feeding after consuming a toxic dose This product is effective against anticoagulant-resistant mice

Sublabel B Professional (PCO) Use

ACTIVE INGREDIENT

Bromethalin (CAS No 63333-35 7)

0 01%

OTHER INGREDIENTS

99 99%

TOTAL 100 00%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

SEE SIDE/BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

**MAY BE HARMFUL IF EATEN
BY CHILDREN OR PETS**

EPA Reg No 67517 70

EPA Est No 67517 MO-1

NET CONTENTS 88 to 1000 x 0 75 oz PLACE PACK

Manufactured By
PM RESOURCES, INC
13001 St Charles Rock Road
Bridgeton MO 63044

IT IS ILLEGAL TO SELL THESE PLACE PACKETS INDIVIDUALLY

Lot/Code/Product/Revision Numbers as Needed
Precautionary Labeling Must Meet Type Size and Prominence Requirements

Mfg & Printed in U S A

SIDE/BACK PANEL- Sublabel B

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

CAUTION Harmful if swallowed or absorbed through the skin Causes moderate eye irritation Keep away from children domestic animals and pets Do not get in eyes on skin or on clothing All handlers (including applicators) must wear long sleeved shirt and gloves Any person who retrieves carcasses or unused bait following application of this product must wear gloves

User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE If no such instructions for washables use detergent and hot water Keep and wash PPE separately from other laundry Remove PPE immediately after handling this product Wash the outside of gloves before removing As soon as possible wash hands thoroughly after applying bait and before eating drinking chewing gum using tobacco or using the toilet and change into clean clothing

FIRST AID

Have the product container or label with you when calling a poison control center or doctor for treatment You may also contact the Hotline Number 1-800 345 4735 for health concerns emergency medical treatment information or pesticide incidents

- If Swallowed**
- Call a poison control center doctor or HOT LINE NUMBER 1-800 345 4735 immediately for treatment advice
 - Have person sip a glass of water if able to swallow
 - Do not induce vomiting unless told to do so by a poison control center or doctor
 - Do not give anything by mouth to an unconscious person
-

- If in Eyes**
- Hold eye open and rinse slowly and gently with water for 15 20 minutes
 - Remove contact lenses if present after the first 5 minutes then continue rinsing eye
 - Call a poison control center or doctor for treatment advice
-

- If On Skin or Clothing**
- Take off contaminated clothing
 - Rinse skin immediately with plenty of water for 15 20 minutes
 - Call a poison control center doctor or HOT LINE NUMBER 1 800 345 4735 immediately for treatment advice
-

TREATMENT FOR PET POISONING

If animal eats bait call veterinarian or 1 800 345-4735 at once

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison Bromethalin This is not an anticoagulant type rodenticide For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors loss of hind limb use or seizures for animals) limit absorption by either emesis or gastric lavage Sublethal symptoms if present would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

READ THIS LABEL Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT Do not expose children, pets, or other nontarget animals to rodenticides.

To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of the reach of children, pets, domestic animals, and nontarget wildlife or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

USE SITES This product can only be used to control Norway rats, roof rats, and house mice in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks, and port of terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting beyond 100 feet from a structure as defined above is prohibited. This product must not be applied directly to food or feed crops.

Note Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

USE RESTRICTIONS Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. Do not use this product in sewers. Do not broadcast bait. Do not sell this product in individual containers holding less than 4 pounds of bait.

Burrow baiting with ASSAULT® MOUSE PLACE PACK II is prohibited.

SELECTION OF TREATMENT AREAS Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners, and

9/9

SIDE/BACK PANEL Sublabel B

concealed places between floors and walls or in locations where mice or their signs have been seen Remove as much alternative food accessible to rodents as possible

APPLICATION DIRECTIONS The active ingredient in this product is different from anticoagulant rodenticides Individual mice cease feeding after consuming a toxic dose

DIRECTIONS FOR USE (CONTINUED)

Mice Apply one place pack per placement location in infested areas Space placements at 8 to 12 foot intervals

Follow Up Adjust the amount of bait applied to the level of mouse feeding expected at each bait placement location Highest bait consumption is expected to occur on the first day or two after treatment After several days inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of mouse activity Maintain bait for at least one week and continue baiting until all signs of mouse activity have ceased or it becomes clear that the remaining mice are not attracted to the bait

Wearing gloves collect and properly dispose of all dead mice and leftover bait To discourage reinfestation limit sources of mouse food water and harborage as much as possible If reinfestation does occur repeat treatment Where a continuous source of infestation is present establish permanent bait stations and replenish as needed

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

PESTICIDE STORAGE Store only in a cool dry place inaccessible to children and pets Keep containers closed and away from other chemicals

PESTICIDE DISPOSAL Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility

CONTAINER HANDLING Nonrefillable container Do not reuse or refill this container **If Plastic** Triple rinse (or equivalent) then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by incineration In most states burning is not allowed **If Paper** Dispose of empty container by placing in trash at an approved waste disposal facility or by incineration In most states burning is not allowed

NOTICE OF WARRANTY

To the extent consistent with applicable law buyer assumes all responsibility for safety and use not in strict accordance with directions for use

Amended Label (Sublabel B) EPA Reg No 67517 70 electronically resubmitted 8 29 12