



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

JUL 27 1998

S 543514  
301/18

Joseph E. Dyer, Regulatory Agent  
PM Resources, Inc.  
13001 St. Charles Rock Rd.  
Bridgeton, MO 63044

Subject: Assault Rat Pellets  
EPA Registration No. 67517-73  
Revised Labeling submitted April 10, 1998

Dear Mr. Dyer,

Your submission of proposed revised labeling for EPA Reg. No. 67517-73, dated April 10, 1998, which included revised labels for a 7-lb. "IMMEDIATE CONTAINER" and for a 4 x 7-lb. "OUTER PACKAGE," has been reviewed. The revised labeling is acceptable provided that you:

1. On the front panel of both labels, insert the word "feeding" between "single" and "with" in the modified single-feeding claim.
2. Retain the organizational format for the "DIRECTIONS FOR USE" that was used in the proposed labels submitted April 10, 1998.

Please submit one copy each of your revised final printed labeling for the "IMMEDIATE CONTAINER" and the "OUTER PACKAGE" before you release the product for shipment. If the above specified conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

Stamped copies of the labeling are enclosed for your records. If you have any questions about this letter, please call me at (703) 305-5417 or (703) 305-5404.

Sincerely yours,

Peg Perreault  
Chemical Manager, Team 4  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

Enclosure(s) 2



Recycled/Recyclable  
Printed on paper that contains  
at least 75% recycled fiber

ACCEPTED  
with COMMENTS 2/9  
In EPA Letter Dated:

July 27, 1998

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.  
67517-73

FRONT PANEL

IMMEDIATE CONTAINER LABEL  
ASSAULT RAT PELLETS  
Contains Bitrex

Rat Poison  
For Indoor and Outdoor Rodent Control

Kills Roof Rats and Norway Rats

Rats may consume a lethal dose in a single with dead rodents appearing one to two days after they eat the bait. Rats generally cease feeding after consuming a toxic dose in a single-night's feeding.

ACTIVE INGREDIENT:

Bromethalin: N-methyl-2,4,-dinitro-N-(2,4,6-tribromophenyl) - 6-(trifluoromethyl) benzenamine.....	0.01%
OTHER INGREDIENTS.....	99.99%
TOTAL	100.00%

KEEP OUT OF THE REACH OF CHILDREN  
CAUTION  
SEE SIDE/BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

EPA Reg. No.: 67517-73

EPA Est. No.: 67517-MO-1

NET WT.: 7 LB

Manufactured By  
PM RESOURCES, INC.  
13001 St. Charles Rock Road  
Bridgeton, MO 63044

IN CASE OF EMERGENCY CALL: CHEMTREC (POISON CONTROL CENTER) AT 1-800-424-9300

(Lot/Code/Product/Rev. Numbers as needed) Mfg. & Printed in U.S.A.  
Precautionary Labeling Must Meet Type Size and Prominence Requirements.

3/9

**SIDE/BACK PANEL**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling bait.

**FIRST AID**

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of the throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**NOTE TO PHYSICIAN:**

ASSAULT RAT PELLETS is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

**ENVIRONMENTAL HAZARDS**

This product is toxic to mammals and birds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

4/9

SIDE/BACK PANEL

DIRECTIONS FOR USE (CONTINUED)

2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway Rats and Roof Rats in and around homes, industrial and agricultural buildings, and similar man-made structures. This product may also be used in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft), and in and around related port or terminal buildings. Do not use ASSAULT RAT PELLETS in Sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rodents will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much alternative food accessible to rodents as possible.

APPLICATION DIRECTIONS: ASSAULT RAT PELLETS do not contain an anticoagulant rodenticide. Generally, rats will consume a lethal dose in a single feeding with death occurring one or two days later.

Apply 1 to 6 oz per placement. Adjust the amount applied to the level of rat feeding expected at each bait placement. Placements should be spaced at 20 to 30 foot intervals.

Highest bait consumption is expected to occur during the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is evidence of heavy feeding. Although one night's feeding will usually provide a lethal dose, maintain bait for at least a week to provide all rodents a chance to feed on the bait. Baiting should be continued until all sign of feeding have ceased.

5/9

**SIDE/BACK PANEL**

**DIRECTIONS FOR USE (CONTINUED)**

Collect and properly dispose of all dead rodents and leftover bait. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**NOTICE OF WARRANTY**

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

ACCEPTED *6/9*  
with COMMENTS  
In EPA Letter Dated:  
*July 27, 1998*  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.  
67517-73

FRONT PANEL

OUTER PACKAGE LABEL  
ASSAULT RAT PELLETS  
Contains Bitrex

Rat Poison  
For Indoor and Outdoor Rodent Control

Kills Roof Rats and Norway Rats

Rats may consume a lethal dose in a single with dead rodents appearing one to two days after they eat the bait. Rats generally cease feeding after consuming a toxic dose in a single-night's feeding.

ACTIVE INGREDIENT:

Bromethalin: N-methyl-2,4,-dinitro-N-(2,4,6-tribromophenyl)- 6-(trifluoromethyl) benzenamine.....	0.01%
OTHER INGREDIENTS.....	99.99%
	TOTAL 100.00%

KEEP OUT OF THE REACH OF CHILDREN  
CAUTION  
SEE SIDE/BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

EPA Reg. No.: 67517-73

EPA Est. No.: 67517-MO-1

NET WT.: 4 X 7 LB

Manufactured By  
PM RESOURCES, INC.  
13001 St. Charles Fock Road  
Bridgeton, MD 63044

IN CASE OF EMERGENCY CALL: CHEMTREC (POISON CONTROL CENTER) AT 1-800-424-9300

(Lot/Code/Product/Rev. Numbers as needed) Mfg. & Printed in U.S.A.  
Precautionary Labeling Must Meet Type Size and Prominence Requirements.

1/9

SIDE/BACK PANEL

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION

Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling bait.

FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of the throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN:

ASSAULT RAT PELLETS is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

8/9

SIDE/BACK PANEL

DIRECTIONS FOR USE (CONTINUED)

2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway Rats and Roof Rats in and around homes, industrial and agricultural buildings, and similar man-made structures. This product may also be used in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft), and in and around related port or terminal buildings. Do not use ASSAULT RAT PELLETS in Sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rodents will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much alternative food accessible to rodents as possible.

APPLICATION DIRECTIONS: ASSAULT RAT PELLETS do not contain an anticoagulant rodenticide. Generally, rats will consume a lethal dose in a single feeding with death occurring one or two days later.

Apply 1 to 6 oz per placement. Adjust the amount applied to the level of rat feeding expected at each bait placement. Placements should be spaced at 20 to 30 foot intervals.

Highest bait consumption is expected to occur during the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is evidence of heavy feeding. Although one night's feeding will usually provide a lethal dose, maintain bait for at least a week to provide all rodents a chance to feed on the bait. Baiting should be continued until all sign of feeding have ceased.



9/9

SIDE/BACK PANEL

DIRECTIONS FOR USE (CONTINUED)

Collect and properly dispose of all dead rodents and leftover bait. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.