67517-73

Ċ

(

10-20-2003

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

October 20, 2003

PM Resources, Inc. 13001 St. Charles Rock Road Bridgeton, MO 63044

<u>300</u> 5-743468 17

Attention: Mr. Joseph E. Dyer

Subject: Assault All Weather Bait EPA Reg. No. 67517-66 **Assault Mouse Place Pack** EPA Reg. No. 67517-69 **Assault Mouse Place Pack II** EPA Reg. No. 67517-70 **Assault Mouse/Rat Pellets** EPA Reg. No. 67517-71 Assault Mouse/Rat Place Pack EPA Reg. No. 67517-72 **Assault Rat Pellets** EPA Reg. No. 67517-73 Assault Rat Place Packs EPA Reg. No. 67517-74 Assault Rat Place Packs II EPA Reg. No. 67517-75 Your letters of July 16, 24, and 28, 2003

Purpose

The purpose of these submissions is to revise your labels according to our previous letters.

Page 2 of 2

Label

stocks

٤.

The labeling submitted with the above letters, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided you submit one (1) copy of final printed labeling to us, with the following changes, before you ship your product.

 The correct headings for your "STORAGE AND DISPOSAL" text are as follows:

STORAGE AND DISPOSAL [Household Use:] STORAGE: Store ... pets. DISPOSAL: If Empty ... outdoor drain.

[Non-Household Use:] Do not ... or disposal.

STORAGE: Store ... chemicals. PESTICIDE DISPOSAL: Wastes ... facility. CONTAINER DISPOSAL: Dispose ... smoke.

- In the future, if you would like a "mouse only" label, submit three (3) copies of the proposed label, with all rat reference removed from the text and three (3) copies of the rat label.
- 3. As long as the product is sold in sizes that equal or exceed the maximum placement for rats, no qualifying statements are needed in the rat directions.

A copy of the stamped label for each product is enclosed for your records.

Existing Stocks of existing labels may be used for eighteen (18) months.

Consequence
for non-If this condition is not complied with, the registration will be subject to cancellation in
accordance with FIFRA section 6(e). Your release for shipment of the product
constitutes acceptance of this condition.

Questions If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or **peacock.dan@epa.gov** (by E-Mail).

Sincerely yours,

DRP

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C)

Letter Office Computer, Disk 127,A:\Bromethalin\67517-66, 69, -70, -71, -72, -73, location -74, -75, 10-15-2003, revised label.wpd, October 15, 2003

FRONT PANEL

ASSAULT RAT PELLEIS Contains Bitrex

Rat Poison For Indoor & Outdoor Rodent Control Kills Roof Rats and Norway Rats

Rats usually consume a lethal dose in a single night's feeding, but it may take two or more days from the time of bait consumption for these rodents to die. Rats cease feeding after consuming a toxic dose. This product is effective against anticoagulant-resistant mice and rats.

ACTIVE INGREDIENT:

~

(

Bromethalin:	0.01%
OTHER INGREDIENTS.	<u>99.998</u>
TOTAL 1	100.00%

KEEP OUT OF THE REACH OF CHILDREN CAUTION SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MAY BE HARMFUL IF EATEN in EPA Letter Dated: BY CHILDREN OR PETS

EPA Reg. No.: 67517-73

NET WI. 7 LB

Manufactured By FM RESOURCES, INC. 13001 St. Charles Rock Road Bridgeton, MO 63044

Lot/Code/Product/Rev. Numbers as needed

Mfg. & Printed in U.S.A.

675/7-73 EPA Est. No.: 67517-MO-1

PAGE 1 OF 4 JULY 16, 2003 PMR73LAD.DOC-1 \geq

Sec. 2

ACCEPTED with COMMENTS

OCT 2 0 2003

ं स्टाप् स्वर्थ स्ट्रा

4.Under the Federal Insections, Fungicide, and Rodenti-side Act (as amended, for the pesticide (registered under EPA Reg. No.

SIDE/BACK PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep away from humans, domestic animals and pets. May be harmful if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling bait.

Have Label wit	FIRST AID h you when obtaining treatment advice.
o	Call a poison control center, doctor, or *HOT LINE NUMBER 1-800-858-7378 immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.
or Clothing °	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center, doctor, or *HOT LINE NUMBER 1-800-858-7378 immediately for treatment advice.
*Rootnote #1:	You may also contact HOT LINE NUMBER 1-800-858-7378 for health concerns

*Footnote #1: You may also contact HOT LINE NUMBER 1-800-858-7378 for health concerns, emergency medical treatment information or pesticide incidents.

NOTE TO PHYSICIAN

This product is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENIAL HAZARDS

This product is taxic to mammals and birds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Dogs and other predatory and scavenging mammals might be poisoned if they feed upon animals that have eaten this bait.

PAGE 2 OF 4 JULY 16, 2003 PMR73LAD.DOC-2

0

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help to prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats and roof rats inside and against outside walls of homes, industrial and agricultural buildings, and similar man-made structures. This product may also be used in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft), and inside and against outside walls of related port or terminal buildings. Do not use this product in Sewers. For use in non-food/non-feed areas. Do not contaminate human or pet food preparations items or areas. Do not place near or inside ventilation duct openings. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rodents will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much alternative food accessible to rodents as possible.

APPLICATION DIRECTIONS: This product does not contain an anticoagulant rodenticide. Generally, rats will consume a lethal dose in a single feeding with death occurring one or two days later.

Apply 1 to 6 oz per placement. Adjust the amount applied to the level of rat feeding expected at each bait placement. Placements should be spaced at 20_{cet} to 30 foot intervals.

PAGE 3 OF 4 JULY 16, 2003 PMR73LAD.DOC-3

0

{-

SIDE/BACK PANEL DIRECTIONS FOR USE (CONTINUED)

Highest bait consumption is expected to occur during the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is evidence of heavy feeding. Although one night's feeding will usually provide a lethal dose, maintain bait for at least a week to provide all rodents a chance to feed on the bait. Baiting should be continued until all sign of feeding have ceased.

Collect and properly dispose of all dead rodents and leftover bait. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

SICRAGE AND DISPOSAL

HOUSEHOLD USE:

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets.

CONTAINER DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place any unused product down any indoor or outdoor drain.

NON-HOUSEHOLD USE:

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of at an approved waste disposal facility.

CONTAINER DISPOSAL: Dispose of empty container in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

* [NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANIZABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT "COR" ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL. • : QR Buyer assumes all responsibility for safety and use not in accordance with... directions.] *Footnote #2: The use of any notice of warranty statement as bracketed [] is optional. PAGE 4 OF 4 • • • JULY 16, 2003 PMR73LAD.DOC-4