## TICK AND MOSQUITO PERMETHRIN REPELLENT

- ° FOR CLOTHING
- ° REPELS AND KILLS MOSQUITOES, TICKS AND MITES.
- ° REPELS AND KILLS TICKS WHICH MAY CARRY LYME DISEASE AND ROCKY MOUNTAIN SPOTTED FEVER
- PROVIDES LONG-LASTING PROTECTION 1 TREATMENT LASTS 2 WEEKS!
- ° CLOTHING TREATMENT ONLY DO NOT APPLY TO SKIN

# ACTIVE INGREDIENTS

*Permethrin : CAS#	52645-53-1)	0.5%
OTHER INGREDIENTS.		99.5%
	1	.00.0%

\* cis/trans ratio: Min 35% ( $\pm$ ) cis and max 65% ( $\pm$ ) trans

# KEEP OUT OF THE REACH OF CHILDREN CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents: 8 OUNCES ( 170 GRAMS)

EPA Reg. No.: 67517-78

EPA Est. No.:

EPA Reg. No.

Manufactured For PM Resources, Inc. 13001 St. Charles Rock Road Bridgeton, MO, 64033 Under the Federal Insecticide.
Fungicide, and Rodenticide Act.
as amended, for the pesticide
Registered under

\* 2 p 2

ACCEPTED

(lot number statements as needed)
Mfg. & Printed in U.S.A. (label revision number) (product number)

Page 1 of 4 April 08, 2003 PMR78LAC.DOC-1

## Draft Label Side/Back Panel

## TICK AND MOSQUITO PERMETHRIN REPELLENT

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through the skin. Avoid contact with skin or eyes. Avoid breathing vapors or spray mist. Do not allow contact with treated surfaces until spray has dried. Wash thoroughly with soap and water after handling. Do not allow spray to contact food, or water supplies.

#### PHYSICAL CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause burning.

#### FIRST AID

\_\_\_\_\_\_\_

- If Swallowed ° Call a poison control center or doctor immediately for treatment
  - ° Have person sip a glass of water if able to swallow.
  - O Do not induce vomiting unless told to do so by a poison control center or doctor.
  - ° Do not give anything by mouth to an unconscious person.

If Inhaled

- ° Move person to fresh air.
- ° If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

If On Skin or ° Take off contaminated clothing.

Clothing

- Rinse Skin immediately with plenty of water for 15-20 minutes.
- ° Call a poison control center or doctor for treatment advice.

If In Eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- ° Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
- ° Call a poison control center or doctor for treatment advice.

\_\_\_\_\_\_\_\_\_

#### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information.

Page 2 of 4 April 08, 2003 PMR78LAC.DOC-2

# Draft Label Side/Back Panel

#### TICK AND MOSQUITO PERMETHRIN REPELLENT

#### DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### SHAKE WELL BEFORE USING

Do not apply to clothing while it is being worn. Under no circumstances should bare skin or clothing on the body be treated.

## **GENERAL INSTRUCTIONS:**

For protection against Ticks (including those which may carry Lyme disease), chiggers and mosquitoes, apply product as directed below. For further protection use in conjunction with an insect repellent registered for direct application to the skin and utilize the following primary preventive measures; Avoid areas where the pests are found, wear appropriate protective clothing (light-colored long-sleeve shirt and long pants tucked into socks) and inspect body daily for ticks. Pant cuffs should be worn inside the socks or footwear to ensure full protection against ticks and chiggers.

## INITIAL TREATMENT INSTRUCTIONS:

- 1. Select a well-ventilated outdoor area protected from wind and lay out the clothing to be treated (as complete outfit; shirt, trousers and socks).
- 2. Hold can upright about 6 to 8 inches from surface of the clothing and spray with a slow sweeping motion to lightly moisten the surface of the fabric.
- 3. Continue spraying over entire outfit until a total treatment time of 60 seconds has elapsed and the outer surface of the fabric is moist enough to cause a slight color change or darkening. Pay special attention to socks, trouser cuffs and shirt cuffs.
- 4. Turn the clothing over and treat the other side as described in Steps 2 & 3.
- 5. Hang the treated clothing and allow to dry for at least 2 hours (4 hours under humid conditions) before wearing.
- 6. One can will treat two complete outfits. Do not exceed recommended spraying times.

## RETREATMENT INSTRUCTIONS:

This product contains an active ingredient which actually binds to the fabric being treated, providing residual protection which lasts a minimum of two weeks, and holds up through several machine washings. DO NOT RETREAT CLOTHING MORE THAN ONCE EVERY TWO WEEKS. LAUNDER CLOTHING AT LEAST ONCE BEFORE RETREATMENT. For retreatment follow instructions for initial treatment.

Page 3 of 4 April 08, 2003 PMR78LAC.DOC-3

## Draft Label Side/Back Panel

#### TICK AND MOSQUITO PERMETHRIN REPELLENT

STORAGE AND DISPOSAL

Storage Instructions: Store in a cool dry place away from heat and open flame. Do not transport or store below 32°F.

Disposal Instructions: Do Not Puncture or Incinerate! If empty: Place in Trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions:

NOTICE OF WARRANTY

PM RESOURCES, INC., MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

Page 4 of 4 April 08, 2003 PMR78LAC.DOC-3

