
 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration</p> <p>(under FIFRA, as amended)</p>	EPA Reg Number: 67517-81	Date of Issuance: SEP 9 1999
	Term of Issuance: Conditional	
	Name of Pesticide Product: Assault Mouse/Rat Place Pac	
Name and Address of Registrant (include ZIP Code): PM Resources, Inc. 13001 St. Charles Rock Road Bridgeton, MO 63044 Agent: Joseph E. Dyer		
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you comply with the following and submit one (1) copy of final printed labeling before you release the product for shipment.</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data. 2. Revise "EPA File Symbol 67517-IR" to read "EPA Registration No. 67517-81". 3. Revise your Data Matrix to reflect correct citations for the acute toxicity data. <p>If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.</p> <p>A copy of the label stamped "Accepted with Comments" is enclosed. F:\USER\GROBIOU\CORRESPONDENCE\Bromethalin\67517-IR(81).wpd</p> <p>Enclosure</p>		
Signature of Approving Official:  Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7505C)	Date: SEP 9 1999	

Jacket copy 2 of 9

FRONT PANEL
OUTER CONTAINER

ASSAULT MOUSE/RAT PLACE PACK BAIT
Contains Bitrex

Mouse and Rat Poison
For Indoor and Outdoor Rodent Control

Kills House Mice, Norway Rats and Roof Rats

House Mice, Norway Rats and Roof Rats usually consume a lethal dose in a single day's feeding, but it may take two or more days from time of bait consumption for these rodents to die. Rodents cease feeding after consuming a toxic dose. ASSAULT MOUSE/RAT PLACE PACK BAIT is effective against anticoagulant-resistant mice and rats.

OK
(initials)
10
79)

ACTIVE INGREDIENT:

Bromethalin:	0.01%
OTHER INGREDIENTS.....	99.99%
	TOTAL 100.00%

ACCEPTED
with COMMENTS
In EPA Letter Dated:
SEP 9 1999


KEEP OUT OF THE REACH OF CHILDREN
CAUTION
SEE SIDE/BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
67517-81

EPA Reg. No.: 67517-XX

EPA Est. No.: 67517-MO-1

NET WT.: 100 X 1.5 Oz. (Placepacks)

? 

Manufactured By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO 63044

For Information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

(Lot/Code/Product/Rev. Numbers as needed) Mfg. & Printed in U.S.A.
Precautionary Labeling Must Meet Type Size and Prominence Requirements.

SIDE/BACK PANEL

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling bait.

Add First Aid as in -79 (7/23/98) no First Aid to -69?!

NOTE TO PHYSICIAN:

ASSAULT MOUSE/RAT PLACE PACK II is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

SIDE/BACK PANEL

DIRECTIONS FOR USE (CONTINUED)

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats, and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. This product may also be used in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft), and in and around related port or terminal buildings. Do not use ASSAULT MOUSE/RAT PLACE PACK BAIT in Sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in contact with food. Do not broadcast placepacks or bait.

Good

SELECTION OF TREATMENT AREAS: Determine areas where rodents will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food accessible to rodents as possible.

APPLICATION DIRECTIONS: The active ingredient in ASSAULT MOUSE/RAT PLACE PACK BAIT is different from anticoagulant rodenticides. Individual rodents cease feeding after consuming a toxic dose.

RATS: Apply 1 to 4 placepacks per placement location. Space placements at intervals of 15 to 30 feet.

OK (per proposal to 79)

MICE: Apply one pack per placement. Space placements at 8 to 12 foot Intervals. *-69 OK*

RATS AND MICE: Adjust the amount of bait applied to the level of feeding by target rodents expected at each placement location. Highest bait consumption is expected to occur during the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of rodent activity. Maintain bait for at least one week and continue baiting until all signs of rodent activity have ceased or it becomes clear that the remaining rodents are not attracted to the bait.

Collect and properly dispose of all dead rodents and leftover bait. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

SIDE/BACK PANEL

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty containers. Dispose of liner in a sanitary landfill or by incineration if allowed by state or local authorities. If burned, stay out of smoke.

NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

Jackcopy 6 of 9

FRONT PANEL
IMMEDIATE CONTAINER

ASSAULT MOUSE/RAT PLACE PACK BAIT
Contains Bitrex

Mouse and Rat Poison
For Indoor and Outdoor Rodent Control

Kills House Mice, Norway Rats and Roof Rats

House Mice, Norway Rats and Roof Rats usually consume a lethal dose in a single day's feeding, but it may take two or more days from time of bait consumption for these rodents to die. Rodents cease feeding after consuming a toxic dose. ASSAULT MOUSE/RAT PLACE PACK BAIT is effective against anticoagulant-resistant mice and rats.

ACTIVE INGREDIENT:

Bromethalin:	0.01%
OTHER INGREDIENTS.....	99.99%
	TOTAL 100.00%

ACCEPTED
with COMMENTS
In EPA Letter Dated:
SEP 9 1999

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
67517-81

KEEP OUT OF THE REACH OF CHILDREN
CAUTION
SEE SIDE/BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Reg. No.: 67517-XX

EPA Est. No.: 67517-MO-1

NET WT.: 1.5 Oz. (Placepack)

Manufactured By
PM RESOURCES, INC.
13001 St. Charles Rock Road
Bridgeton, MO 63044

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

(Lot/Code/Product/Rev. Numbers as needed) Mfg. & Printed in U.S.A.
Precautionary Labeling Must Meet Type Size and Prominence Requirements.

SIDE/BACK PANEL

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling bait.

Ad First Aid ?

NOTE TO PHYSICIAN:

ASSAULT MOUSE/RAT PLACE PACK BAIT is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

SIDE/BACK PANEL

DIRECTIONS FOR USE (CONTINUED)

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats, and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. This product may also be used in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft), and in and around related port or terminal buildings. Do not use ASSAULT MOUSE/RAT PLACE PACK BAIT in Sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in contact with food. Do not broadcast placepacks or bait.

SELECTION OF TREATMENT AREAS: Determine areas where rodents will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food accessible to rodents as possible.

APPLICATION DIRECTIONS: The active ingredient in ASSAULT MOUSE/RAT PLACE PACK BAIT is different from anticoagulant rodenticides. Individual rodents cease feeding after consuming a toxic dose.

RATS: Apply 1 to 4 placepacks per placement location. Space placements at intervals of 15 to 30 feet. *{The bait in a single placepack could only be expected to control a limited number of rats.}

MICE: Apply one pack per placement. Space placements at 8 to 12 foot Intervals.

RATS AND MICE: Adjust the amount of bait applied to the level of feeding by target rodents expected at each placement location. Highest bait consumption is expected to occur during the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of rodent activity. Maintain bait for at least one week and continue baiting until all signs of rodent activity have ceased or it becomes clear that the remaining rodents are not attracted to the bait.

Collect and properly dispose of all dead rodents and leftover bait. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

*{REQUIRED ON THIS LABEL ONLY IF PLACEPACK IS TO BE SOLD INDIVIDUALLY}

SIDE/BACK PANEL

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty containers. Dispose of liner in a sanitary landfill or by incineration if allowed by state or local authorities. If burned, stay out of smoke.

NOTICE OF WARRANTY

PM RESOURCES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.