

6 7517 -81

8/20/2012

1/9

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D C 20460



OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Mr Jim Barron  
PM Resources, Inc  
13001 St Charles Rock Rd  
Bridgeton MO 63044

AUG 20 2012

Dear Mr Barron

Subject Label Revisions to Reflect New Label Perimeter Restriction of 100 Feet  
and Burrow Baiting Language  
Assault<sup>®</sup> Mouse/Rat Place Pack  
EPA Registration No 67517-81

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the above mentioned label before releasing the product for shipment.

**Note** Should you wish to add a reference to the company's website on your label, please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, **regardless of whether a website is referenced on your product's label**, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. If you have questions about this letter, please contact Jennifer Gaines at (703) 305-5967 or via e-mail at [gaines\\_jennifer@epa.gov](mailto:gaines_jennifer@epa.gov)

Sincerely yours,

A handwritten signature in black ink, appearing to read "John Hebert".

John Hebert  
Product Manager (07)  
Insecticide-Rodenticide Branch  
Registration Division (7505P)

# ASSAULT<sup>®</sup> MOUSE/RAT PLACE PACK

Contains Bitrex

This Product May Only be Used Inside and Within 100 Feet of Agricultural, Industrial, and Port or Terminal Buildings or Inside of Transport Vehicles (Ships, Trains, or Aircraft)

Effective Indoor and Outdoor House Mouse and Rat Control  
Kills House Mice, Norway Rats and Roof Rats

**Sublabel A Agricultural and Industrial Use**

**ACCEPTED**  
**AUG 20 2012**  
Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg No 67517-81

Norway Rats, Roof Rats and House Mice usually consume a toxic dose in a single night's feeding but it may take two or more days from time of bait consumption for them to die. Due to Stop Feed Action, mice and rats cease feeding after consuming a toxic dose. This product is effective against anticoagulant resistant mice and rats.

**ACTIVE INGREDIENT**

Bromethalin (CAS No. 63333-35-7)

0.01%

**OTHER INGREDIENTS**

99.99%

**TOTAL 100.00%**

**KEEP OUT OF THE REACH OF CHILDREN  
CAUTION  
SEE SIDE/BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS**

**MAY BE HARMFUL IF EATEN  
BY CHILDREN OR PETS**

EPA Reg No. 67517-81

EPA Est No. 67517-MO-1

NET CONTENTS 44 to 500 X 1.5 oz PLACE PACKS

Manufactured By  
**PM RESOURCES, INC**  
13001 St. Charles Rock Road  
Bridgeton, MO 63044

**IT IS ILLEGAL TO SELL THESE PLACE PACKS INDIVIDUALLY**

Lot/Code/Product/Revision Numbers as Needed  
Precautionary Labeling Must Meet Type Size and Prominence Requirements

Mfg & Printed in U.S.A.

3/9

**SIDE/BACK PANEL – Sublabel A**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

**CAUTION** Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Causes moderate eye irritation. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long sleeved shirt and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

**User Safety Requirements**

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

**FIRST AID**

Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact the Hotline Number 1-800-345-4735 for health concerns, emergency medical treatment information, or pesticide incidents.

- If Swallowed**
- Call a poison control center, doctor, or HOT LINE NUMBER 1-800-345-4735 immediately for treatment advice.
  - Have person sip a glass of water if able to swallow.
  - Do not induce vomiting unless told to do so by a poison control center or doctor.
  - Do not give anything by mouth to an unconscious person.

- If On Skin or Clothing**
- Take off contaminated clothing.
  - Rinse skin immediately with plenty of water for 15-20 minutes.
  - Call a poison control center, doctor, or HOT LINE NUMBER 1-800-345-4735 immediately for treatment advice.

**TREATMENT FOR PET POISONING**

If animal eats bait, call veterinarian or 1-800-345-4735 at once.

**NOTE TO PHYSICIAN OR VETERINARIAN**

**Contains the nerve poison Bromethalin.** This is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

### ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

### DIRECTIONS FOR USE

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling**

**READ THIS LABEL** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

**IMPORTANT** Do not expose children, pets, or other nontarget animals to rodenticides.

To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of the reach of children, pets, domestic animals, and nontarget wildlife or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

**Note** Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

**USE SITES** This product can only be used to control Norway rats, roof rats, and house mice in and within 100 feet of agricultural buildings and man-made agricultural structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Fence and perimeter baiting beyond 100 feet from a structure as defined above is prohibited. This product must not be applied directly to food or feed crops.

**USE RESTRICTIONS** Do not use this product in sewers. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. Do not use in homes or human residences. Do not broadcast bait. Do not apply further than 100 feet from buildings. Do not sell this product in individual containers holding less than 4 pounds of bait.

Burrow baiting with ASSAULT® MOUSE/RAT PLACE PACK is prohibited.

**SELECTION OF TREATMENT AREAS** Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners, and concealed places, between floors and walls, or in locations where rats and mice or their signs have been seen. Remove as much alternative food accessible to rodents as possible.

5/9

---

**SIDE/BACK PANEL – Sublabel A**

---

**APPLICATION DIRECTIONS** The active ingredient in this product is different from anticoagulant rodenticides. Individual rats and mice cease feeding after consuming a toxic dose.

**Rats** Apply 1 to 4 place packs per placement location in infested areas. Space placements at intervals of 15 to 30 feet. The bait in a single place pack could only be expected to control one to three rats.

**Mice** Apply one place pack per placement in infested areas. Space placements at intervals of 8 to 12 feet.

**DIRECTIONS FOR USE (CONTINUED)**

**Follow Up** Adjust the amount of bait applied to the level of rat and mouse feeding expected at each bait placement location. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of rat and mouse activity. Maintain bait for at least one week and continue baiting until all signs of rat and mouse activity have ceased or it becomes clear that the remaining rats and mice are not attracted to the bait.

Wearing gloves, collect and properly dispose of all dead rats and mice and leftover bait. To discourage reinfestation, limit sources of rat and mouse food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

---

**STORAGE AND DISPOSAL**

---

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE** Store only in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

**CONTAINER HANDLING** Nonrefillable container. Do not reuse or refill this container. **If Plastic**, Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration. In most states, burning is not allowed. **If Paper**, Dispose of empty container by placing in trash at an approved waste disposal facility or by incineration. In most states, burning is not allowed.

---

**[DENOTES OPTIONAL STATEMENT(S) THAT CAN APPEAR ON PLACE PACK]**

[Refer to outer container for complete directions for use]

**NOTICE OF WARRANTY**

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in strict accordance with directions for use.

Amended Label (Sublabel A) EPA Reg. No. 67517-81 electronically resubmitted 7/31/12

6/9

# ASSAULT<sup>®</sup> MOUSE/RAT PLACE PACK

Contains Bitrex

This Product May Only be Used Inside and Within 100 Feet of Agricultural Industrial and Port or Terminal Buildings or Inside of Transport Vehicles (Ships Trains or Aircraft)

Effective Indoor and Outdoor House Mouse and Rat Control  
Kills House Mice Norway Rats and Roof Rats

## Sublabel B Professional (PCO) Use

Norway Rats Roof Rats and House Mice usually consume a toxic dose in a single night s feeding but it may take two or more days from time of bait consumption for them to die Due to Stop Feed Action mice and rats cease feeding after consuming a toxic dose This product is effective against anticoagulant resistant mice and rats

### ACTIVE INGREDIENT

Bromethalin (CAS No 63333 35 7)

0 01%

### OTHER INGREDIENTS

99 99%

TOTAL 100 00%

**KEEP OUT OF THE REACH OF CHILDREN**

**CAUTION**

**SEE SIDE/BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS**

**MAY BE HARMFUL IF EATEN  
BY CHILDREN OR PETS**

EPA Reg No 67517-81

EPA Est No 67517-MO 1

NET CONTENTS 44 to 500 X 1 5 oz PLACE PACKS

Manufactured By  
**PM RESOURCES, INC**  
13001 St Charles Rock Road  
Bridgeton MO 63044

**IT IS ILLEGAL TO SELL THESE PLACE PACKS INDIVIDUALLY**

Lot/Code/Product/Revision Numbers as Needed  
Precautionary Labeling Must Meet Type Size and Prominence Requirements  
PAGE 1 of 4  
67517-81B

Mfg & Printed in U S A

7/9

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**

**CAUTION** Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Causes moderate eye irritation. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long sleeved shirt and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

**User Safety Requirements**

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

**FIRST AID**

Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact the Hotline Number 1-800-345-4735 for health concerns, emergency medical treatment information or pesticide incidents.

- If Swallowed**
- Call a poison control center, doctor, or HOT LINE NUMBER 1-800-345-4735 immediately for treatment advice.
  - Have person sip a glass of water if able to swallow.
  - Do not induce vomiting unless told to do so by a poison control center or doctor.
  - Do not give anything by mouth to an unconscious person.

- If On Skin or Clothing**
- Take off contaminated clothing.
  - Rinse skin immediately with plenty of water for 15-20 minutes.
  - Call a poison control center, doctor, or HOT LINE NUMBER 1-800-345-4735 immediately for treatment advice.

**TREATMENT FOR PET POISONING**

If animal eats bait, call veterinarian or 1-800-345-4735 at once.

**NOTE TO PHYSICIAN OR VETERINARIAN**

**Contains the nerve poison Bromethalin.** This is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

### ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

### DIRECTIONS FOR USE

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling**

**READ THIS LABEL** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

**IMPORTANT** Do not expose children, pets, or other nontarget animals to rodenticides.

To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of the reach of children, pets, domestic animals, and nontarget wildlife or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

**Note:** Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

**USE SITES:** This product can only be used to control Norway rats, roof rats, and house mice in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port of terminal buildings, and related structures around and associated with these sites. Fence and perimeter baiting beyond 100 feet from a structure as defined above is prohibited. This product must not be applied directly to food or feed crops.

**USE RESTRICTIONS:** Do not use this product in sewers. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. Do not broadcast bait. Do not apply further than 100 feet from buildings. Do not sell this product in individual containers holding less than 4 pounds of bait.

Burrow baiting with ASSAULT® MOUSE/RAT PLACE PACK is prohibited.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners,



9/9

**SIDE/BACK PANEL – Sublabel B**

and concealed places between floors and walls or in locations where rats and mice or their signs have been seen Remove as much alternative food accessible to rodents as possible

**APPLICATION DIRECTIONS** The active ingredient in this product is different from anticoagulant rodenticides Individual rats and mice cease feeding after consuming a toxic dose

**Rats** Apply 1 to 4 place packs per placement location in infested areas Space placements at intervals of 15 to 30 feet The bait in a single place pack could only be expected to control one to three rats

**Mice** Apply one place pack per placement in infested areas Space placements at intervals of 8 to 12 feet

**DIRECTIONS FOR USE (CONTINUED)**

**Follow Up** Adjust the amount of bait applied to the level of rat and mouse feeding expected at each bait placement location Highest bait consumption is expected to occur on the first day or two after treatment After several days inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of rat and mouse activity Maintain bait for at least one week and continue baiting until all signs of rat and mouse activity have ceased or it becomes clear that the remaining rats and mice are not attracted to the bait

Wearing gloves collect and properly dispose of all dead rats and mice and leftover bait To discourage reinfestation limit sources of rat and mouse food water and harborage as much as possible If reinfestation does occur repeat treatment Where a continuous source of infestation is present establish permanent bait stations and replenish as needed

---

**STORAGE AND DISPOSAL**

---

Do not contaminate water food or feed by storage or disposal

**PESTICIDE STORAGE** Store only in a cool dry place inaccessible to children and pets Keep containers closed and away from other chemicals

**PESTICIDE DISPOSAL** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility

**CONTAINER HANDLING** Nonrefillable container Do not reuse or refill this container **If Plastic** Triple rinse (or equivalent) then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by incineration In most states burning is not allowed **If Paper** Dispose of empty container by placing in trash at an approved waste disposal facility or by incineration In most states burning is not allowed

---

**[DENOTES OPTIONAL STATEMENT(S) THAT CAN APPEAR ON PLACE PACK]**

[Refer to outer container for complete directions for use]

**NOTICE OF WARRANTY**

To the extent consistent with applicable law buyer assumes all responsibility for safety and use not in strict accordance with directions for use.