67517-88

05-21-2012



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL, SAFETY AND POLLUTION PREVENTION

MAY 21 2012

PM Resources c/o Paulina Do Exponent 1150 Constitution Ave., NW Suite 1100 Washington, D.C. 20036

Subject: Amendment to add marketing claims

Assault Mouse Bait Station	EPA Reg. No. 67517-88
Assault Mouse Bait Station CU	EPA Reg. No. 67517-89
Assault Mouse Bait Station II CU	EPA Reg. No. 67517-90
Assault Mouse Bait Station II	EPA Reg. No. 67517-91
Assault Mouse Bait Station III CU D	EPA Reg. No. 67517-92
Assault Mouse Bait Station III D	EPA Reg. No. 67517-93
Assault Mouse Bait Station	EPA Reg. No. 67517-95

Submission Date: March 20, 2012

Dear Ms. Do:

The labels referred to above, submitted under FIFRA, as amended, are <u>acceptable</u>. Note that the claim "new" may be used for a period of 6 months following approval of the labeling – not for the first 6 months of commercialization. Please submit one final printed copy for the above mentioned labels before releasing the products for shipment. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at <u>benbow.gene@epa.gov</u>.

Sincerely,

Du Kelent

John/Hebert Product Manager 07 Insecticide-Rodenticide Branch Registration Division (7505P)

FRONT PANEL - IMMEDIATE CONTAINER LABEL

ASSAULT® MOUSE BAIT STATION

THIS BAIT STATION IS NOT TAMPER RESISTANT Use Indoors Only in Areas Inaccessible to Children and Pets

ACCEPTED MAY 21 2012 Fungicide, and Rodenticide Act, as amended, for the pesticide 61517-88 Registered under EPA Reg. No.


Mouse Poison Bait Station Contains Bitrex

Under the Federal Insecticide, or Use In Agricultural, Industrial, and Commercial Buildings Only Pungicide, and Rodenticide Act, as amended, for the pesticide Kills House Mice

Moisture Resistant Bait

Sublabel A: Agricultural and Industrial Use

House mice usually consume a lethal dose in a single feeding. It may take two or more days from time of bait consumption for house mice to die. Due to Stop Feed Action, house mice cease feeding after consuming a toxic dose. This product is effective against anti-coagulant-resistant house mice.



MOUSE BAIT TRAY & LID ASSY. APPROX. DIM.: 2.40" X 5.13" X 1.08" DEPTH

ACTIVE INGREDIENT:		
Bromethalin (CAS No.: 63333-35-7)		0.01%
OTHER INGREDIENTS		99.99%
	TOTAL	100.00%

Use Indoors Only in Areas Inaccessible to Children and Pets KEEP OUT OF THE REACH OF CHILDREN

> CAUTION: SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

> > MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

PAGE 1 of 5 67517-88 Sublabel A

SIDE/BACK PANEL - Sublabel A

EPA Reg. No.: 67517-88

EPA Est. No.: 67517-MO-1

3

NET CONTENTS: 0.5 oz. BLOCK per BAIT STATION 128 to 1120 X 0.5 oz. BLOCKS per 128 to 1120 BAIT STATIONS

> Manufactured By PM RESOURCES, INC. 13001 St. Charles Rock Road Bridgeton, MO 63044

Lot/Code/Product/Revision Numbers as Needed N Precautionary Labeling Must Meet Type Size and Prominence Requirements

Mfg. & Printed in U.S.A.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals, and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long sleeve shirt and long pants. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

User Safety Requirements:

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep PPE separate from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet, and change into clean clothing.

	FIRST AID
may also conta	ontainer or label with you when calling a poison control center or doctor for treatment. You ct the Hotline Number 1-800-345-4735 for health concerns, emergency medical treatment pesticide incidents.
If Swallowed	 Call a poison control center, doctor, or HOT LINE NUMBER 1-800-345-4735 immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
lf On Skin or Clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center, doctor, or HOT LINE NUMBER 1-800-345-4735 immediately for treatment advice.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian at once.

NOTE TO PHYSICIAN or VETERINARIAN

Contains the nerve poison Bromethalin. This product is not an anticoagulant-type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

 READ THIS LABEL:
 Read this entire label and follow all use directions and use precautions. Use this product only for sites, pests, and application methods described on this label.

 IMPORTANT:
 THIS IS NOT A TAMPER-RESISTANT BAIT STATION. DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS, AND NONTARGET WILDLIFE

To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

USE SITES: For indoor use only. This product may only be used to control house mice in industrial, commercial, and agricultural buildings.

USE RESTRICTIONS: Do not use this product in sewers or any outdoor area. Do not place this ready-touse bait station in any area where there is a possibility of contaminating food or surfaces that come into contact with food. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not place near or inside ventilation duct openings. Do not broadcast bait. Do not use this product in homes or residential buildings. Do not break station open and/or deliberately remove bait from it. Do not sell this product in individual containers holding less than 4 pounds of bait.

SELECTION OF TREATMENT AREAS: Determine areas where house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been seen. Remove as much alternative food accessible to rodents as possible.

APPLICATION DIRECTIONS: The active ingredient in this product is different from anticoagulant rodenticides. Individual house mice cease feeding after consuming a toxic dose.

House Mice: Place bait stations 8 to 12 feet apart in infested areas. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replace with new bait stations at sites where there is heavy feeding or where there is continued evidence of house mouse activity. Continue baiting until all signs of house mouse activity have ceased.

While wearing gloves, collect and properly dispose of all dead house mice and used bait stations. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

PAGE 4 of 5 67517-88 Sublabel A

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. Dispose of used stations in a sanitary landfill or by incineration. Do not burn, unless allowed by state and local ordinances. If burning, stay out of smoke.

NOTICE OF WARRANTY

To the extent consistent with applicable law, Buyer assumes all responsibility for safety and use not in strict accordance with directions for use.

{TEXT FOR STICKER TO BE AFFIXED TO EACH PRE-FILLED, NON-REFILLABLE BAIT STATION}

Assault® Mouse Bait Station Net Weight: 0.5 oz.

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals, and pets. Causes moderate eye irritation. Do not get in eyes, on skin, or on clothing. Wear gloves. Wash thoroughly with soap and water after handling bait. See outer package label for additional precautionary statements, first aid information and directions for use. This is not a tamper-resistant bait station. Do not use in areas accessible to children, pets or nontarget wildlife. DO NOT USE THIS PRODUCT OUTDOORS.

EPA Reg. No. 67517-88, EPA Est. No. 67517-MO-1

PM RESOURCES, INC., 13001 St. Charles Rock Road, Bridgeton, MO 63044

Active Ingredient: Bromethalin (CAS No. 63333-35-7)	0.01%
Other Ingredients	99,99%
Total	100.00%

{ADDITIONAL PRODUCT CLAIMS}: "Ready to Use" "Easy to Use" "Easy to See When Bait is Eaten"

Label Amendment _67517-88_ Sublabel A_Submitted 4-25-12

PAGE 5 of 5 67517-88 Sublabel A

FRONT PANEL - IMMEDIATE CONTAINER LABEL

ASSAULT® MOUSE BAIT STATION

THIS BAIT STATION IS NOT TAMPER RESISTANT Use Indoors Only in Areas Inaccessible to Children and Pets

> Mouse Poison Bait Station Contains Bitrex


For Use in Homes, Industrial, Commercial, and Agricultural Buildings

Effective Indoor House Mice Control Kills House Mice

Moisture Resistant Bait

Sublabel B: Intended for Professional (PCO) Use

House mice usually consume a lethal dose in a single feeding. It may take two or more days from time of bait consumption for house mice to die. Due to Stop Feed Action, house mice cease feeding after consuming a toxic dose. This product is effective against anti-coagulant-resistant house mice.



MOUSE BAIT TRAY & LID ASSY. APPROX. DIM.: 2.40" X 5.13" X 1.08" DEPTH

KEEP OUT OF THE REACH OF CHILDREN CAUTION: SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

> MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

EPA Reg. No.: 67517-88

EPA Est. No.: 67517-MO-1

PAGE 1 of 5 67517-88 Sublabel B

SIDE/BACK PANEL – Sublabel B

NET CONTENTS: 0.5 oz. BLOCK per BAIT STATION 128 to1120 X 0.5 oz. BLOCKS per 128 to 1120 BAIT STATIONS

Manufactured By PM RESOURCES, INC. 13001 St. Charles Rock Road Bridgeton, MO 63044

Lot/Code/Product/Revision Numbers as Needed Precautionary Labeling Must Meet Type Size and Prominence Requirements Mfg. & Printed in U.S.A.

PAGE 2 of 5 67517-88 Sublabel B

SIDE/BACK PANEL – Sublabel B

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals, and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long sleeve shirt and long pants. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

User Safety Requirements:

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep PPE separate from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet, and change into clean clothing.

FIRST AID

Have product container or label with you when calling a poison control center or doctor for treatment. You may also contact the Hotline Number 1-800-345-4735 for health concerns, emergency medical treatment information or pesticide incidents.

If Swallowed	 Call a poison control center, doctor, or HOT LINE NUMBER 1-800-345-4735 immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
lf On Skin or Clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center, doctor, or HOT LINE NUMBER 1-800-345-4735 immediately for treatment advice.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian at once.

NOTE TO PHYSICIAN or VETERINARIAN

Contains the nerve poison Bromethalin. This product is not an anticoagulant-type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

PAGE 3 of 5 67517-88 Sublabel B

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

 READ THIS LABEL:
 Read this entire label and follow all use directions and use precautions. Use this product only for sites, pests, and application methods described on this label.

 IMPORTANT:
 THIS IS NOT A TAMPER-RESISTANT BAIT STATION. DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS, AND NONTARGET WILDLIFE

To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

USE SITES: For indoor use only. This product may only be used to control house mice in homes, and industrial, commercial, and agricultural buildings.

USE RESTRICTIONS: Do not use this product in sewers or any outdoor area. Do not place this ready-touse bait station in any area where there is a possibility of contaminating food or surfaces that come into contact with food. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not place near or inside ventilation duct openings. Do not broadcast bait. Do not use this product in homes or residential buildings. Do not break station open and/or deliberately remove bait from it. Do not sell this product in individual containers holding less than 4 pounds of bait.

SELECTION OF TREATMENT AREAS: Determine areas where rodents will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been seen. Remove as much alternative food accessible to rodents as possible.

APPLICATION DIRECTIONS: The active ingredient in this product is different from anticoagulant rodenticides. Individual house mice cease feeding after consuming a toxic dose.

House Mice: Place bait stations 8 to 12 feet apart in infested areas. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replace with new bait stations at sites where there is heavy feeding or where there is continued evidence of house mouse activity. Continue baiting until all signs of house mouse activity have ceased.

While wearing gloves, collect and properly dispose of all dead house mice and used bait stations. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

PAGE 4 of 5 67517-88 Sublabel B

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. Dispose of used stations in a sanitary landfill or by incineration. Do not burn, unless allowed by state and local ordinances. If burning, stay out of smoke.

NOTICE OF WARRANTY

To the extent consistent with applicable law, Buyer assumes all responsibility for safety and use not in strict accordance with directions for use.

{TEXT FOR STICKER TO BE AFFIXED TO EACH PRE-FILLED, NON-REFILLABLE BAIT STATION}

Assault® Mouse Bait Station

Net Weight: 0.5 oz.

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals, and pets. Causes moderate eye irritation. Do not get in eyes, on skin, or on clothing. Wear gloves. Wash thoroughly with soap and water after handling bait. See outer package label for additional precautionary statements, first aid information and directions for use. This is not a tamper-resistant bait station. Do not use in areas accessible to children, pets or nontarget wildlife. DO NOT USE THIS PRODUCT OUTDOORS.

EPA Reg. No. 67517-88, EPA Est. No. 67517-MO-1

PM RESOURCES, INC., 13001 St. Charles Rock Road, Bridgeton, MO 63044

Active Ingredient: Bromethalin (CAS No. 63333-35-7)	0.01%	
Other Ingredients	99,99%	
Total	100.00%	

{ADDITIONAL PRODUCT CLAIMS}: "Ready to Use" "Easy to Use" "Easy to See When Bait is Eaten"

Label Amendment_67517-88_ Sublabel B_Submitted 4-25-12

PAGE 5 of 5 67517-88 Sublabel B