

67572-8

11/07/2000

1/3

R & M FLORAL & VEGETABLE SPRAY #1

An Effective Insecticide for Use on Vegetable and Ornamental Pests
Kills Gypsy Moth Caterpillars, Japanese Beetles and Other Listed Pests
A Clear, Stable Pyrethrin Microemulsion

Apply with Conventional Mechanical Compressed Air Equipment or Non-Aerosol Pump

ACTIVE INGREDIENTS:	
Pyrethrins (CAS No. 8003-34-7)	0.02%
Piperonyl Butoxide, Technical (CAS No. 51-03-6)	0.20%
OTHER INGREDIENTS	<u>99.78%</u>
Total	100.00%

Keep Out of Reach of Children
CAUTION
See back panel for additional precautionary statements.


EPA Reg. No. 67572-8 EPA Est. 67572-GA-1

ACCEPTED
NOV 7 2000
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticides registered under EPA Reg. No. 67572-8

Net Contents: ___ fl. oz.

Manufactured by:
CONTRACT PACKAGING, INC.
P.O. Box 1508
Covington, GA 30015-1508

DO NOT TRANSPORT OR STORE UNDER 32°F
If product freezes, thaw and shake well.



2/3

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Storage: Store in a cool, dry (preferably locked) place inaccessible to children and pets. Protect from freezing. **Disposal:** Do not reuse empty container; wrap and put in trash.

This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season, or as a preharvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

Remove shipping cap and save. Insert sprayer hose into bottle and securely tighten. Prime sprayer by holding at cap level of bottle and pumping trigger. Turn nozzle to "spray" or "stream" position before using. Remove sprayer and replace shipping cap between uses. Spray water through sprayer after each use. Thoroughly rinse sprayer and pump empty for storage.

Shake well before using. Hold sprayer 18 - 24 inches from foliage and apply spray, using a circular motion, to provide thorough coverage of upper and lower leaf surfaces. Use caution on new growth and tender foliage. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. When using outdoors, spray when air is still.

For Use On Asparagus, Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Collards, Cranberries, Eggplant, Kale, Lettuce, Mustard Greens, Peppers, Potatoes, Radishes, Spinach, Tomatoes and Turnips **To Control** Aphids, Asparagus beetles, Blister beetles, Cabbage loopers, Colorado potato beetles, Cross-striped cabbage worms, Fireworms, Green peach aphids, Leafhoppers, Leaf-tiers, Mexican bean beetles, Stink bugs, 12-Spotted cucumber beetles, Webworms and Whiteflies.

Also For Use On African violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladiolus, Marigolds, Roses and Wandering Jew **To Control** Aphids, Flea beetles, Leafhoppers and Whiteflies.

To kill on contact Adult Japanese beetles, Forest tent caterpillars and Gypsy moth caterpillars and adults on Trees and Shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

On Roses and in Flower Gardens: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

Indoors as a Space Spray

To control fruit flies, gnats, houseflies, mosquitoes and small flying moths: Apply using a good sprayer adjusted to deliver a fine mist. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct spray toward upper portions of the enclosure filling the room with mist. Use 4 to 5 ounces per 1000 cubic feet of space. Keep area closed for at least 30 minutes. Vacate treated areas and ventilate before reoccupying. Repeat treatment as necessary.

Outdoors Adult Mosquito Control

Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery and vegetation where mosquitoes may rest, particularly around the perimeter of mosquito breeding sites such as swamps, marshes, stagnant pools and ponds. Apply at a rate of 5 to 6 quarts per acre [4 ounces per 100 sq. ft.].

To control mosquito larvae: Apply at the rate of 7.75 gallons per acre [0.18 gallon per 1000 sq. ft.]. Apply as a coarse wetting spray to the border, or on shallow waters, of wetlands, swamps and marshes where mosquito larvae are known to breed.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. When used indoors as a space spray, remove pets, birds and cover fish aquariums before spraying.

First Aid

If Swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminate clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact -1800-xxx-xxxx for emergency medical treatment information.</p>	

Environmental Hazards

This product is toxic to fish. Do not apply directly to water, to areas where surface is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with this label.

To obtain additional information or in case of an emergency call 770-787-1977.

{Note: The First Aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}

