PM 03

67572-41

8-14-98

10/4

Please read instructions o	n reverse before completi	ing form.			Form Appro	oved.	OMB No. 2	070-0060	. Approval expires 05-31-98	
\$EPA	Environmental	Protection of the protection o	•	ю	!		Registra Amenda Other		OPP Identifier Number 253373	
·		Application	on for P	esticid	e - Sect	ion	i			
1. Company/Product Number EPA Reg. No. 67572-41			2. EPA Product Menager 3. George T. LaRocca						oposed Classification	
4. Company/Product (Name) R & M Permethrin .50% Spray			. [PM# 13 0 3						
5. Name and Address of ACONTRACT PAP.O. Box 1508 Covington, GA		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No								
	Product Name									
Amendment - Expl	Agency letter dated						TIFICATION DC 1 4 1998			
labeling or the confid the EPA. If further u	onsistent with the provision: ential statement of formula (of this product. ation is not coi	96-6 and E I understan	PA regulated that it is the terms of	ions at 40 C. a violation of f PR Notice 9	FR 6 f 18 U. 96-6 an	152.46, and n S.C. Sec. 100	I to willfull	anges have been made to the y make any false statement to product may be in violation of	
			Secti	on - III						
1. Material This Product \	Vill Be Packaged in:									
Child-Resistant Packaging Yes* No * Certification must be submitted	Yes Yes No No No. per Unit Packsoing wat, container			Water Soluble Packaging 2. Type of Yes No. per Package wgt container				of Container Metal Plastic Glass Paper Other (Specify)		
Label Container 6. Manner in Which Label is Affixed to Product Lithog			tail Container 5. Location of Label Direct Con Label Con Labeling according to the container Container Conta					}	•	
		Stenc	iled	on - IV	,					
1. Contact Point (Comple	te items directly below fo	r identificatio	n of Individ	lual to be	contacted, i	if nece	ssary, to pr	ocess this	application.)	
Name			Title Tele				s No. (Include Ares Code)			
Kim Davis, CC. I certify that the sta I scknowledge that both under applicab	Consultant/Agent ation d all attachments thereto are true, accurate and complete. terment may be punishable by fine or imprisorment or					mplete.	6. Date Application Received			
2. Signature			3. Tide						, , , , , , ,	
***			Consultant/Agent					<u> </u>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
4. Typed Name			5. Date							
Kim Davis, CC,	Arc	1	A	ugust 6.	1998				i i	

67572-41: Page 1 of 3



NOTIFICATION AUG 1 4 1998

- · For Domestic Use Both Indoors and Outdoors
- A Ready-to-Use Permethrin Stable Emulsion Insecticide
- Provides 60 Days (Two Months) Control of Roaches, Including the American and German Cockroaches
 - For Control of Brown Dog Ticks, Fleas and Lice on Premises and on Dogs
 - For Control of Ticks Which May Cause Lyme Disease on Premises
 - · Controls Fleas and Ticks on Dogs for 35 Days
 - · Aids in Control of Ticks on Dogs for an Additional Two Weeks

ACTIVE INGREDIENT:

*Permethrin	0.50%
INERT INGREDIENTS	99.50%
Total	100.00%
*(3-phenoxyphenyl) methyl (+) cis/trans 3-(2 2-dichloroethenyl) 2	2-dimethyl-

*(3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethyl-cyclopropanecarboxylate. Cis/trans ratio: Min. 35% (±) cis and max. 65% (±) trans.

Keep Out of Reach of Children
CAUTION
See back panel for precautionary statements.

EPA Reg. No. 67572-41

EPA Est. 67572-GA-1

Net Contents: ____ fl. oz.

Manufactured by: CONTRACT PACKAGING, INC.

P.O. Box 1508 Covington, GA 30209-1508

67572-41: Page 2 of 3

READ ENTIRE LABEL BEFORE EACH USE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Affix trigger, pump or other type sprayer to container for application. Do not transfer to another container.

SHAKE WELL BEFORE USING

INDOOR APPLICATION

For spot application only. Do not use as a space spray indoors. Do not apply to classrooms while in use. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed.

Surface Spraying

For 60 day (two months) control of ants, cadelles, centipedes, cheese mites, cigarette beetles, clover mites, cockroaches, confused flour beetles, crickets, darkling beetles, drugstore beetles, firebrats, grain mites, granary weevils, meal worms, millipedes, palmetto bugs, pillbugs, rice weevils, rust red flour beetles, saw-toothed grain beetles, silverfish, scorpions, sowbugs, spiders, spider beetles and waterbugs: Use a good sprayer adjusted to a coarse wet spray. Direct the spray into hiding places, cracks and crevices and behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

To control fleas (adults and larvae) and ticks, including ticks which may carry Lyme Disease (adults and larvae): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed. Allow to dry thoroughly before allowing pets to contact treated areas.

To control clothes moths: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight if possible. Apply spray liberally to empty chests, closets, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

To kill lice and louse eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture, that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

FOR USE ONLY ON DOGS Do Not Use on Cats or Kittens

On dogs to control fleas, lice and ticks: Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and underbody. While spraying fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly, but do not saturate animal. Do not spray into the eyes or face. Avoid contact with genitalia. Use protective gloves or mitts when applying product. Do not reapply treatment for one month. Do not use on puppies under 12 weeks. Consult a veterinarian before using this product on debilitated, medicated, aged, pregnant or nursing animals.

To protect horses from face flies, horn flies, gnats, house flies and mosquitoes: Apply a light mist sufficient to wet the surface of the hair. For face flies, spray face and head, but do not spray into eyes.

To control deer flies, horse flies and stable flies: Apply at a rate of 2 ounces per adult animal, sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

OUTDOOR APPLICATION

To control ticks, including ticks which may carry Lyme Disease (perimeter treatment): Use this product as a residual treatment to control ticks, including Deer Tick (Ixodes dammini), Lone Star Tick (Amblyomma americanum), Brown Dog Tick (Rhipicephalus sanguineus), American Dog Tick (Dermacentor variabilis) and Western Black-legged Tick (Ixodes pacificus). For each area listed below, apply until surface is wet (approximately 1 gal./750-1000 sq.ft.).

67572-41: Page 3 of 3

Treat around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces where these pests may enter.

Treat a band of vegetation and leaf litter 6 to 10 feet wide around the outside of buildings to help control ticks occurring there. To help control ticks in outdoor activity areas, treat a band of vegetation and leaf litter 6 to 10 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

For Control of Garden Insects

For use on asters, dahlias, roses and other ornamentals to kill Japanese beetles, hit by spray as well as aphids, exposed thrips, leafminers, red mites, spiders and whiteflies. May be used on plants, as a multipurpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. May also be used on other plants such as African violets, azaleas, begonias, camellias, carnations, chrysanthemums, crassula, dahlias, delphiniums, dogwoods, English ivy, eunonymus, fuschia, geraniums, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against aphids, army worms, exposed thrips, Japanese beetles, clover mites, lace bugs, pavement ants, spider and red mites and whiteflies. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry area way from heat or open flame. Store above 32°F. Disposal: Do not reuse container. Wrap and discard in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry. Animals: Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

First Aid

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person. If Inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated. If on Skin: Remove contaminated clothing and wash affected areas with soap and water. If in Eyes: Flush with plenty of water. Call a physician if irritation persists.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment washwaters.

Buye assumes allatiskoj uise sionageorali audim or das product no de suits accordance with this label.

To obtain additional information or in case of an emergency call 770-787-1977.