67572 - 49

12/11/2000

67572-49 New Label: Page 1 of 3 10/13/00

1/3

R & M PERMETHRIN POWDER .25%

For Use on Beef & Dairy Cattle, Swine and Horses

Also for Use on Dogs & Cats to Control Fleas, Ticks and Lice for up to 10 Days

AC			T E 2000	D
Rengic as any	ide, and inded, i	d Rode for the eler	nsecici enticide : pestic	ide

1

Mild Fresh Citrus [or other descriptive term] Scent

Non-Staining Formulation

ACTIVE INGREDIENT:	
Permethrin (CAS No. 526-5-53-1)	. 0.25%
OTHER INGREDIENTS	99.7 <u>5%</u>
Total	100.00%

Keep Out of Reach of Children CAUTION

See back panel for additional precautionary statements.

EPA Reg. No. 67572-49

EPA Est. 67572-GA-1

Net Contents: ____ oz.

Manufactured by: CONTRACT PACKAGING, INC. P.O. Box 1508 Covington, GA 30015-1508



67572-49 New Label: Page 2 of 3 10/13/00

READ ENTIRE LABEL BEFORE EACH USE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, feed or foodstuffs by storage and disposal.

Storage: Store in a cool, dry (preferably locked) place inaccessible to children and pets. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

For domestic use containers of 1 pound and smaller:

Storage: Store in a cool, dry (preferably locked) place inaccessible to children and pets. Disposal: Do not reuse empty container; wrap and put in trash.

Beef and Dairy Cattle and Horses

For use in dust bags, shaker can and mechanical dust applicators.

Horn Flies, Lice, Face Flies: Place contents of this package in any commercially available dust bag. Suspend bag in areas frequented by cattle or in gateways or lanes through which the animals must pass daily for water, food or minerals. Bags may also be placed in loafing sheds or in front of mineral feeders. For dairy cows, bags may be suspended in the exit through which the cows leave the milking barn. The bags should hang 4 to 6 inches below the back line of the cattle. For reduction of face flies, bags must be located so animals will be forced to use them daily and hung at a height so that the face is dusted.

Direct Application: Apply 2 oz. of dust per animal by shaker can or dust glove over the head, neck shoulders, back, legs and tailhead. Repeat as necessary.

Swine

Direct Application for Lice: Apply 1 ounce per head as a uniform coat to the head, shoulders and back by use of a shaker can or suitable mechanical dust applicator. Repeat as necessary but not more often than once every 10 days. During severe infestations, treat both animals and their bedding. Do not ship animals for slaughter within 5 days of treatment.

FOR USE ONLY ON DOGS AND CATS

To Control Fleas, Ticks and Lice: Liberally apply powder over the entire body. Work dust into hair by rubbing against the lay of the hair and around the feet, pads and between the toes until dust penetrates to skin. Contact ticks with powder. Take care not to get the powder in pet's eyes, nose or mouth. Do not reapply for 10 days. Do not use on puppies or kittens under 12 weeks. Consult a veterinarian before using this product on debilitated, medicated, aged, pregnant or nursing animals.

Regularly dust bedding, kennel, sleeping areas, carpeting and furniture used by infested animals, applying at a rate of 3 to 6 ounces per 100 square feet. Repeat as needed, but not more often than once weekly.

)

.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Humans: Harmful if swallowed or inhaled. Avoid breathing dust. Avoid contact with eyes and skin. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs. Animals: Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, immediately consult a veterinarian.

First Aid

	First Aid		
If Swallowed	Immediately call a poison control center or doctor for treatment advice.		
	Have person sip a glass of water if able to swallow.		
	Do not induce vomiting unless told to do so by the poison control center or doctor.		
	Do not give anything by mouth to an unconscious person.		
If Inhaled	Move person to fresh air.		
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to- mouth, if possible.		
	Call a poison control center or doctor for further treatment advice.		
If in Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.		
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.		
	Call a poison control center or doctor for treatment advice.		
If on Skin	Take off contaminated clothing.		
or Clothing	 Immediately rinse skin with plenty of water for 15-20 minutes. 		
	Call a poison control center or doctor for treatment advice.		
	t container or label with you when calling a poison control center or doctor or going for treatment. You may also (x-xxxx for emergency medical treatment information.		

67572-49 New Label: Page 3 of 3 10/13/00

3/3

Physical and Chemical Hazards

Do not use or store near heat or open flame.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with this label.

This container is sold by weight, not by volume. You can be assured of the proper weight even though some settling of contents normally occurs during transportation and handling.

To obtain additional information or in case of an emergency call 770-787-1977.

{Note: The First Aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}