

CAGE AND AVIARY SPRAY

Kills Mites

For Use on Cage and Aviary Birds and their Cages to Kill Mites

ACTIVE INGREDIENTS:

Pyrethrins (CAS No. 8003-34-7)	0.05%
Piperonyl Butoxide, Technical (CAS No. 51-03-6)	0.40%

OTHER INGREDIENTS*	99.55%
Total	100.00%

*Contains petroleum solvent

Keep Out of Reach of Children
CAUTION
See side panel for additional precautionary statements.

ACCEPTED
NOV 13 2000
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 67572-57

Net Contents: _____ fl. oz.

EPA Reg. No. 67572-57

EPA Est. 67572-GA-1

Manufactured by:
CONTRACT PACKAGING, INC.
P.O. Box 1508
Covington, GA 30015-1508

{Side Panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Storage: Store in a cool, dry (preferably locked) place inaccessible to children and pets. **Disposal:** Do not reuse empty container; wrap and put in trash.

Use Directly on Birds to Control Mites: Remove food and water but leave birds in cage. Spray directly on birds, from a distance of 12 to 18 inches, avoiding the bird's eyes and face. Lightly spray (do not saturate) birds. Repeat treatment twice weekly.

Use on Cage and Aviary Surfaces to Control Mites: Remove bird's food and water cups. Thoroughly spray cage and aviary surfaces from a distance of 6 to 12 inches. Pay particular attention to cracks, crevices, metal-to-metal apertures and cage bottom. Also spray cage holder or stand and the immediate area around the cage. When treating cages, birds to not have to be removed, however, do not spray birds and avoid bird's eyes and face. Dip the end of perches in the spray solution. Do not repeat treatment more than twice per week. Thoroughly clean bird cages weekly in hot water.

PRECAUTIONARY STATEMENTS**Hazards to Humans & Domestic Animals**

CAUTION: Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin, eyes or clothing.

First Aid

If Swallowed	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Immediately rinse skin with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.	
Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.	

Physical and Chemical Hazards

Do not store container or use near heat or open flame.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with this label.

To obtain additional information or in case of an emergency call 770-787-1977.

{Note: The First Aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}