
PN	03
1 1 1	

67572-76 7-29-98

lease read instructions o	n reverse before comple	sting form.		Form Appr	roved, OMB No.	2070-0060.	. Approval expires 05-31-98		
\$EPA	Environmenta	United States Evironmental Protection Age Washington, DC 20460			Registri Amend Other		OPP Identifier Number 253373		
		<b>Applicati</b>	on for Pestic	ide - Sec	tion I				
. Company/Product Numi	ber		2. EPA	Product Man	nager	3. Pr	oposed Classification		
EPA Reg. No. 6'				George T. LaRocca None Rest					
1. Company/Product (Name) CP Permethrin .20% Spray			PM#	PM#					
	<del></del>	ode)		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)					
5. Name and Address of Applicant (Include ZIP Code)  CONTRACT PACKAGING, INC. P.O. Box 1508  Covington, GA 30209-1508  Check if this is a new address			(b)(i), i to: EPA	(b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No					
			Section -	uct Name _					
	·		Section -	111		NOT	IFICATION -		
Amendment - Explain below.  Resubmission in response to Agency letter dated  Notification - Explain below.			· <u>L</u>	Final printed labels in response to Agency letter dated "Me Too" Application.  Other - Explain below.					
Explanation: Use additi			113	<u></u>	<del></del>		<del></del>		
labeling or the confid the EPA. If further u	consistent with the provision dential statement of formula	ons of PR Notic la of this product fication is not co	ct. I understand that it onsistent with the term	ulations at 40 ( it is a violation on ns of PR Notice	CFR § 152.46, and of 18 U.S.C. Sec. 16 96-6 and 40 CFR §	001 to willfully	anges have been made to the y make any false statement to product may be in violation of		
			Section -	111					
1. Material This Product V	Vill Be Packaged in:								
Child-Resistant Packaging Yes* No	Yes* No No			Yes Metai No Glass Paper					
* Certification must be submitted				No. per container		Other (S	,		
Location of Net Contents Information 4. Size(s) Retailed			tail Container		5. Location of Lab On Lab On Lab	ol	ns panying product		
5. Manner in Which Label is Affixed to Product Lithor Paper Steno		Lithog Paper Stenc	graph r gluad ciled	oh Other					
<del>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>			Section - I	V	·				
1. Contact Point  Comple	te items directly below :	for identificati	on of individual to !	e contacted,	if necessary, to p	process this	application.)		
ame			Title			1	Telephone No. (Include Area Code)		
Kim Davis, CC.	APC			tant/Agent		1;;-	(970) 353-0611 8. Date Application		
	stements I have made on any knowingly false or n ile law.		d all attachments th				Received (.5tamped)		
2. Signature			3. Title			1	1 1		
				Consultant/Agent					
. Typed Name	7		5. Date			1			
Kim Davis, CC, APC			July 20	July 20, 1998					

67572-76 New Label: Page 1 of 3



Quick Kill Formula

NOTIFICATION

**Long Lasting Control** 

For Domestic Use Both Indoors and Outdoors

A Ready-to-Use Permethrin Stable Emulsion Insecticide

Provides 60 Days (Two Months) Control of Roaches, Including the German and American Cockroaches

For Control of Fleas, Brown Dog Ticks and Lice on Premises and on Dogs

Controls Fleas and Ticks on Dogs for 35 Days

Aids in Control of Ticks on Dogs for an Additional Two Weeks

Also for Use on Livestock: Cattle (Beef and Dairy), Goats, Hogs, Horses and Sheep

# **ACTIVE INGREDIENT:**

*Permethrin	0.20%
INERT INGREDIENTS	
	Total 100.00%

<sup>\*(3-</sup>phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethyl-cyclopropanecarboxylate. Cis/trans ratio: Min. 35% (±) cis and max. 65% (±) trans.

Keep Out of Reach of Children CAUTION

See back panel for precautionary statements.

EPA Reg. No. 67572-76

EPA Est. 67572-GA-1

Net Contents: \_\_\_\_ fl. oz.

) 1) 1) 1 1) 1

Manufactured by: CONTRACT PACKAGING, INC.

P.O. Box 1508 Covington, GA 30209-1508

67572-76 New Label: Page 2 of 3

# READ ENTIRE LABEL BEFORE EACH USE

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Affix trigger, pump or other type sprayer to container for application. Do not transfer to another container.

#### SHAKE WELL BEFORE USING

# INDOOR APPLICATION

For spot application only. Do not use as a space spray indoors. Do not apply to classrooms while in use. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed. Not for use in commercial food/feed handling establishments, restaurants or other places where food/feed is commercially prepared or processed.

#### **Surface Spraying**

For 60 day (two months) control of ants, cadelles, centipedes, cheese mites, cigarette beetles, clover mites, cockroaches, confused flour beetles, crickets, darkling beetles, drugstore beetles, firebrats, grain mites, granary weevils, meal worms, millipedes, palmetto bugs, pillbugs, rice weevils, rust red flour beetles, saw-toothed grain beetles, scorpions, silverfish, sowbugs, spiders and spider beetles: Use a good sprayer adjusted to a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around the base of machinery, and behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

To control fleas (adults and larvae) and ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed. Allow to dry thoroughly before allowing pets to contact treated areas.

To control clothes moths: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight if possible. Apply spray liberally to empty chests, closets, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

To kill lice and louse eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture, that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

#### Livestock

To protect cattle (beef and dairy), goats, hogs, horses and sheep from gnats, face flies, horn flies, house flies and mosquitoes: Apply a light mist sufficient to wet the surface of the hair. For face flies, spray face and head, but do not spray into eyes.

To control deer flies, horse, flies and stable flies: Apply at a rate of 2 ounces per adult animal, sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

To control blood-sucking lice: Apply to the infested areas of the animal, using stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control poultry lice: Spray roosts, walls and nests of cages thoroughly. This should be followed by spraying over the birds with a fine mist.

To control bedbugs and mites in poultry houses: Spray crevices of roost poles, cracks in walls and cracks in nests where the bedbugs and mite hide.

FOR USE ONLY ON DOGS Do not Use on Cats or Kittens

67572-76 New Label: Page 3 of 3

On dogs to control fleas, ticks and lice: Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and underbody. While spraying fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly, but do not saturate animal. Do not spray into the eyes or face. Avoid contact with genitalia. Use protective gloves or mitts when applying product. Do not repeat treatment for one month. Do not use on puppies under 12 weeks. Consult a veterinarian before using this product on debilitated, medicated, aged, pregnant or nursing animals.

#### **OUTDOOR APPLICATION**

To control ticks (perimeter treatment): Use this product as a residual treatment to control ticks, including Deer Tick (*Ixodes dammini*), Lone Star Tick (*Amblyomma americanum*), Brown Dog Tick (*Rhipicephalus sanguineus*), American Dog Tick (*Dermacentor veriabilis*) and Western Black-legged Tick (*Ixodes pacificus*). For each area listed below apply until surface is wet (approximately 1 gal./750-1000 sq.ft.).

Treat around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces where these pests may enter.

Treat a band of vegetation and leaf litter 6 to 10 feet wide around the outside of buildings to help control ticks occurring there. To help control ticks in outdoor activity areas, treat a band of vegetation and leaf litter 6 to 10 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

# For Control of Garden Insects

Not for use on plants being grown for sale or other commercial use.

For use on asters, dahlias, roses and other ornamentals to kill Japanese beetles, hit by spray as well as aphids, exposed thrips, leafminers, red mites, spiders and whiteflies. May be used on plants as a multipurpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. May also be used on other plants such as African violets, azaleas, begonias, camellias, carnations, ohrysanthemums, crassula, dahlias, delphiniums, dogwoods, English ivy, eunonymus, fuschia, geraniums, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against aphids, army worms, exposed thrips, Japanese beetles, clover mites, lace bugs, pavement ants, red and spider mites and whiteflies. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

# Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry area way from heat or open flame. Store above 32°F. Disposal: Do not reuse container. Wrap and discard in trash.

# PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION: Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry. Animals: Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

#### First Aid

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person. If Inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated. If on Skin: Remove contaminated clothing and wash affected areas with soap and water. If in Eyes: Flush with plenty of water. Call a physician if in tation persists.

# **Environmental Hazards**

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water which disposing of equipment washwaters.

# Buyer assumes all risk of use storage or handling of this product noting trict accordance with this labely and

To obtain additional information or in case of an emergency call 770-787-1977.