

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

August 24, 2016

Mr. Matthew Granahan Nufarm Platte Pty. Ltd. 11901 S. Austin Ave Alsip, IL 60803

Subject: Label Amendment – Reduce PBI to 60 days for crops without a MCPA tolerance

and make other minor labeling changes Product Name: MCP Amine Weed Killer EPA Registration Number: 67591-1 Application Date: 12/22/2014

Decision Number: 499037

Dear Mr. Granahan:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 67591-1 Decision No. 499037

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Karen Samek by phone at (703) 347-8825, or via email at samek.karen@epa.gov.

Sincerely,

Kathryn Montague, Product Manager 23

astryn V. W Tontaguo

Herbicide Branch

Registration Division (7505P)

Office of Pesticide Programs

Enclosure

# MCP AMINE

WEED KILLER

08/24/2016

ACCEPTED

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the

pesticide registered under EPA Reg. No. 67591-1

FOR SELECTIVE WEED CONTROL IN CERTAIN SMALL GRAINS (WHEAT, OATS, BARLEY, AND RYE), GRASS PASTURES, GRASS GROWN FOR SEED, ORNAMENTAL TURF AND NON-CROP AREAS

#### **ACTIVE INGREDIENT:**

Dimethylamine Salt of 4-Chloro-2-methylphenoxyacetic Acid*	8%
<b>OTHER INGREDIENTS:.</b>	2%
TOTAL:	0%
*Isomer Specific AOAC Method, Equivalent to:	
4-Chloro-2-methylphenoxyacetic Acid	

### INTENDED FOR USE BY APPLICATORS WHO ARE AUTHORIZED/LICENSED BY THE STATE FOR THIS TYPE OF APPLICATION

## DANGER-PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER - PELIGRO

Corrosive. Causes irreversible eye damage. Harmful if swallowed or absorbed through skin. **DO NOT** get in eyes or on clothing. **DO NOT** breathe dust. Avoid contact with skin. Wear goggles or face shield. Prolonged or frequent repeated skin contact may cause allergic reaction in some individuals.

FIRST AID				
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.     Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.     Call a poison control center or doctor for treatment advice.			
IF SWALLOWED	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>DO NOT induce vomiting unless told to do so by the poison control center or doctor.</li> <li>DO NOT give anything to an unconscious person.</li> </ul>			
IF ON SKIN OR CLOTHING	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
IF INHALED	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>			
	LIGT LINE NUMBER			

#### **HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

#### **NOTE TO PHYSICIAN**

Probable mucosal damage may contraindicate the use of gastric lavage.

**EPA REG NO. 67591-1 EPA EST. NO.** 

MANUFACTURED FOR NUFARM-PLATTE PTY. LTD. 11901 S. AUSTIN AVE, ALSIP, IL 60803



NET CONTENTS	GAL. (	Liters)	
[Designation as "NONRE	FILLABLE"	or "REFILLABLE" for containers > 5 G	Α

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators, flaggers and other handlers must wear:

- Long-sleeved shirt and long pants
- · Protective eyewear (goggles or face shield)
- · Shoes plus socks
- · Chemical resistant gloves made of any waterproof material when mixing loading, or using hand-held equipment.
- Mixer/Loaders supporting aerial application to rangelands, pasture lands, or noncroplands must wear a chemical-resistant apron
  and a NIOSH approved particulate respirator with any N, R, or P filter, NIOSH approval number prefix TC-84A.

See engineering controls for additional requirements.

Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

**ENGINEERING CONTROLS:** Pilots must use an enclosed cockpit that meets the requirements listed in the WPS for agricultural pesticides [40 CFR 170.240(d)(6)]. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

#### **USER SAFETY RECOMMENDATIONS**

#### **Users Should:**

- · Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, aquatic invertebrates and aquatic plants. **DO NOT** apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. **DO NOT** contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding application when rainfall is forecasted to occur within 48 hours.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. To aid in the prevention and containment of spills, consider use of a closed system for mixing/loading, and placing mixing/loading equipment on an impervious pad.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its label. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

**DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical-resistant gloves made of any waterproof material, shoes plus socks and protective eyewear.

#### **NON-AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

DO NOT enter or allow others to enter treated areas until sprays have dried.

#### PRODUCT INFORMATION

This product is an amine salt formulation of MCPA, a selective postemergence herbicide for control of many broadleaf weeds as listed on this label. Certain crops, such as flax and oats are more tolerant of MCPA than 2,4-D, and some weeds such as Mustard and Canada thistle are more easily controlled by MCPA than 2,4-D.

This product is soluble in both hard and soft water. It is equally adaptable for use in low gallonage equipment (5 to 20 gallons per acre) or high volume equipment. Agitation is helpful to assure uniform mixing, but is not necessary after the product has been completely dispersed. Use of this product may be governed in certain areas by state and local regulations. Best control will be obtained when applied to rapidly growing weeds. Thorough coverage is important. Lack of moisture may cause less effective control. Some perennial weeds may require repeat treatment for control. Treat such weeds at bud stage if this occurs during a period when crop is not unduly susceptible.

Follow the label directions carefully to avoid possible crop injury or excess residues at harvest. Read and carefully observe the precautionary statements and all other information appearing on labeling of all products used in mixtures.

**ATTENTION:** Extreme care must be used when applying this herbicide to prevent injury to desirable plants and crops. This product may kill, seriously injure or reduce yields of many desirable forms of vegetation. **DO NOT** apply directly to flowers, fruits, grapes, tomatoes, ornamentals, vegetables, cotton, soybeans, tobacco, beans and other desirable nontarget plants. Minute quantities of spray may cause severe plant response. Read and follow Spray Drift Management section of label. Use a smoke generator or other means at or near the application site for the detection of air movement, air stability, or temperature inversions. Large amounts of MCPA in the soil may temporarily inhibit seed germination and plant growth.

#### RESTRICTIONS

DO NOT apply this product through any type of irrigation system.

DO NOT use in greenhouses.

See individual crop use directions for additional restrictions and maximum application rates.

The minimum retreatment interval is 21 days.

When using on flax, grain, grasslands, and pastures - do not forage or graze dairy and meat animals on treated areas within seven days of slaughter.

**PLANT BACK INTERVAL:** Wheat, barley, oats, rye, flax and peas treated with MCPA may be replanted with any crop specified on an MCPA label or any crop for which a residue tolerance exists for MCPA. For crops not listed on an MCPA label, or on crops for which no residue tolerances for MCPA have been established, a 60-day plantback interval must be observed.

#### **SPRAY DRIFT MANAGEMENT**

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment-and-weather-related factors determine the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions.

Apply only as a medium or coarser spray (ASAE standard 572) or a volume mean diameter of 300 microns or greater for spinning atomizer nozzles.

Apply only when the wind speed is 2 to 10 mph at the application site.

#### Additional requirements for aerial applications:

The boom length must not exceed 75% of the wingspan or 90% or the rotor blade diameter.

Release spray at the lowest height consistent with efficacy and flight safety. **DO NOT** release spray at a height greater than 10 feet above the crop canopy.

When applications are made with a crosswind, the swath will be displaced downwind. The applicator just compensate for this displacement at the downwind edge of the application area by adjusting the path of the aircraft upwind.

DO NOT make applications into temperature inversions.

#### Additional requirements for ground boom application:

**DO NOT** apply with a nozzle height greater than 4 feet above the crop canopy.

#### **CLEANING OF EQUIPMENT**

It is best to use a separate sprayer for application of insecticides, fungicides and other products that may be used on susceptible crops or plants. If the same sprayer must be used for other spraying, it should be thoroughly cleaned before such use. Flush repeatedly with soap and warm water or suitable chemical cleaner. Then flush equipment thoroughly, including hoses and nozzles, several times with water. When cleaning equipment, keep washwaters away from wells.

#### SOME WEEDS CONTROLLED BY THIS PRODUCT

Sedge Barberry Henbit Buckhorn Shepherd's Purse Indigo Stinkweed Bulrushes Knotweed Buttercup Lambsquarter Sunflower Tie Vine Carpetweed Marsh elder Canada thistle Mustards White top or Hoary Cress Chickweed Pigweed Wild carrot Wild radish

Cocklebur Plantain
Daisy Prickly Lettuce
Dandelion Ragweed

Dandelion Ragweed Dock Red Stem

Yellow Rocket

#### SMALL GRAINS (Wheat, Oats, Barley, Rye)

For the control of mustard, cocklebur, marsh elder and ragweed in spring wheat, oats, barley and rye, apply 1/2 to 1 pint of this product per acre. Treat only after crop has reached full tiller stage, but before the boot stage. Use the lower rate on weeds such as mustard that are easily controlled. Winter wheat may be treated the following spring as described above for spring wheat.

RESTRICTIONS AND LIMITATIONS FOR USE ON (Wheat, Oats, Barley, Rye):

DO NOT apply more than 0.75 lb ae/acre per year (1.61 pints [25.76 fluid ounces] of this product per acre per year).

DO NOT use MCPA on winter wheat during the fall season.

DO NOT spray grain in the boot to dough stage.

#### **FLAX**

For the control of mustard, Frenchweed, pigweed, lambsquarter, or ragweed, apply 1/4 to 1/2 pint per acre of this product when flax is at least 3 to 7 inches high. Use at least 10 to 30 gallons of water per acre to minimize injury to flax.

RESTRICTIONS AND LIMITATIONS FOR USE ON FLAX:

DO NOT apply more than 0.25 lb ae/acre per year (0.53 pints [8.48 fluid ounces] of this product per acre per year).

DO NOT apply before crop has 3 to 4 leaves, or after budding stage begins, or serious injury to flax may result.

#### **GRASS PASTURES AND GRASS GROWN FOR SEED**

For control of white top, dandelions, and similar weeds apply 1 to 2 pints of this product per acre with sufficient water to provide good coverage. Use higher rate for control of white top or Canada thistle. For pastures only, apply up to 3.22 pints (51.52 fluid ounces) per acre per application. Treatments may reduce stands of clover that are present. For best results, treat thistles when in the early bud stage. On grass grown for seed, treat before boot stage on established grasses, or after seedling grass has tillered fully. MCPA may injure bent or other creeping grasses.

RESTRICTIONS AND LIMITATIONS FOR USE ON GRASS PASTURES AND GRASS GROWN FOR SEED:

DO NOT apply more than 1.5 lb ae/acre per application (3.22 pints [51.52 fluid ounces] of this product per acre per application).

DO NOT apply more than 2 applications per year with a minimum retreatment interval of 21 days.

#### LAWNS, GOLF COURSES AND SIMILAR ORNAMENTAL TURF

For control of white top, dandelions, and similar weeds apply 1 to 2 pints of this product per acre with sufficient water to provide good coverage. Use higher rate for control of white top or Canada thistle. For difficult to control weeds or heavy infestations, up to 3.24 pints (51.88 fl. oz.) per acre per application may be used. Treatments may reduce stands of clover that are present. For best results, treat thistles when in the early bud stage. MCPA may injure bent or other creeping grasses. Keep people and pets out of the area during application.

RESTRICTIONS AND LIMITATIONS FOR USE ON LAWNS, GOLF COURSES AND SIMILAR ORNAMENTAL TURF:

DO NOT apply more than 1.5 lb ae/acre per application (3.22 pints [51.52 fluid ounces] of this product per acre per application).

**DO NOT** apply to newly seeded lawns until grass has become well established.

DO NOT apply more than 2 applications per year with a minimum retreatment interval of 21 days.

**DO NOT** allow people or pets to enter the treated area until sprays have dried.

For residential lawns, DO NOT apply this product in a way that will contact any person, or pet, either directly or through drift.

#### **NON-CROP AREAS**

When applied as directed and under the conditions described in the label, this herbicide will control or partially control the labeled weeds growing in the following areas: airfields; airports; alleys, lanes, trails & access roads; around commercial or industrial structures or outbuildings; around farm and ranch structures and outbuildings; bare ground; campgrounds; construction sites; drive-in theaters; driveways & ramps; fences & fencerows; firebreaks; gravel yards; habitat restoration & management areas; highways & roadsides (including aprons, medians, guardrails & right of ways); industrial plant sites; industrial areas; lumber yards; mulched areas; natural areas; paths and trails; parking areas; parks; paved areas; petroleum & other tank farms; pumping installations; pipeline, power, telephone & utility rights-of-way; power stations; railroad rights-of way; recreation areas; refineries; resorts; sidewalks; sports areas; storage areas; substations; tennis courts; uncropped farmstead areas; uncultivated non-agricultural areas; vacant lots; walkways; wastelands; & wildlife habitat areas.

Use the stated amount of this product per acre in sufficient water to obtain good coverage of foliage. Treat perennials such as Canada thistle, white top, or meadow buttercup when weeds are in bud to bloom stage. Spray European barberry during any season. Thoroughly wet the foliage, base of the canes, and the ground line.

RESTRICTIONS AND LIMITATIONS FOR USE ON NON-CROP AREAS:

Broadcast Application - DO NOT apply more than 1.5 lb ae/acre per application (3.22 pints [51.52 fluid ounces] of this product per acre per year).

DO NOT apply more than 2 applications per year with a minimum retreatment interval of 21 days.

Spot Spray Application - DO NOT apply more than 3.0 lb ae/acre per year (6.45 pints [103.2 fluid ounces] of this product per acre per application).

Spot treatment is considered to be 1,000 square feet per acre or less.

#### STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

**STORAGE: DO NOT** store under conditions that might adversely affect the container or its ability to function properly. Store in original container only. Keep container tightly closed when not in use. **DO NOT** store below temperature of 0°F. If frozen, warm to 40°F. and redissolve before using by rolling or shaking the container. Reduce stacking height where local conditions can affect package strength.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### **CONTAINER DISPOSAL:**

[Note to Reviewer: The following statement will be included on all Final Printed Labels bearing multiple Container Disposal (Container Handling) statements] "NOTE: This product is available in multiple containers. Refer to the Net Contents section of this products labeling for the applicable "Nonrefillable" or "Refillable" designation. Follow the container disposal [handling] instructions below that apply to your container type / size."

[Note to Reviewer: The bracketed section headers will be included when multiple container types / sizes are listed on the label.]

Nonrefillable Containers 5 Gallons or Less: Nonrefillable container. DO NOT reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Nonrefillable containers larger than 5 gallons: Nonrefillable container. DO NOT reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Refillable containers larger than 5 gallons: Refillable container. Refill this container with pesticide only. DO NOT reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

#### WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

#### LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAYOF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALL SUCH RISKS SHALL BE ASSUMED BY

THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV072016)

#### **LABEL HISTORY**

File Name	Revision Mark	Comment
67591-MCP Amine Nufarm-Platte Draft 1107	1107	EPA MCPA Submitted
067591-00001.20120816.EPA Amendment	RV081612	EPA Amendment & FPL
067591-00001.20130424.EPA Amendment	RV042413	EPA Comments
067591-00001.20130501.EPA Amendment	RV050113	EPA Comments
067591-00001.20130513.MASTER	RV051313	EPA SAL
067591-00001.20141222.EPA Amendment	RV122214	EPA Amendment
067591-00001.20160720.EPA Amendment	RV072016	EPA Amendment