## SPRAY DISINFECTANT

ELIMINATES ODORS
DESTROYS ODORS
TUBERCULOCIDAL
PSEUDOMONACIDAL
GERMICIDAL - FUNGICIDAL
KILLS HOUSEHOLD GERMS
ANTIBACTERIAL

### PREVENTS BACTERIA, MOLD & MILDEW

FRESH (or other appropriate descriptive term) SCENT [FRAGRANCE]
FOR COMMERCIAL & INDUSTRIAL USE
KILLS 99.9% OF GERMS\*\*

#### **ACTIVE INGREDIENTS**

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides	0.05%
n-Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chlorides	0.05%
Ethyl Alcohol	37.00%
INERT INGREDIENTS	<u>62.90%</u>
Total	100.00%

<sup>\*</sup>Contains Sodium Nitrite

EPA Reg. No.: 67603-4

EPA Est. No.: 10900-OH-1

33915-MI-1

257-MD-1

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellant in aerosols.

# Keep Out Of Reach Of Children WARNING

See Back Panel for additional precautionary statements.

ACCEPTED

JUL 2 4 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under 3 - 4

\_\_\_ oz. \_\_\_ g net wt.

EPA DE BEIMPEN (7.17.0)

#### SPRAY DISINFECTANT

Prevents mold, mildew and bacteria on environmental surfaces in your home and in public places. Disinfects and deodorizes surfaces through effective bacterial and fungicidal activity. Kills Staphylococcus aureus (Staph), Streptococcus hemolyticus (Strep), Pseudomonas aeruginosa, Mycrobacterium bovis (BCG), Salmonella choleraesuis and Trichophyton mentagrophytes (athletes foot fungus) on hard, non-porous environmental surfaces.

Meets AOAC Efficacy Standards for hospital aerosol disinfectants.

Sprayed on Surfaces: Deodorizes by disinfecting. Germicidal activity kills most odor-producing organisms. (Disinfects) (Kills) Staph. and Strep. organisms, athletes foot fungus and prevents mold and mildew on hard, non-porous environmental surfaces. Controls unpleasant odors. Pleasantly scented. For use in hospital rooms, sick rooms, doctors' examining rooms, kitchens, nursery and bathrooms.

\*\*Sanitizes: Kills 99.9% of Staphylococcus aureus (Staph), Streptococcus hemolyticus and Salmonella choleraesuis (Salmonella) on hard, non-porous surfaces.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### SHAKE WELL BEFORE USING

Prior to application, thoroughly clean all surfaces to be treated to remove gross filth or heavy soil.

To Disinfect: Hold can upright and spray from a distance of 6 to 8 inches until area for treatment is thoroughly moistened and allow to dry for 10 minutes before wiping or allow to air dry.

For Control of Mold and Mildew on Hard, Non-Porous Environmental Surfaces: Spray surface until thoroughly moistened. Allow to air dry. Repeat application in 7 days.

For Control of Fungus in areas such as bathrooms, locker rooms, floors, benches, shower stalls or other non-porous environmental surfaces commonly contacted by bare feet: Spray surface until thoroughly moistened. Allow to air dry.

Direct the spray upwards, toward center of room, for 3 to 5 seconds.

For Use On: Walls, floors, bedframes, bedpans, urinals, furniture, fixtures, containers, toilet seats, diaper pails, telephones, trash cans, and sickrooms. Spray telephone and similar bedside equipment not easily subject to normal disinfecting procedures.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store upright in a cool dry place away from heat or open flame.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: This container may be recycled in the few but growing number of communities where (steel) aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (Do not Puncture!) If recycling is not available, wrap the container and discard in trash.

#### **GENERAL PRECAUTIONS**

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

# PRECAUTIONARY STATEMENT HAZARDS TO HUMAN AND DOMESTIC ANIMALS WARNING

Causes substantial, but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses or face shield. Wash hands before eating, drinking, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

#### FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container label with you when calling a Poison Control Center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on polished wood or furniture.

Sherwin-Williams

Made In U.S.A.