

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460



FEB - 5 2002

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

Mr. Jamie Zajac  
Regulatory Affairs Specialist  
The Sherwin-Williams Company  
601 Canal Road  
Cleveland, Ohio 44113

Subject: Revised Label in Response to EPA's Letter  
Spray Disinfectant  
EPA Registration No. 67603-4  
Letter Dated December 19, 2001

Dear Mr. Zajac:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable with comment:

- In accordance with PR Notice 2001-1, in case of emergency a telephone number (toll free if available) should be listed near the first aid statement.
- Submit three (3) copies of the final printed label prior to shipment for sale bearing the amended label.

A stamped copy is enclosed for your records.

Should you have any questions concerning this letter, please contact me at (703) 308-6422 or Renae Whitaker at (703) 308-7003.

Sincerely yours,

Adam Heyward  
Product Manager (34)  
Regulatory Management Branch II  
Antimicrobials Division (7510C)

CONCURRENCES							
SYMBOL	Enclosure						
SURNAME							
DATE							

2 8 7

# SPRAY DISINFECTANT

KILLS HIV  
ELIMINATES ODORS  
DESTROYS ODORS  
TUBERCULOCIDAL  
PSEUDOMONACIDAL  
GERMICIDAL - FUNGICIDAL  
KILLS HOUSEHOLD GERMS  
ANTIBACTERIAL  
PREVENTS BACTERIA, MOLD & MILDEW  
FRESH (or other appropriate descriptive term) SCENT [FRAGRANCE]  
FOR COMMERCIAL & INDUSTRIAL USE  
KILLS 99.9% OF GERMS\*\*

## ACTIVE INGREDIENTS

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides.....	0.05%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides.....	0.05%
Ethyl Alcohol.....	37.00%

<b>OTHER INGREDIENTS</b> .....	<u>62.90%</u>
Total.....	100.00%

\*Contains Sodium Nitrite

EPA Reg. No.: 67603-4

EPA Est. No.: 10900-OH-1  
33915-MI-1  
257-MD-1

Contains no CFCs or other ozone depleting  
substances. Federal regulations prohibit CFC  
propellant in aerosols.

Keep Out Of Reach Of Children

## WARNING

See Back Panel for additional  
precautionary statements.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated: .....

\_\_\_ oz. \_\_\_ g net wt.

FEB - 5 2002  
Under the Federal Insecticide,  
Fungicide and Rodenticide Act as  
amended for the pesticide,  
registered under EPA Reg. No. 67603-4

**SPRAY DISINFECTANT**

Prevents mold, mildew and bacteria on environmental surfaces in your home and in public places. Disinfects and deodorizes surfaces through effective bacterial and fungicidal activity. Kills *Staphylococcus aureus* (Staph), *Streptococcus hemolyticus* (Strep), *Pseudomonas aeruginosa*, *Mycobacterium bovis* (BCG), *Salmonella choleraesuis* and *Trichophyton mentagrophytes* (athletes foot fungus) on hard, non-porous environmental surfaces.

Meets AOAC Efficacy Standards for hospital aerosol disinfectants.

**Sprayed on Surfaces:** Deodorizes by disinfecting. Germicidal activity kills most odor-producing organisms. Controls unpleasant odors. Pleasantly scented. For use in hospital rooms, sick rooms, doctors' examining rooms, kitchens, nursery and bathrooms.

**\*\*Sanitizes:** Kills 99.9% of *Staphylococcus aureus* (Staph), *Streptococcus hemolyticus* and *Salmonella choleraesuis* (Salmonella) on hard, non-porous surfaces.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**SHAKE WELL BEFORE USING**

Prior to application, thoroughly clean all surfaces to be treated to remove gross filth or heavy soil.

**To Disinfect:** Hold can upright and spray from a distance of 6 to 8 inches until area for treatment is thoroughly moistened and allow to dry for 10 minutes before wiping or allow to air dry.

**For Control of Mold and Mildew on Hard, Non-Porous Environmental Surfaces:** Spray surface until thoroughly moistened. Allow to air dry. Repeat application in 7 days.

**For Control of Fungus** in areas such as bathrooms, locker rooms, floors, benches, shower stalls or other non-porous environmental surfaces commonly contacted by bare feet: Spray surface until thoroughly moistened. Allow to air dry.

Direct the spray upwards, toward center of room, for 3 to 5 seconds.

**For Use On:** Walls, floors, bedframes, bedpans, urinals, fixtures, containers, toilet seats, diaper pails, telephones, trash cans, and sickrooms. Due to the possibility of electric shock when used on telephones, avoid excess spraying of telephone.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**Pesticide Storage:** Store upright in a cool dry place away from heat or open flame.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** This container may be recycled in the few but growing number of communities where (steel) aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (Do not Puncture!) If recycling is not available, wrap the container and discard in trash.

## GENERAL PRECAUTIONS

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

## PRECAUTIONARY STATEMENT HAZARDS TO HUMAN AND DOMESTIC ANIMALS WARNING

Causes substantial, but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses or face shield. Wash hands before eating, drinking, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container label with you when calling a Poison Control Center or doctor or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on polished wood or furniture.

Sherwin-Williams

Made In U.S.A.

**OPTIONAL HIV-1 DIRECTIONS – VERSION B (MUST BE USED WITH HIV-1 BULLET POINT)**

FOR HOSPITALS AND HEALTH CARE FACILITIES: KILLS HIV ON PRE-CLEANED SURFACES AND OBJECTS SOILED WITH BLOOD AND BODY FLUIDS, When Spray Disinfectant is used before and after soiling on surfaces and objects that are likely to become soiled with blood and body fluids, it eliminates the transmission of human immunodeficiency virus Type 1 (HIV-1) which is associated with the AIDS virus.

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV ON SURFACES AND OBJECTS SOILED WITH BLOOD OR BODY FLUIDS:**

**PERSONAL PROTECTION:** Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings.

**CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

**CONTACT TIME:** Leave surfaces wet for 10 minutes. This contact time will not control other common types of viruses and bacteria.

**OPTIONAL HIV-1 DIRECTIONS – VERSION A (MUST BE USED WITH HIV-1 BULLET POINT)**

**KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES AND OBJECTS PREVIOUSLY SOILED WITH BLOOD OR BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces or objects with blood or body fluids, and in which the surfaces and objects likely to soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus type 1 (HIV-1) (associated with AIDS).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV ON SURFACES AND OBJECTS SOILED WITH BLOOD OR BODY FLUIDS:**

**PERSONAL PROTECTION:** Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings.

**CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

**CONTACT TIME:** Leave surfaces wet for 10 minutes. This contact time will not control other common types of viruses and bacteria.