

67603-5

8/6/2001

1/3

Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No. 67603-5

ACCEPTED

AUG 6 2001

GROUND ZERO

Non-selective herbicide

FOR WEED CONTROL ON INDUSTRIAL SITES AND NONCROP AREAS AROUND THE FARM

CONTROLS JOHNSON GRASS, BINDWEED, AND OTHER HARD-TO-KILL WEEDS.

ACTIVE INGREDIENTS

2,4-bis (isopropylamino)-6-methoxy-s-triazine..... 4%

INERT INGREDIENTS.....96%

TOTAL:.....100%

EPA REG. NO. 67603-5

EPA EST. NO. 257-MD-1


CAUTION

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED

See side/back panel for First Aid

___ GALLONS (LITERS)



PRECAUTIONARY STATEMENTS

FIRST AID

IF IN EYES
 -Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
 -Call a **poison control center or doctor for treatment advice.**

IF ON SKIN
 -Take off contaminated clothing.
 -Rinse skin immediately with plenty of water for 15-20 minutes.
 -Call a **poison control center or doctor for treatment advice.**

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes and skin. In case of skin contact, wash with soap and water. Avoid inhalation of spray mist. Avoid contamination of food feed. Do not contaminate water used for irrigation or domestic purposes.

DIRECTIONS FOR USE:

If is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GROUND ZERO can be applied prior to or up to 3 months after weed emergence. Application rates vary from 6 pints to 4 1/2 gallons per 1,000-sq. ft. depending on climatic conditions, soil type, the weeds present, and the stage of growth of the weeds. In the following rate recommendation, the higher rates are intended for use on heavier soils, where weed growth is heavy and where rainfall is expected to be relatively high. The higher rates should be used where longer residual control is desired in regions with a long growing season. For best results apply GROUND ZERO at rates recommended below prior to weed emergence or when weeds are young and actively growing.

For control of annual and susceptible perennial weeds (such as downy brome grass, oatgrass, goosegrass, quackgrass, puncture vine, goldenrod and plantain): Broadcast 6-9 pints of GROUND ZERO mixed in 2-3 gallon of water per 1,000 sq. feet.

For control of hard-to-kill perennial weeds and grasses (such as Johnson grass, bindweed, and wild carrot): Broadcast 3 1/2 to 4 1/2 gallons of GROUND ZERO mixed in 2-3 gallon of water per 1,000 sq. feet.

For faster top-kill of existing vegetation, apply GROUND ZERO mixed in diesel oil, fuel oil, or weed oil at rates of 2-4 gallons of oil per 1,000 sq. feet. Tall vegetation, such as Johnson grass, will generally require 3 or more gallon of oil per 1,000 sq. feet for thorough coverage.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store only in tightly closed, original container in a secure area.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL PRECAUTIONS AND RESTRICTIONS

GROUND ZERO is a nonselective herbicide that can be applied in water or oil before or after plant growth begins. Although it has considerable activity through foliar contact, much of its activity is through roots, therefore, its effectiveness is dependent on rainfall to move it into the root zone. Very dry soil conditions and lack of sufficient rainfall may result in poor weed control.

Use GROUND ZERO only in areas where complete control of all vegetation is desired, such as industrial sites, rights of way, lumberyards, petroleum tanks farms, around farm buildings, along fence lines, etc. When applied to the soil, GROUND ZERO usually inhibits plant growth for a year or more. It should not be used on land to be cropped, or near adjacent desirable trees, shrubs or plants, or injury may occur.

GROUND ZERO is noncorrosive to equipment.

Do not reuse container. Destroy when empty. Do not use, pour, spill or store near heat or open flame. Store at temperatures above 32°F.

INGREDIENT STATEMENT:

HAZARDOUS INGREDIENTS:

Fuel Oil #2 (CAS #68476-30-2), 2,4-bis (isopropylamino)-6-methoxy-s-triazine (CAS #1610-18-0)

OTHER INGREDIENT:

Alkyloxypolyethyleneoxyethanol (CAS #68131-40-8)

FOR USE BY LICENSED APPLICATORS ONLY

Company Name

