
67619-6	2/16/2000	1
US ENVIRONMENTAL PROTECTION AGENCY	EP L REGISTRATION NO.	DATEBISOUP SOOD
OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767)	67619-6 TERM OF ISSUANCE	
WASHINGTON, DC 20460		
NOTICE OF PESTICIDE: A REGISTRATION	. CPPC Tilex IMR	
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		
AME AND ADDRESS OF REGISTRANT (Include ZIP code)		
Г	7	
Clorox Professional Products Company C/o PS & RC		
P. O. Box 493		
Pleasanton, Ca 94566-0803		
L		
·		
NOTE: Changes in labeling formula differing in substance f aubmitted to and accepted by the Registration Division prio product always refer to the above U.S. EPA registration num	or to use of the label in comme	on with this registration must be ree. In any correspondence on this
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is here	eby Registered/Reregistered under
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is re	eturned herewith.
This product is conditionally registered i (A) provided that you: 1. Submit and/or cite all data required f product under FIFRA section 3(c)(5) all registrants to similiar products to	For registration/reregistration and section 4 when the Agestion 4 submit such data.	on of your
2. Add the phrase, "EPA Registration I you release the product for shipment	No. 6/619-6" to your laber	
you release the product for shipment 3. Submit five (5) copies of your final product for shipment. Refer to the A	No. 67619-6" to your laber :. printed labeling before you	release the
you release the product for shipment 3. Submit'five (5) copies of your final product for shipment. Refer to the A of final printed labeling. If these conditions are not complied with	No. 67619-6" to your laber in the control of the co	release the releas
you release the product for shipment 3. Submit five (5) copies of your final product for shipment. Refer to the A of final printed labeling. If these conditions are not complied with cancellation in accordance with FIFRA section	No. 67619-6" to your laber it. printed labeling before you A-79 Enclosure for a furthe h the registration will be su 6(e). Your release for ship	release the releas
you release the product for shipment 3. Submit five (5) copies of your final product for shipment. Refer to the A of final printed labeling. If these conditions are not complied with cancellation in accordance with FIFRA section product constitutes acceptance of these conditions.	No. 67619-6" to your laber in the printed labeling before you A-79 Enclosure for a furthe the registration will be sure for. Your release for ship ons.	release the releas
you release the product for shipment 3. Submit five (5) copies of your final product for shipment. Refer to the A of final printed labeling. If these conditions are not complied with cancellation in accordance with FIFRA section product constitutes acceptance of these conditions. A stamped copy of the label is enclosed.	No. 67619-6" to your laber. printed labeling before you A-79 Enclosure for a furthe h the registration will be surfice). Your release for shippins. for your records. put form item 4, the source is the source in the source is the source i	release the releas
you release the product for shipment 3. Submit five (5) copies of your final product for shipment. Refer to the A of final printed labeling. If these conditions are not complied with cancellation in accordance with FIFRA section product constitutes acceptance of these conditions.	No. 67619-6" to your laber. printed labeling before you A-79 Enclosure for a furthe h the registration will be surfice). Your release for shippins. for your records. put form item 4, the source is the source in the source is the source i	release the releas
you release the product for shipment 3. Submit five (5) copies of your final product for shipment. Refer to the A of final printed labeling. If these conditions are not complied with cancellation in accordance with FIFRA section product constitutes acceptance of these conditions. A stamped copy of the label is enclosed. On the formulator's exemption statements should be Tilex (EPA Registration Number 58).	printed labeling before you A-79 Enclosure for a furthe h the registration will be sure for your release for ship ons. for your records. Interpretation of the source points of the source points of the source points of the source points.	release the releas
you release the product for shipment 3. Submit five (5) copies of your final product for shipment. Refer to the A of final printed labeling. If these conditions are not complied with cancellation in accordance with FIFRA section product constitutes acceptance of these conditions. A stamped copy of the label is enclosed. On the formulator's exemption statements should be Tilex (EPA Registration Number 58).	printed labeling before you A-79 Enclosure for a further the registration will be sure for. Your release for ship ons. for your records. It form item 4, the source prints form item 4, the source prints form item 4.	release the releas
you release the product for shipment 3. Submit five (5) copies of your final product for shipment. Refer to the A of final printed labeling. If these conditions are not complied with cancellation in accordance with FIFRA section product constitutes acceptance of these conditions. A stamped copy of the label is enclosed. On the formulator's exemption statements should be Tilex (EPA Registration Number 58).	printed labeling before you A-79 Enclosure for a furthe h the registration will be sure for your release for ship ons. for your records. Int form item 4, the source parts on the control of the contro	release the release the redescription ubject to pment of the product name nit corrected
you release the product for shipment 3. Submit five (5) copies of your final product for shipment. Refer to the A of final printed labeling. If these conditions are not complied with cancellation in accordance with FIFRA section product constitutes acceptance of these conditions. A stamped copy of the label is enclosed. On the formulator's exemption statements should be Tilex (EPA Registration Number 58).	printed labeling before you A-79 Enclosure for a further the registration will be sure for. Your release for ship ons. for your records. It form item 4, the source prints form item 4, the source prints form item 4.	release the release the redescription ubject to pment of the product name nit corrected
you release the product for shipment 3. Submit five (5) copies of your final product for shipment. Refer to the A of final printed labeling. If these conditions are not complied with cancellation in accordance with FIFRA section product constitutes acceptance of these conditions. A stamped copy of the label is enclosed. On the formulator's exemption statements should be Tilex (EPA Registration Number 58).	printed labeling before you A-79 Enclosure for a furthe h the registration will be sure for your release for ship ons. for your records. Int form item 4, the source parts on the control of the contro	release the release the redescription ubject to pment of the product name nit corrected
you release the product for shipment 3. Submit five (5) copies of your final product for shipment. Refer to the A of final printed labeling. If these conditions are not complied with cancellation in accordance with FIFRA section product constitutes acceptance of these conditions. A stamped copy of the label is enclosed. On the formulator's exemption statements should be Tilex (EPA Registration Number 58).	printed labeling before you A-79 Enclosure for a furthe h the registration will be sure for your release for ship ons. for your records. Int form item 4, the source parts on the control of the contro	release the release the redescription ubject to pment of the product name nit corrected
you release the product for shipment 3. Submit five (5) copies of your final product for shipment. Refer to the A of final printed labeling. If these conditions are not complied with cancellation in accordance with FIFRA section product constitutes acceptance of these condition. A stamped copy of the label is enclosed. On the formulator's exemption statements should be Tilex (EPA Registration Number 58 formulator's exemption form.	printed labeling before you A-79 Enclosure for a furthe h the registration will be sure for your release for ship ons. for your records. Int form item 4, the source parts on the control of the contro	release the release the redescription ubject to pment of the product name nit corrected

- Disinfects [as it cleans big jobs]
- Bathrooms, pool and outdoor areas
- New sudsing action
- Disinfects as it kills mildew
- Institutional size -or- Industrial size
- Economy refill -or- size

- Commercial solutions
- · Disinfects with bleach
- Antibacterial
- Disinfectant
- Lavender Scent[ed]



KEEP OUT OF REACH OF CHILDREN.

SEE BACK LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Active Ingredient:	
Sodium Hypochlorite	2.4%
Inert Ingredients:	97.6%
Total	100 0%

NET WT

FEB 16 2000

57619-XX CPPC Tilex IMR 2 of 2



AVOID PROLONGED BREATHING OF VAPOR

Use in well ventilated areas. Open windows and turn on fans before use. If the vapors bother you, leave the room while this product is working. For sensitive skin or prolonged use, wear gloves.

For 55 gallon drums: To Fill Secondary Spray Bottles, Refilt Bottles or Buckets: Using a drum bung wrench, remove the light colored drum bung. Remove spigot from underside of bung. Drill or punch hole in the center of the bung and screw spigot tightly on to the top of the bung. With drum handling equipment, lay drum on side in rack or cradle with the spigot facing down. Slightly loosen second drum bung with wrench for venting. Rotate spigot lever 180° for dispensing. Close spigot and tighten vent when finished.

[If drum pump is available,] remove light colored drum bung with drum bung wrench and insert drum pump for dispensing product.

For Refill Bottles: To Refill:

SDERVER FOR DED

from empty pottle.

Remove 1. Remove triacer

pour contents directly

into empty bottle.

2. Unscrew cap on refill and 3. Replace trigger

Unscrew cap and sprayer and use as transfer your trigger to you normally would, this bottle.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Turn sprayer nozzle counterclockwise to open. TO REMOVE MILDEW STAINS: Spray, wait until stains disappear and ninse. TO CLEAN SOAP SCUM: Spray, wait a few minutes, wipe with sponge. Heavy soap scum or mildew buildup may need two cleanings. This product may not be able to remove mildew and soap scum imbedded in hard water deposits, old grout or silicone caulking. TO DISINFECT AND KILL MILDEW ON HARD NON-POROUS SURFACES: Spray surface such as tile until thoroughly wet, let stand five minutes and rinse. For heavy soil, pre-cleaning is required. This product kills Staphylococcus aureus [(staph)], Streptococcus pyogenes [(strep)], and Trichophyton mentagrophytes (Athlete's foot fungus). FOR SOAP SCUM PROBLEMS: Use CPPC PS Spray 19054. (EPA Reg. No. 67619-XX)

WHERE TO USE: Works on tile, grout, tubs, fiberglass, shower doors, vinyl curtains, counters, sinks, and no-wax floors. Rinse immediately after use on rubber, plastic and virryl. Avoid prolonged contact with metal and old porcelain as this product can react with these materials and leave a "rusty" stain. Do not use on wood or painted surfaces unless you plan to refinish or repaint them. Avoid contact with aluminum, clothes, fabric, carpet or paper surfaces as they will discolor.



TO CLEAN AND DISINFECT TOILET BOWLS: Flush toilet and add 1 cup -or- 8 oz. of this product to bowl. Brush to thoroughly wet all surfaces including under rim. Let stand 5 minutes before flushing.



FLOORS: Mop washable floors including no-wax floors, linoleum, vinyt and ceramic tile with 1 cup -or- 8 oz. of this product per gallon of warm water, Rinse for best shine.



CEMENT POOL AREAS: Apply liberally (full strength) and rinse. VINYL AND PLASTIC OUTDOOR FURNITURE: Sponge on full strength and rinse immediately.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

WARNING: Causes substantial but temporary eye injury and can irritate skin. For sensitive skin or prolonged use, wear gloves. Do not get in eyes or on clothing. Vapors may irritate. Use only in well ventilated areas. Avoid prolonged breathing of vapors. Not recommended for use by persons with heart conditions or chronic respiratory problems such as asthma, emphysema or obstructive lung disease. Due to irritating nature, may be harmful if swallowed. STATEMENT OF PRACTICAL TREATMENT: If In eyes, hold eyelids open and flush with a steady gentle stream of water for 15 minutes. Get medical attention. If swallowed, drink large amounts of water, DO NOT induce vomiting. Call a physician or poison control center immediately. If breathing is affected, get fresh air immediately. If on skin, wash thoroughly with water. Remove contaminated clothing and wash before use. Get medical attention if irritation persists

PHYSICAL AND CHEMICAL HAZARDS: This product contains bleach. Do not use or mix this product with other household chemicals such as products containing ammonia, toilet bowl cleaners, rust removers, vinegar or acid. To do so will release hazardous gases.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. STORAGE: Store only in a tightly closed container in a secure area inaccessible to children. Store this product in a cool, dry area, away from direct sunlight and heat to avoid deterioration. PESTICIDE DISPOSAL: Use up product in accordance to use directions. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Do not reuse container. Triple rinse with water. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

For containers greater than 5 gallons: ENVIRONMENTAL HAZARDS: Do not discharge effluent containing this product into takes, streams, gonds, estuaries, oceans, or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

RATINGS	HMIS	NFPA
HEALTH	2	2
FLAMMABILITY	0	Q.
REACTIVITY.	0	1
PERSONAL PROTECTION	В	

gradable surfactant. Not harmful to septic systems -or- tanks. Continue of Presphorus. Best if Used By Date Below:

Questions or comments: Call trill free 1-800-XXX-XXXX Mfd. for & @ 1999 Clorox Prox. Sci.com Products Company, Oakland, California 94612 Made in USA

. R0436-1

