



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Antimicrobials Division (7510P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

67619-34

Date of Issuance:

12/21/16

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Dwarf

Name and Address of Registrant (include ZIP Code):

Clorox Professional Products Company
 c/o PS&RC
 P.O. Box 493
 Pleasanton, CA 94566-0803

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

A. This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

John Hebert, Chief
 Regulatory Management Branch 1, Antimicrobials Division
 (7510P)

Date:

12/21/16

2. You are required to comply with the data requirements described in the DCI identified below:
 - a. Hydrogen Peroxide GDCI-000595-1127
 - b. Ethaneperoxoic Acid GDCI-063201-1125

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Reevaluation Team Leader (Team 36): <http://www2.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-antimicrobial-division>

3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
 4. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 67619-34.”
 5. Submit one copy of the final printed label for the record before you release the product for shipment.
- B. Because you have opted to add statements pertaining to emerging viral pathogens to your label as described in the August 19, 2016, Guidance To Registrants: Process For Making Claims Against Emerging Viral Pathogens Not On EPA-Registered Disinfectant Labels (“Guidance”), https://www.epa.gov/sites/production/files/2016-09/documents/emerging_viral_pathogen_program_guidance_final_8_19_16_001_0.pdf, you are subject to the following additional terms of registration:
1. You may make statements pertaining to emerging viral pathogens only through the following communications outlets: technical literature distributed exclusively to health care facilities, physicians, nurses and public health officials, "1-800" consumer information services, social media sites and company websites (non-label related). These statements shall not appear on marketed (final print) product labels.
 2. Your statements pertaining to emerging viral pathogens must adhere to the format approved on the Agency-accepted master label.
 3. You may make statements pertaining to emerging viral pathogens only upon a disease outbreak that meets all the following criteria:
 - a. The causative organism must be a virus that causes an infectious disease that has appeared in a human or animal population in the U.S. for the first time, or that may have existed previously but is rapidly increasing in incidence or geographic range.
 - i. For human disease, the outbreak is listed in one of the following Centers for Disease Control (CDC) publications:
 - A. CDC Current Outbreak List for “U.S. Based Outbreaks” (www.cdc.gov/outbreaks),
 - B. CDC Current Outbreak List for “Outbreaks Affecting International Travelers” with an “Alert” or “Advisory” classification (www.cdc.gov/outbreaks) (also released through the CDC’s Health Alert Network (HAN) notification process)
 - C. Healthcare-Associated Infections (HAIs) Outbreaks and Patient Notifications page (www.cdc.gov/hai/outbreaks)

- ii. For animal disease, the outbreak is identified as an infectious disease outbreak in animals within the U.S. on the World Organization for Animal Health (OIE) Weekly Disease Information page (www.oie.int/wahis_2/public/wahid.php/Diseaseinformation/WI).
 - b. The CDC or OIE has identified the taxonomy, including the viral family and/or species, of the pathogen and provides notice to the public of the identity of the emerging virus that is responsible for an infectious disease outbreak. Based on the taxonomy of the outbreak pathogen identified by the CDC or OEI, the pathogen's viral subgroup is [small non-enveloped, large non-enveloped, enveloped].
 - c. The virus can be transmitted via environmental surfaces (non-vector transmission), and environmental surface disinfection has been recommended by the CDC, OIE or EPA to control the spread of the pathogen.
4. You may begin communicating statements pertaining to emerging viral pathogens only upon CDC or OIE's publication per term B.3.a. of an outbreak of an emerging viral pathogen meeting all of the criteria of term B.3. You must cease and remove all such non-label communications intended for consumers no later than 24 months after the original publication of the outbreak per term B.3.a., unless the Agency issue written guidance to the contrary due to continued public health concerns. The emerging pathogen claim language may remain on the master label.
5. Terms B.1 through B.4 above shall become immediately void and ineffective if registration for use against [identify label viruses] is suspended or cancelled or no longer meets the criteria for a disinfectant claim (see EPA Product Performance Test Guideline 810.2200). In addition, terms B.1 through B.4 above shall become immediately void and ineffective upon your receipt of evidence of ineffectiveness against any pathogen in a less-resistant Spaulding category.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 08/08/2016
- Alternate CSF A01 dated 08/08/2016

If you have any questions, please contact Seiichi Murasaki at (703) 347-0163 or murasaki.seiichi@epa.gov.

Enclosure: Stamped Label

Dwarf

ACTIVE INGREDIENT:

Peracetic acid	0.138%
Hydrogen Peroxide	5.440%
OTHER INGREDIENTS:.....	94.422%
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER:

See back -and/or- side panel -or- label for additional precautionary labeling

For dispensers/canisters: Do not use as a diaper wipe or for personal cleansing -or- Not for use as a personal wipe [For complete instructions -or- directions, see pouch]

U.S. Patent(s) ***insert patent(s)***

[NET] [CONTENTS] _____

Each package type and size will bear the actual net contents in pounds and ounces

____ Premoistened -or- [Wet] [Scrubbing] Wipes
-or- Refills -or- Packages

____" x ____" -or- [____cm x ____cm]

ACCEPTED

Dec 21, 2016

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 67619-34

Back or side panel

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE Causes irreversible eye damage and skin burns. Harmful if swallowed or inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor. Wear protective eyewear -or- goggles -or- face shield -or- safety glasses and chemical-resistant gloves or rubber gloves [and protective clothing] when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Exercise caution when applying indoors because pets may be at risk.

FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or a doctor immediately for treatment advice. **If on skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or a doctor immediately for treatment advice. **If swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person. Call a poison control center or a doctor immediately for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Have product container or label with you when calling the poison control center or doctor, or going for treatment.

[For non-emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time (NPIC Web site: www.npic.orst.edu).]

[Clorox information Line: 1-800-292-2200] [Poison Control Center: 1-800-222-1222]

Environmental Hazards:

This pesticide is toxic to birds, fish, and aquatic invertebrates.

Physical or Chemical Hazards:

This product contains an oxidizing agent.

STORAGE AND DISPOSAL: Do not contaminate food or feed by storage or disposal.

For canisters or buckets not intended to be refilled by the consumer

Store this product in a cool [dry] area, [away from direct sunlight and heat] to avoid deterioration. Dispose of wipe in trash after use. Do not flush. Nonrefillable container. Do not reuse or refill empty container. Recycle empty container or discard in trash.

For canisters or buckets intended to be refilled by the consumer

Store this product in a cool [dry] area, [away from direct sunlight and heat] to avoid deterioration. Dispose of wipe in trash after use. Do not flush. Do not reuse or refill except as described in the directions for use. Refill only with this product. Recycle empty container or discard in trash.

For [Pouch] [Refill]:

[Dispenser and Pouch/Refill]

Dispose of wipe in trash after use. Do not flush. [Reseal pouch between uses to retain moisture] [, if used without tub]. Offer for recycling if available or discard empty pouch -or- bag -or- wrapper in trash.

For more product ingredient information, visit IngredientsInside.com.
Visit us at www.cloroxprofessional.com.

For SDS information, please visit ***insert website***.

Questions [?-or- or] Comments? or Call [Toll Free] (888) 797-7225 -or- (800) 227-1860 -or- 1-800-292-2200 -or- ***insert toll free number***.

Write us at:

Clorox Consumer Services

P.O. Box 24305

Oakland, CA 94623

“Clorox” is a registered trademark of The Clorox Company.

Commercial Solutions -and/or- Clorox Healthcare is a registered trademark of Clorox Professional Products Company

Mfd. for & © 2YYY Clorox Professional Products Company

1221 Broadway, Oakland, CA 94612

EPA Reg. No. 67619-XX

EPA Est. No. 5813-CA-3 (A8 or H8), -CA-6 (TPP), GA-1 (A4), GA-2 (VG), IL-2 (VF);

8251-OH-1 (Q6), WI-2 (KW), WI-3 (KV), WI-5 (UQ)

Beginning of batch code indicates Est. No.

Made in [the] U.S.A. [of global components -or- ingredients.]

Optional graphics. May be placed anywhere on label/container.



[[Use your phone to] go here -and/or- scan [[the] tag -or- [this] code] to learn -or- get -or- see [more] uses -or- information [on how-to-use [***product name*** -or- this product] -or- [how-to] tips -or- [how-to [-use]] videos] [Data rates may apply]



*Not recycled in all communities



PACKAGING RELATED STATEMENTS

Appropriate language will be selected from this list, depending on packaging.

For canister and bucket:

Dispenser Directions: Remove lid [and discard seal]. Insert corner of center sheet through flap opening on lid. DO NOT push finger through opening. Replace lid and pull wipe at an angle. The next sheet pops up automatically. When finished, close [lid] [flap] to retain moisture.

-or-

To Open Package: [Open [lid] [flap] and] pull out wipe [at an angle] from center of roll. [The] next sheet pops up automatically. [When finished] close [lid] [flap] to retain moisture.

-or-

Dispensing Directions: Starter Kit - [Pull down ribbed tab and lift up to] Remove lid from bucket [canister]. [Use scissors] [to] [Cut] [Rip] [Tear] [Pull] [Open] refill pouch. [DO NOT remove wipe roll from pouch]. Insert corner of center sheet through flap opening on lid. DO NOT push finger through opening. Replace lid and pull wipe [towel] at an angle. The next [sheet] [wipe] [towel] pops up automatically. When finished, close [lid] [flap] to retain moisture.

-or-

Refill [Pouch]: [[Look for] Product expiration date on back of refill pouch.] [Place] [Put] [Insert] refill [pouch] into bucket [canister]. [Use scissors] [to] [Cut] [Rip] [Tear] [Pull] [Open] refill pouch. DO NOT remove wipe roll from refill pouch. Insert corner of center sheet through flap opening on lid. DO NOT push finger through opening. Replace lid and pull wipe [towel] at an angle. The next [sheet] [wipe] [towel] pops up automatically. When finished, close [lid] [flap] to retain moisture. To prevent cross contamination do not reuse wipe. If bucket becomes contaminated [or] [damaged] replace immediately. Replace bucket immediately if tabs below [lid] [flap] become damaged.

For Foldout Label:

Peel [here] [for] [additional] [directions]

For To Go package:

To Open Package: Flip -or- Pull open dispensing flap. Insert -or- Pull first wipe through opening in pouch. When finished, [snap] close [tightly] [to retain moisture] [to keep wipes moist] [to keep wipes from drying out].

-or-

To Open Package: Flip -or- Pull open dispensing flap. Open pouch by peeling back [film] [inner seal]. Pull first wipe by grabbing center of wipe. When finished, [snap] close [tightly] [to retain moisture] [to keep wipes moist] [to keep wipes from drying out].

For Flat pack, transport pack or softpack:

To Open Package:

1. Open [click-lock] [closure] and peel back -or- remove seal.
2. Pull out wipe [,use as directed].
3. [When finished,] [firmly] close [click-lock] [closure] to retain moisture. [A “snap” should be heard, indicating that it is properly closed.]

For single count pouch

To Open Package: Tear open packet. Unfold and use as directed. Discard after single use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for cleaning or sanitizing skin. Do not use as a diaper wipe or for personal cleansing. For surfaces that may come in contact with food, a potable water rinse is required. [Always refer to manufacturer's care instructions before using on equipment -or- devices.] [Look for] Product expiration date on back of product or refill pouch. To prevent cross contamination do not reuse wipe. If bucket becomes contaminated [or] [damaged] replace immediately. Replace bucket immediately if tabs below cap become damaged.

To disinfect [and clean] [and deodorize] hard, nonporous surfaces: Gross filth must be removed prior to disinfecting. Wipe [hard, nonporous] surface to be disinfected. Use enough wipes for treated surface to remain visibly wet for 1 min[ute] and follow the contact time listed below -or- on label -or- in organism chart for specific additional organisms. [Rinse.] Let air dry. [If streaking is observed, wipe with a clean, damp [cloth or] paper towel after appropriate contact time has expired.]

[[For] Killing *Clostridium difficile* [¥] [spores]: Gross filth must be removed prior to disinfecting. Wipe [hard, nonporous] surface to be disinfected. Use enough wipes for treated surface to remain visibly wet for 4 min[utes]. [Rinse.] Let air dry.]

The following is only for products with medical devices listed on the label:

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream, or normally sterile areas of the body, or (2) contacts intact mucous membranes, but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

¥ Special Instructions for Cleaning Prior to Disinfection against *Clostridium difficile* spores.

Personal Protection: Wear appropriate barrier protection such as gloves, gowns, masks and eye covering.

Cleaning Procedure: Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with **product name** -or- this product. Cleaning is to include vigorous wiping and/or scrubbing, until all visible soil is removed. Special attention is needed for high-touch surfaces. Surfaces in patient rooms are to be cleaned in an appropriate manner, such as from right to left or left to right, on horizontal surfaces, and top to bottom, on vertical surfaces, to minimize spreading of the spores. Restrooms are to be cleaned last. Do not reuse soiled cloths. **Infectious Materials Disposal:** Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

[For] Killing *Clostridium difficile* [spores]: Prior to disinfecting ensure all gross filth is removed. Wipe [hard, nonporous] surface to be disinfected. Use enough wipes for treated surface to remain visibly wet for 4 min[utes]. [Rinse.] Let air dry.

Special Instructions for Use against HBV and HCV

This product kills HBV and HCV on precleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Hepatitis B Virus (HBV) and Human Hepatitis C Virus (HCV).

Special instructions for using this product to clean and decontaminate against HBV and HCV on surfaces/objects soiled with blood/body fluids:

Personal Protection: When handling items soiled with blood or body fluids, use disposable impervious gloves, gowns, masks and eye coverings.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and other objects before applying this product.

Contact Time: Allow surfaces to remain wet for contact time listed [below] [or] [on label], [rinse and] let air dry. For all other organisms, see directions for contact times.

Disposal of Infectious Materials: Use disposable impervious gloves, gowns, masks and eye coverings. Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

To Disinfect and Clean in a Veterinary Application: Use to disinfect and clean hard, nonporous surfaces such as feeding and watering equipment, cages, utensils, instruments, kennels, stables, catteries, etc. Remove all animals and feed from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings, and manure from walls, floors, and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering equipment. Pre-clean all surfaces with soap or detergent and rinse with water. Wipe surface until completely wet. Let stand for 1 min[ute] and follow the contact time listed below -or- on label -or- in organism chart for specific additional organisms. To kill *Clostridium difficile*¥ -or- *C. difficile*¥ -or- *C. diff*¥ (spores), let stand for four -or- 4 min[utes]. To kill TB, let stand for 3 min[utes]. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treated surfaces have been thoroughly rinsed with water and allowed to dry. Thoroughly scrub all treating, feeding, and watering appliances with soap or detergent, and rinse with potable water before re-use.

¥ Follow [the] Special Instructions for Cleaning Prior to Disinfection [listed on label]

Disinfection Claims

Now[!] -and/or- New[!] -and/&/or- Improved[!] to be used as a claim descriptor only for the first 6 months of product on shelf

- 4 min[ute] Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] contact time
- 4 Min[ute] Sporidical^ð -or- Sporicide^ð
- [4 min[ute]] broad spectrum disinfectant for non-food contact surfaces
- Aids in reducing -or- in the reduction of cross-contamination between treated surfaces
- Antibacterial
- Assures proper dilution strength, product effectiveness and standardized technique
- Bacteria/virus[‡]/germ fighting formula
- Bactericidal -and/or- Virucidal[‡] -and/or- Fungicidal -and/or- Sporidical^ð -and/or- Tuberculocidal
- Bactericide -or- Bactericidal
- Bathroom disinfectant
- Broad spectrum [Proven] disinfectant [bactericide, virucide[‡], fungicide] with efficacy against Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] spores
- Broad spectrum disinfectant [cleaner]
- Broad spectrum efficacy
- Can help reduce the risk of cross contamination on treated surfaces
- Clean -and/or- disinfect in one -or- 1 step^{¥¥}
- Clean -and/or- disinfect on the go
- [Cleans and] disinfects [hard, nonporous surfaces]
- [Cleans and] disinfects ***insert use surface(s) from Table 1***
- Cleans and disinfects [in one -or- 1 step^{¥¥}]
- Cleans, deodorizes and disinfects
- Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [Spores] killed in 4 min[utes]
- Daily defense against germs -or- pathogens[‡]
- Daily use product with Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] sporicidal efficacy which allows for product standardization reduces -or- reducing cleaning complexity -or- reduces the number of products needed
- Daily use product with sporicidal^ð efficacy
- Deodorizes
- Deodorizes [by disinfecting]
- Deodorizes by killing the germs that cause odors
- Deodorizes odors caused by bacteria
- Designed for healthcare
- Designed for killing -or- controlling -or- eliminating Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] spores [on hard, nonporous surfaces] in hospitals [and other healthcare facilities].
- Designed for killing Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores] on [hard, nonporous] surfaces in hospitals
- Destroys -or- deactivates -or- [helps] eliminate[s] [tough to kill] Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores] [on hard, nonporous hospital surfaces]
- Disinfectant
- Disinfectant and Cleaner
- Disinfecting formula
- Disinfection technology
- Disinfects 99[.9]% of cold and flu viruses^{††}
- Disinfects and deodorizes by killing germs and their odors
- Disinfects -and/or- deodorizes -and/or- kills -and/or- removes germs
- Effective -or- For daily use against Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores]
- Effective against -or- Kills Mycobacterium bovis (TB)
- Effective against -or- Kills ***insert organism(s) from organism list except Clostridium difficile spores*** [in the presence of organic soil [(5% blood serum)]]
- Effective against -or- kills pathogens[‡]
- Effective against -or- Kills Staphylococcus aureus, Salmonella enterica, Pseudomonas aeruginosa [in the presence of organic soil [(5% blood serum)]]
- Effective against ***insert organism(s) from organism list*** [and] Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores]
- [Effective against -or- kills] **X** number of pathogens[‡]
- Effective against tough non-enveloped viruses: Murine Norovirus, Adenovirus, and Poliovirus
- Effective disinfectant cleaner [and Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] sporicide] [for use in hospitals -and/or- ambulatory care centers -and/or- long term care facilities -and/or- other healthcare facilities]
- Effective on -or- Kills Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] in four -or- 4 min[utes]
- [Effectively] disinfects [hard, nonporous] surfaces
- Eliminates -or- Reduces odors [caused by bacteria]
- Exhibits effective virucidal[‡] activity
- Fight[s] -and/or- kill[s] -and/or- Effective against 99[.9]% [of] ESBL producing Escherichia coli [(ESBL producing E. coli)]
- Fight[s] -and/or- kill[s] -and/or- Effective against 99[.9]% [of] Salmonella enterica [(Salmonella)]
- Fight[s] -and/or- kill[s] -and/or- Effective against cold and flu [viruses]^{††}
- Fight[s] -and/or- Kill[s] -and/or- Effective against ***insert organism(s) from organism list*** [in ***insert appropriate contact time for respective organism(s)***].
- Fight[s] -and/or- help[s] prevent[s] -and/or reduce[s] the spread of 99[.9]% of [illness-causing] bacteria -and/or- viruses[‡] -and/or- germs on hard, nonporous treated surfaces [in your ***insert use site(s) from Tables 2-3***] [this cold -and/or- flu season]
- For daily use against ***insert organism(s) from list***
- For healthcare use
- For hospital use
- Formulated to kill Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores]
- Fungicide -or- Fungicidal
- Germicidal [disinfectant] [disposable] wipes
- Germicide -or- Germicidal
- Helps reduce cross contamination between treated surfaces
- Hospital disinfectant cleaner

¥ Follow [the] Special Instructions for Cleaning Prior to Disinfection [listed on label]

†† Human Coronavirus, Influenza A Virus

ð Clostridium difficile only

¥¥ when used according to the disinfection directions

‡ see list of organisms

- Just one -or- 1 step^{¥¥} kills 99[.9]% of bacteria
 - Just wipe to clean
 - Kills 99[.9]% of bacteria -and/or- germs -and/or- viruses[‡] on hard, nonporous surfaces
 - Kills a wide range of pathogens[‡]
 - Kills -and/or- eliminates -and/or- disinfects -and/or- destroys -and/or- attacks -and/or- gets rid of 99[.9]% bacteria -and/or- germs -and/or- viruses[‡] from **insert use site(s) from Tables 2-3**
 - Kills athlete's foot fungus
 - Kills bacteria -and/or- viruses[‡] -and/or- mold -and/or- odor-causing bacteria
 - Kills bacteria -and/or- viruses[‡] -and/or- fungi [and] Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores]
 - Kills bacteria and viruses[‡] in 2 min[utes]
 - Kills Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores] [in 4 min[utes]] [on hard, nonporous surfaces]
 - Kills common fungi
 - Kills H1N1 influenza A virus
 - Kills Influenza A virus
 - Kills **insert organism from organism list** in **insert contact time**
 - Kills mold
 - Kills Murine Norovirus, a highly contagious pathogen -or- organism commonly spread through surfaces
 - Kills odor-causing bacteria
 - Kills odor-causing bacteria in the kitchen -or- bathroom
 - Kills -or- Disinfects -or- Is effective against **insert organism(s) from list of organisms**
 - Kills -or- effective against both enveloped and nonenveloped viruses[‡] [on hard, nonporous surfaces]
 - Kills -or- Is effective against (99.9999%) Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores] [in 4 min[utes]]
 - Kills the spore form of Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores]
 - Kills with oxidizing power
 - Kills **X** microorganisms
 - May be used as part of a comprehensive approach to Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] spore control.
 - Meets [the disinfection requirements of] OSHA[']s Bloodborne Pathogen Guidelines -or- Standards
 - Multi-purpose disinfectant
 - No CHG interaction and staining on surfaces
 - One -or- 1-step^{¥¥} cleaning and disinfecting [saves time]
 - One -or- 1-step^{¥¥} disinfectant cleaner designed for general cleaning and disinfecting hard, nonporous surfaces in health care facilities -or- **insert use site(s) from Table(s) 2-3**
 - Oxidizing agent to provide disinfection
 - Product kills bacteria that smell
 - **Product Name** -or- this product controls the spread of germs on most hard, nonporous treated surfaces
 - **Product Name** -or- this product has been developed to aid in the reduction of cross contamination on treated surfaces [in hospitals] [and healthcare facilities]
 - **Product Name** -or- this product has demonstrated effectiveness against influenza A virus
 - **Product Name** -or- this product meets EPA efficacy testing requirements -or- standards for hospital disinfection
 - **Product Name** -or- this product will deodorize surfaces in **insert surface(s) from Table 1** where bacteria growth can cause malodors
 - Proven disinfection technology
 - Pseudomonocidal^{‡‡}
 - Ready-to-use [hospital [type]] disinfectant -or- disinfection for [killing] Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores]
 - Ready to use [one -or- 1-step^{¥¥}] disinfectant cleaner
 - Removes odors
 - Renders Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores] inactive
 - Simply clean and disinfect in one -or- 1 step^{¥¥}
 - Staphylocidal^{‡‡‡}
 - Tested against the clinically relevant 43598 strain of Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] spores
 - Tested Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] spores
 - Tested under the **insert current test method** as of **include date of test method**
 - The [complete -or- total -or- all facility] answer to your disinfecting needs
 - [The] easy -and/or- convenient way to disinfect
 - To decontaminate Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores] laden surfaces
 - To fight Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores]
 - To fight -or- to kill -or- inactivate -or- [help] prevent the spread of Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores] on hard, nonporous treated surfaces
 - To kill Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores], let stand for 4 min[utes]
 - To reduce Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores] on [hard, nonporous] surfaces in **insert use site(s) from Tables 2-3**
 - To reduce Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores] on surfaces in **insert use site(s) from Tables 2-3**
 - To reduce cross-contamination of Clostridium difficile[¥] -or- C. difficile[¥] -or- C. diff[¥] [(C. diff)] [spores] on hard, nonporous treated surfaces
 - Tuberculocidal
 - Two in one, [no sacrifice on] disinfecting and cleaning
 - Use -or- disinfects and cleans on healthcare surfaces
 - Use in places you are concerned about bacteria -and/or- viruses[‡] -and/or- germs
 - Use in public -or- common places where bacteria -and/or- viruses[‡] -and/or- germs may be of concern -or- you are concerned about bacteria -and/or- viruses[‡] -and/or- germs] [on hard, nonporous surfaces]
 - Use where control of the hazards of cross-contamination between treated surfaces is of prime importance
 - Versatile disinfectant cleaner
 - Virucide[‡] -or- Virucidal[‡]
- ¥ Follow [the] Special Instructions for Cleaning Prior to Disinfection [listed on label]
- ¥¥ when used according to the disinfection directions
- ‡ see list of organisms
- ‡‡ Pseudomonas aeruginosa
- ‡‡‡ Staphylococcus aureus

Emerging Viral Pathogen Claims

Product Name -or- this product qualifies for emerging pathogen claims against:

- Enveloped viruses
- Large non-enveloped viruses
- Small non-enveloped viruses

Product Name -or- this product has demonstrated effectiveness against viruses similar to ***insert name of emerging virus*** on hard, nonporous surfaces. Therefore, ***product name*** -or- this product can be used against ***insert name of emerging virus*** when used in accordance with the directions for use against ***insert name of supporting virus(es)*** on hard, nonporous surfaces. Refer to the ***insert CDC -or- OIE*** website at ***insert pathogen-specific website address*** for additional information.

Insert name of illness/outbreak is caused by ***insert name of emerging virus***. ***Product Name*** -or- this product kills similar viruses and therefore can be used against ***insert name of emerging virus*** when used in accordance with the directions for use against ***insert name of supporting virus(es)*** on hard, nonporous surfaces. Refer to the ***insert CDC -or- OIE*** website at ***insert pathogen-specific website address*** for additional information.

Bacteria[:]	Strain and/or ATCC	Contact Time
Acinetobacter baumannii	[ATCC BAA-1709]	1 min[ute]
Carbapenem Resistant Klebsiella pneumoniae	[ATCC BAA-1705]	1 min[ute]
Extended-Spectrum Beta-lactamase [(ESBL)]producing Escherichia coli [(ESBL producing E. coli)]	[ATCC BAA-196]	1 min[ute]
Methicillin-resistant Staphylococcus aureus [(MRSA)]	[ATCC 33592]	1 min[ute]
Multi-drug Resistant [(MDR)] Enterobacter aerogenes ^[1]	[ATCC 29751]	1 min[ute]
Pseudomonas aeruginosa [(Pseudomonas)]	[ATCC 15442]	1 min[ute]
Salmonella enterica [(Salmonella)]	[ATCC 10708]	1 min[ute]
Staphylococcus aureus [(Staph)]	[ATCC 6538]	1 min[ute]
Vancomycin Resistant Enterococcus faecalis [(VRE)]	[ATCC 51575]	1 min[ute]
Spore-forming bacterium	Strain and/or ATCC	Contact Time
[¶] Clostridium difficile [¥] -or- C. difficile [¥] -or- C. diff [¥] [(C. diff)] spores	[ATCC 43598]	4 min[ute]
Mycobacterium[:]	Strain and/or ATCC	Contact Time
Mycobacterium bovis [(BCG)] [(Tuberculosis -or- TB)] at 20.1° C (69.3 °F)		3 min[ute]
Fungi[:]	Strain and/or ATCC	Contact Time
Candida albicans	[ATCC 10231]	2 min[ute]
Trichophyton interdigitale <i>tested as Trichophyton mentagrophytes</i>	[ATCC 9533]	2 min[ute]
Viruses Enveloped[:]	Strain and/or ATCC	Contact Time
‡, †† Bovine Viral Diarrhea Virus [(Surrogate for Human Hepatitis C Virus)]	[Strain Oregon C24V-genotype 1]	1 min[ute]
‡, †† Duck hepatitis B Virus [(Human Hepatitis B Surrogate)]	[Strain 11/4/12]	1 min[ute]
‡Human Coronavirus [(associated causative agent of common cold)]	[ATCC VR-740][Strain 229-E]	1 min[ute]
‡Influenza A Virus [(H1N1)]	[ATCC VR-1469][Strain A/PR/8/34]	1 min[ute]
‡Respiratory Syncytial Virus [(RSV)]	[ATCC VR-26] [Strain Long]	1 min[ute]
Virus Large Non-enveloped[:]	Strain and/or ATCC	Contact Time
‡Adenovirus [Type 2]	[ATCC VR-846][Strain adenoid 6]	2 min[ute]
Viruses Small Non-Enveloped	Strain and/or ATCC	Contact Time
‡Murine Norovirus [(Surrogate for Norovirus)]	[Strain MNV-1. CW1]	2 min[ute]
‡Poliovirus [Type 1]	[Chat strain] [ATCC VR-1562]	2 min[ute]

[¹This strain of Multi-drug Resistant Enterobacter aerogenes has shown resistance to the following antibiotics:

Ampicillin, Ampicillin/Sulbactam, Cefazolin and Ceftriaxone]

¥ Follow [the] Special Instructions for Cleaning Prior to Disinfection [listed on label]

‡‡ Bloodborne Pathogens

General Cleaning

Now[!] -and/or- New[!] -and/&-or- Improved[!] to be used as a claim descriptor only for the first 6 months of product on shelf

- A solution impregnated in a wiping cloth
- Appropriate -or- Perfect -or- Ideal for Terminal Cleaning
- Bleach-Free
- Cleans
- Compatible with a wide variety of surfaces.
Check Cloroxhealthcare.com/Compatible
- Compatible with -or- suitable for use on hospital ***insert surface(s) from Table 1 -and/or- surface material(s) from Table 4***
- Complete Clorox[®] clean your patients trust
- Convenient
- Cuts cleaning time
- Daily cleaning
- [Designed] For daily use -or- Use for daily [or] [discharge] cleaning [in Healthcare facilities]
- Disposable
- Does not contain [chlorine] bleach
- Does not contain nonylphenol ethoxylates (NPEs) -and/or- alkylphenol ethoxylates (APEs)
- Does not require dilution [or mixing]
- Does not require [the hassle of] dispensing systems
- Does not require dilution
- Easy [and] [convenient to use] [to handle]
- Eliminates [daily] mixing and measuring
- EVS [Environmental Services] [use]
- Expiration Date ***insert date -or- length of time***
- Fast strong cleaning
- For -or- [Designed for] [with] [the] Environmental Services Professional[s] [in] [mind][!]
- For terminal cleaning
- [Heavy] cloth-like towel
- Help make your room Clorox[®] clean
- Larger wipe covers [more surface area] larger area [with less effort][!]
- Leaves a [fresh -or- pleasant] scent
- Makes cleaning easier
- Moist wipes
- Multi-surface cleaner disinfectant
- No dilution or mixing required for use
- No harsh chemical [smell-or- odor] or fumes
- No mixing -and/or- measuring [required]
- Non-[chlorine] bleach
- Non-abrasive
- Nonylphenol ethoxylate (NPE) -and/or- alkylphenol ethoxylate (APE) free
- Premixed and ready to use[, ensuring proper concentration every time]
- Pre-moistened [towelettes]
- Pleasant -or- Light -or- Fresh Fragrance
- Product disinfects and cleans major soils
- Proof is in the clean
- Recyclable [bottle -or- product container]
- [Refer to] See [Clorox] [Terminal] [Cleaning] protocol for additional [cleaning] information
- Removes adhesive stains
- Removes -and/or- Cleans the following ***insert stains(s)/soil(s) from Table 5***
- Removes dried-on [blood] stains
- Removes ***insert stain(s)/soil(s) from Table 5***
- Removes Povidone Iodine stains
- Removes stains
- Removes [tough] stains
- Safe on ***X -or- insert number based on approved surfaces*** surfaces
- Safe to use -or- for use on ***insert surface material(s) from Table 4***
- Shelf-stable formula
- Special fragrance added to counter peracetic acid odor
- Special, pleasant fragrance created for hospital -or- healthcare settings
- Specifically -or- Specially designed for the Medical -and/or- Dental -and/or- Veterinary -and/or- Health Care industry
- [Strong enough -or- Effective] for [the -or- [your] isolation room
- Strong -and/or- Durable cloth-like wipes
- Strong -and/or- Durable non-woven disposable cloth
- Strong -and/or- Durable non-woven wipe does not leave lint on surfaces [following use]
- Suitable for hospital use
- Suitable for use on hard, nonporous surfaces
- Suitable for use on ***insert surface material(s) from Table 4***
- Surfaces: [For use on -or- Use this product on] [Washable] Hard, Nonporous [Household] Surfaces [throughout the house] ***insert surface(s) from Table 1***
- Terminal Cleaning Wipe[s] -or- Towel[s] Refill[s][able]
- [The] Smell of clean
- This product is compatible with the listed materials on label
- This room is Clorox[®] clean
- Touch up cleaning

Packaging Claims

Now[!] -and/or- New[!] -and/&-or- Improved[!] to be used as a claim descriptor only for the first 6 months of product on shelf

- ***Insert wipe dimensions*** in sq
- ***Insert wipe number*** count [ct]
- Large[r] [wipe][s]
- [Sturdy] Bucket[s]
- Value size Towel[s]

Table 1 Use Surfaces

A potable water rinse is required for food contact surfaces. Do not use on glassware, utensils, or dishes

air vent exteriors	door[s] handle[s]] -or- frame[s]	hard, nonporous surfaces of car interiors
amalgamators -and/or- dental curing lights	drainboards	[hard] plastic -or- vinyl
anesthesia -or- apheresis machines (external)	drawer pulls	headboards
appliance[s] exteriors	dressing carts	headsets
appliance -or- cabinet knobs	elevator buttons	high chairs (non-food contact areas)
autoclaves	empty garbage bins	high touch surfaces†
baked enamel	endodontic equipment such as apex locators	[hospital -or- patient] bed[s] -or- springs
bassinets	[exam[ination]] tables	-or- railings -or- frames -or- linings
[bath]tubs	exhaust fan exteriors	infant incubators and care cribs
[bathroom -or- kitchen] faucet[s] [handles]	exterior -or- external toilet -or- urinal surfaces	infant warmers[#]
[bathroom] doorknob[s]	exterior of pipes	infusion pump[#]
[bathroom] fixtures	exterior surfaces of air vents -or- air vent exteriors	isolettes
bedpan cleaner	external surfaces of [medical] equipment	IV stands -and/or- pumps -and/or- poles
bedpans	-or- [medical] equipment exteriors	keyboards[#]
bedrails	external surfaces of ultrasound transducers	[kids'] play structures -or- equipment -or- furniture-or- tables
[bedside] commodes	[-and/or- probes]	[kitchen] appliance exteriors
bedside tables	faucets	laminated surfaces
booster chairs	[filing -or- medicine] cabinets	lamps
BP monitors	finished -or- painted walls -or-woodwork	laptops[#]
burner trays	-or- window sills	large inflatable nonporous plastic (rubber) surfaces
cabinets	finished hardwood	light fixtures -or- switches -or- panels
cages	fixtures	light lens covers
call boxes	floors [around toilets]	linoleum
carts	floors and walls of coolers	lockers
chairs	flower buckets	loupes
changing tables	footboards	mammography equipment[#]
charging stations	freezer exteriors	[Mayo] [instrument] stands
chemotherapy hoods	garbage -or- trash cans	[medicine] cabinets
chrome	glass	med[ication] carts
chrome exterior surfaces of urinals	glass-topped furniture	metal blinds -or- work benches
-and/or- toilets	glazed [ceramic] restroom surfaces	microwave[s] exteriors
closet handles	-or- tile[s]	mobile devices[#]
closets	glazed porcelain -or- tiling -or- tile	mobile workstations
[clothes -or- diaper] hampers	glucometers	MRI -or- Magnetic Resonance Imaging equipment[#] exteriors
coated mattresses -or- pillows	gurneys	nonporous mouse pads
[common] hard, nonporous surfaces	handheld [electronic] devices[#]	nurse-call -or- devices -or- buttons
Computer mice	[hand]railings -or- rails	-and/or- cords
cooler exteriors	hard, nonporous [painted] surfaces	operating room tables and lights
counters -or- countertops	hard, nonporous surfaces of vanity tops	operatory light switches
[crash-or- emergency] carts	-or- vanities	[other] telecommunication[s] equipment surfaces
cribs	hard, nonporous dental -and/or- hospital	outside of appliances -or- microwaves
cupboards	-and/or- medical surfaces	-or- refrigerators
dental countertops	hard, nonporous edges of privacy curtains	
dental operatory surfaces	hard, nonporous office -or- bedroom -or- bedside furniture	
dental unit instrument trays	hard, nonporous surface of sink[s]	
dentists' -or- dental chairs	[wash]basin[s]	
desk[s][tops]	hard, nonporous surfaces of automobile[s]	
diagnostic equipment[#]	-and/or- boat[s] -and/or- [rental] car[s]	
dialysis machine exteriors	-and/or- ship[s] -and/or- trailer[s] -and/or- vehicle[s] [interiors]	
diaper pails		† Hard, nonporous surfaces
dictating equipment surfaces[#]		[#][Please] consult manufacturers' instructions [for appropriate use]
docking stations[#]		[before use].

overbed tables	scales	[toilet [flush] -or- telephone -or- cabinet
oxygen hoods	sealed fiberglass [(polyester, vinylester	-or- dishwasher -or- door -or- faucet
packing benches	and epoxy resins)]	handles
paddles	seats	toilet handholds
painted laminated surfaces	sequential compression devices	towel dispensers
paggers	shelves [and drawers]	toy[s] [boxes] -or- storage bins
patient chairs	shower fixtures	traction devices
patient monitoring equipment	shower[s] area[s] -or- curtains -or- doors	[training] toilets
patient support and delivery equipment	-or- stalls -or- walls	trash cans -or- compactors
phlebotomy trays	side rails	tray tables
phone cradle	signs	tubs
physical therapy [PT] equipment surfaces	sill[s] ledge[s]	[TV] Remote[s] [Control][s]
plastic laundry hampers -or- baskets	similar hard, nonporous surfaces except	vending machine surfaces
plastic mattress covers	for those excluded by the label	vending machines
plastic shower curtains	slit lamps	vinyl -or- linoleum wallpaper
plastic surfaces associated with: floors,	spine backboards	walkers
walls, fixtures, toilets, urinals, sinks,	stall doors	walls
shower rooms and locker rooms	stethoscopes	walls around toilet [in patient rooms]
plated -and/or- stainless steel	stools	washable ceilings -or- floors [including
playpens	stretchers	linoleum, no-wax, vinyl, and glazed
portable toilets	strollers	ceramic tile]
[power] cords	support bars	washable kitchen surfaces -or- walls
pulse oximeters	synthetic marble	washers/dryers -or- washing machine
PVC tubing	table[s] [tops]	exterior[s]
reception counters -or- desks -or- areas	telephones	wastebaskets
recycling bins	tiled walls	wheelchairs
refrigerator [door handles] [exterior]	toilet -and/or- urinal exterior[s] [surfaces]	work benches
refrigerator[s] exteriors	-or- exterior toilet surfaces	x-ray equipment[#]
remote controls[#]	toilet area[s]	
respirators	toilet handle[s] -or- rim[s] -or-seat[s]	
respiratory therapy equipment	-or- top[s]	[#] [Please] consult manufacturers'
restroom fixtures		instructions [for appropriate use]
		[before use].]

Table 2 Use Sites (hard, nonporous surfaces)

Ambulances -or- [Emergency Medical Transport Vehicles	Hard, nonporous crib -or- bed frame surfaces	Patient Areas
Ambulatory Surgical Centers (ASC)	Health Care Setting -or- Facilities	Patient Restrooms
Anesthesia Rooms -or- Areas	Hospices	Patient Rooms
Animal care facilities	Hospitals	[Pediatric] Exam[ination] Rooms -or- Areas
[Assisted Living -or- Full Care] Nursing Homes	Institutional kitchens ^{¥¥¥} -and/or- bathrooms	Pediatric Intensive Care Units [(PICU)]
Blood Banks	[Institutional] laundromats	Pet animal quarters
[Blood -or- plasma -or- semen -or- milk -or- apheresis] Donation Centers	Institutions	Pet areas
Cancer centers	Intensive Care Units -or- ICU[s] [areas]	Pharmacies
Carts	Kennels	Pharmacy clean room
CAT lab[oratories]	Laboratories	Physical Therapy Rooms -or- areas
Central Service Areas	Laundry Rooms	Play areas -or- rooms
Central Supply Rooms -or- Areas	Lavatories	Psychiatric facilities
[Compatible with -or- suitable] [[F]for use on] equipment[#] surfaces	Long Term Care Facilities	Radiology -or- X-ray rooms -or- areas
Dental -or- Dentist's Offices	[Medical] Clinics -or- Facilities	Recovery rooms
Dental Operatories	Medical Facilities	Rehabilitation Centers
Dialysis Clinics [Facilities]	Medical -or- Physician's -or- Doctor's offices	Restroom[s] [areas]
Emergency Rooms -or- ERs	Newborn -or- Neonatal [nurseries] [Intensive Care] Units [(NICU)]	Shower rooms
Emergency Vehicles	Nurseries	Surgery Rooms -or- Operating Rooms -or- ORs
Examination Rooms	Nursing -or- Nurses' Stations	Waiting Rooms -or- Areas
Eye Surgical Centers	Oncology units	
Floor[s] area[s]	Operating Rooms	
Garbage cans	Ophthalmic Offices	[#] [Please] consult manufacturers' instructions [for appropriate use] [before use].]
[Garbage -or- Waste] Storage Areas	Orthopedic Offices	¥¥¥ nonfood contact areas of
	Outpatient Surgical Centers (OPSC) -and/or- -and/or- Clinics -and/or- Facilities	

Table 3 Veterinary Use Sites

[Animal -or- Pet] Grooming Facilities	Exteriors Surfaces of Watering Appliances	Reception Counters -or- Shops -or- Desks -or- Areas
Animal -or- Pet Housing -or- Kennels -or- Facilities	External Surfaces of [Veterinary] Equipment[#]	Small Animal Facilities
Animal Equipment	Feed Racks	Troughs
Animal Holding Areas	Hard, nonporous Veterinary Surfaces	Veterinary -or- Animal Hospitals
Animal Life Science Laboratories	Kennels	Veterinary Care Surfaces
Animal Transportation Vehicles	Livestock -and/or- Swine -and/or- Poultry Facilities	Veterinary Clinics -or- Facilities
Automatic Feeders	Pens	Veterinary Offices -or- Waiting -or- Exam[ination] -or-
Breeding Establishments	Pet Areas -or- Quarters -or- surfaces	X-ray -or- Operatory Rooms
Equine -or- Dairy Farms		
Exterior Surfaces of Fountains		

Table 4 Surface Materials

[304 -and/or- 316] Stainless steel	Formica[®] [^]	linoleum [flooring]	porcelain enamel
baked enamel	Glass	Marlite[®] [^^]	sealed fiberglass -or- granite
chrome	glazed [ceramic tile -or- porcelain [enamel] [tile]	Naugahyde[®] [^^^]	-or- marble
clear plastic	Glazed ceramic	painted metals	painted -or- sealed wood
Corian[™][®] [^]	laminated	plastic [laminated]	
		Plexiglas[®]	

[^]Corian is a [registered] trademark of [E. I. du Pont de Nemours and Company] [a subsidiary of] [E. I. du Pont de Nemours and Company] [or one or more of its affiliates].

[^^]Formica is a [registered] trademark of [The Diller Corporation] [a subsidiary of] [Formica] [Formica Corporation] [or one or more of its affiliates].

[^^^]Marlite is a [registered] trademark of [Marlite, Inc.] [a subsidiary of] [Marlite, Inc.] [or one or more of its affiliates].

[^^^]Naugahyde is a [registered] trademark of [Uniroyal Engineered Products, LLC] [a subsidiary of] [Uniroyal Engineered Products, LLC] [or one or more of its affiliates].

[®]Plexiglas is a [registered] trademark of [Arkema] [Arkema France] [a subsidiary of] [Arkema] [Arkema France] [or one or more of its affiliates]

Not Recommended For Use

aluminum	[unsealed] natural marble	silver	porous painted surface
brass	natural rubber	[unfinished] wood	
copper	unsealed granite	galvanized steel	

Table 5 Stains/soils

Bathroom soils	Dirt	Laboratory stains	Sticky Food Messes -or- Spills
Bathtub ring	Fecal matter	Mildew stains	Tough Soils
Blood	Fingerprints	Mold stains	Urine
Blood stains	Food stains	[Other] common soils	
Body oils	Fruit stains	-and/or- stains	
Coffee [stains]	Grease [and] Grime	[Other] organic matter	
Dead skin	Hard water stains	Smudges	

Alternate Brand Names

Clorox Healthcare® De-Spore™¹ Non-Bleach Disinfectant Cleaner Wipes Clorox Healthcare® Difficide™¹ Non-Bleach Disinfectant Cleaner Wipes
 Clorox Healthcare® Diff360™¹ Non-Bleach Disinfectant Cleaner Wipes Clorox Healthcare® Diffuse™ Non-Bleach Disinfectant Cleaner Wipes

¹ Clostridium difficile spores