
S810231



Washington, D.C. 20460

67690-1

EPA Reg.

Number:

Date of Issuance:

AUG 7 2007

NOTICE OF PESTICIDE:
____ Registration
_XX Reregistration
under FIFRA, as amended

Terms of Issuance: Unconditional

Name of Pesticide Product:

Pipron LC

Name and Address of Registrant (include ZIP Code):

SePRO Corporation

11550 N. Meridian Street, Suite 600

Carmel, IN 46032

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endersement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document(s), EPA has reregistered the product listed above provided that the following changes are made:

1. At the top of pages 1 and 8 change "For Use Only in Commercial...." to "For use only in commercial greenhouses and similar enclosed structures with nonporous coverings used for the production of ornamental crops for resale."

Page 1 of 2

Signature of Approving Official:

Mary J. Walle

Date:

Mary L. Waller, Product Manager (21) Fungicide Branch, Registration Division

8/7/2007

EPA Form 8570-6

- 2. At the top of page 2 and the bottom of page 9 add the street address to the company address.
- 3. On pages 3 and 8 delete "KEEP OUT OF REACH OF CHILDREN"
- 4. On page 9 (base label) add a text box containing the following sentence below the sentence "Refer to label booklet...": "Agricultural Use Requirements: refer to the label booklet for detailed use requirements specified by the Worker Protection Standard, 40 CFR part 170."

This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

One copy of your revised label stamped "Accepted with comments" is enclosed for your records. Please submit one copy of the final printed label before this product is shipped.

Sincerely,

Mary L. Waller

Product Manager (21)

Fungicide Branch

Registration Division (7505P)

Mary L. Waller

Enclosure

ACCEPTED with COMMENTS In EPA Letter Dated

Pipron: 67690-1 [Booklet Front Label]





Pipron

Liquid Concentrate

Fundicide, and Rodenticide Act registered under EPA Reg. No. 61690as amended, for the pesticide

A Fungicide to Control Powdery Mildew on Ornamentals. For Use Only In Commercial Greenhouses and Other Structures with an Impermeable Roof.

Active Ingredient:	
piperalin: 3-(2-methylpiperidino)propyl 3,4-dichlorobenzoate	84.4%
Other Ingredients	15 6%
Total	100.0%
Contains 2 pounds of active ingredient per quart.	

Contains Petroleum Distillate

INFOTRAC at 1-800-535-5053.

Keep Out of Reach of Children DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID		
IF ON SKIN OR	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. 	
CLOTHING	Call a poison control center or doctor for treatment advice.	
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. 	
	 Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
IF INHALED	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 	
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call		

NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

PROP 65 NOTICE: This product contains a chemical known to the State of California to cause cancer.

Refer to label booklet for additional Precautionary Information and Directions for Use, including Storage and Disposal.

Notice: Read the entire label before using. Use only according to label directions. Before buying or using this product, read "Warranty Disclaimer", "Inherent Risks of Use" and "Limitation of Remedies" inside label booklet.

For additional information on our products, please visit www.sepro.com.

EPA Reg. No. 67690-1 FPL041607

EPA Est. No. SPC-XXXXXX

4/11

*Trademark of SePRO Corporation
SePRO Corporation Carmel, IN 46032 U.S.A.

Fungicide

Net Contents _____

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Corrosive. Causes skin burns. Harmful if swallowed or inhaled. Causes moderate eye irritation. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical-resistant category selection chart.

Applicators and other handlers must wear:

- Coveralls worn over long-sleeved shirt and long pants;
- Socks and chemical-resistant footwear;
- Chemical-resistant gloves such as Nitrile, Butyl, Neoprene and/or Barrier Laminate;
- · Chemical-resistant headgear for overhead exposure; and
- Chemical-resistant apron when mixing, loading or cleaning equipment.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID			
IF ON SKIN	Take off contaminated clothing.		
OR	Rinse skin immediately with plenty of water for 15 - 20 minutes.		
CLOTHING	Call a poison control center or doctor for treatment advice.		
-IF	Call a poison control center or doctor immediately for treatment advice.		
SWALLOWED	Have person sip a glass of water if able to swallow.		
	Do not induce vomiting unless told to do so by a poison control center or doctor.		
	Do not give anything by mouth to an unconscious person.		
IF INHALED	Move person to fresh air.		
	If person is not breathing, call 911 or an ambulance, then give artificial respiration,		
	preferably mouth-to-mouth if possible.		
i i	Call a poison control center or doctor for further treatment advice.		
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove		
	contact lenses, if present, after the first 5 minutes, then continue rinsing eye.		
	Call a poison control center or doctor for treatment advice.		
Have the produc	t container or label with you when calling a poison control center or doctor, or going for		

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call **INFOTRAC** at **1-800-535-5053**.

NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater.

PROP 65 NOTICE: This product contains a chemical known to the State of California to cause cancer.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170.

This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE) and restricted-entry interval.

The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

For early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear:

- Coveralls worn over long-sleeved shirt and long pants;
- Socks and chemical-resistant footwear; and
- Chemical-resistant gloves such as Nitrile, Butyl, Neoprene and/or Barrier Laminate.

GENERAL INFORMATION

Pipron for the Control of Powdery Mildew

Pipron Liquid Concentrate fungicide is highly effective against powdery mildew-causing fungi. Pipron Liquid Concentrate is particularly designed as an eradicant fungicide for treatment of crops in Integrated Pest Management (IPM) programs, when disease conditions are present, or after initial infestations are noted.

General Use Precautions

Do not apply this product through any type of irrigation system.

Pipron Liquid Concentrate has been shown to be safe and effective on certain cultivars of the plants types listed in Table 1, except as noted under Comments. For the plant types listed, users should conduct tests on a small scale basis to confirm plant safety under local growing conditions. Before using Pipron on plant types and cultivars not listed, first test Pipron on a small-scale basis to confirm efficacy and plant safety.

Application Directions

Mix Pipron Liquid Concentrate with water and apply as a spray to the plants. Sufficient pressure and volume of water should be used in spraying Pipron Liquid Concentrate to ensure thorough coverage of all plant surfaces. Special care should be taken to thoroughly wet new terminal growth and plant areas already infected with powdery mildew. Better disease control may be achieved when applications are made in early morning or evening when the foliage will remain moist longer. Under certain conditions, such as hard to wet rose leaves or dense mildew growth, the use of a surfactant is recommended to enhance efficacy. Refer to surfactant label for dose, compatibility, and plant safety information.

Mixing Instructions: Fill the spray tank 1/2 -3/4 full with water, and the proper amount of Pipron, then add the rest of the water. Agitate constantly during mixing and application to maintain a uniform emulsion.

For broader spectrum control, Pipron Liquid Concentrate can be mixed with other fungicides and insecticides. Check compatibility for tank-mixes. Observe all directions, precautions, and limitations on label of all products used in tank-mixes.

Tank-Mixing: If Pipron Liquid Concentrate is tank-mixed with other products, use the following sequence:

- 1. Always check the compatibility of the tank-mix using a jar test with proportionate amounts of Pipron, other chemicals to be used, and water, before mixing in the spray tank.
- Provide sufficient jet or mechanical agitation during filling and application to keep the tank-mix uniformly suspended.
- 3. Fill tank at least 1/2 full of clean water.
- 4. Add wettable powders to the tank first, allowing them to completely suspend in the tank before proceeding. This process can be hastened by premixing the product in water before adding to the tank.
- 5. Add flowables or suspensions next.
- 6. Add Pipron and other emulsifiable concentrates last.
- 7. Do not leave tank-mix combinations in the spray tank for prolonged periods without agitation. Mix and apply them the same day.
- 8. You must test the tank-mix on a small number of plants to confirm efficacy and plant safety.

It is recommended that Pipron Liquid Concentrate not be tank-mixed with Pentac[®] Aqua Flow and Mavrik[®] Aqua Flow.

Rates and Spraying Schedule: To control powdery mildew, add to each 100 gallons of water 4 to 8 fluid ounces of Pipron Liquid Concentrate. If a surfactant is to be used, add to the diluted Pipron Liquid Concentrate emulsion.

Apply the low rate soon after the first leaves expand or the first symptoms of powdery mildew appear. Use the high rate if powdery mildew is already present.

TΔ	RI	F	1

Plant Type	Comment ¹
African Violet	
Begonia	Treatment of certain Hiemalis cultivars has resulted in flower spotting when treated after flower initiation. All begonia cultivars should be evaluated for similar flower spotting.
Catalpa	
Chrysanthemum	
Dahlia	
Gerbera Daisy	·
Grape Leafed Ivy	Not for use in California
Hydrangea	Do not treat after flower buds are visible.
Kalanchoe	
Lilac	
Monarda	
Phlox	
Poinsettia	There have been reports of spotting on mature bracts. Preliminary tests should be completed as noted below on a small scale and then evaluated for crop sensitivity under local greenhouse conditions.
Roses, Cut	
Roses, Potted	
Verbena, Annual	
Zinnia	

¹Note: Certain cultivars may be sensitive to the final solution. Even with plants mentioned above, users should check for sensitivity by testing a small number of plants prior to treating an entire area. Wait several days before evaluating for crop injury.

Plant Tolerance: Neither the manufacturer nor the seller has determined whether or not Pipron Liquid Concentrate can be used safely on all ornamental plants. Prior to any large application, the user should determine the safety of Pipron Liquid Concentrate by testing on a small number of plants to be treated at the recommended rates. Observe the treated plants for symptoms of phytotoxicity several days after treatment.

STORAGE AND DISPOSAL

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, use absorbent materials to contain liquids and dispose as waste.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank. Drain for 10 seconds after the flow begins to drip. Repeat the procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY DISCLAIMER

SePRO Corporation warrants that the product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SEPRO CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of SePRO Corporation as the seller. To the extent permitted by applicable law all such risks shall be assumed by buyer.

LIMITATION OF REMEDIES

To the extent permitted by applicable law the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at SePRO Corporation's election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

To the extent permitted by applicable law SePRO Corporation shall not be liable for losses or damages resulting from handling or use of this product unless SePRO Corporation is promptly notified of such losses or damages in writing. To the extent permitted by applicable law SePRO Corporation shall not be liable for consequential or incidental damages or losses.

The terms of the "Warranty Disclaimer" above and this "Limitation of Remedies" cannot be varied by any written or verbal statements or agreements. No employee or sales agent of SePRO Corporation or the seller is authorized to vary or exceed the terms of the "Warranty Disclaimer" or "Limitations of Remedies" in any manner.

©Copyright 2007 SePRO Corporation

* Trademark of SePRO Corporation
Pentac Aquaflow is a registered trademark of Sandoz Agro, Inc.
Mavrik Aquaflow is a registered trademark of Wellmark International

Pipron*

Liquid Concentrate

A Fungicide to Control Powdery Mildew on Ornamentals.

For Use Only In Commercial Greenhouses and Other Structures with an Impermeable Roof.

Active Ingredient: piperalin: 3-(2-methylpiperidino)propyl 3,4-dichlorobenzoate..... 84.4% Other Ingredients..... 15.6% Contains 2 pounds of active ingredient per quart. Contains Petroleum Distillate

Keep Out of Reach of Children **DANGER / PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

	FIRST AID
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	 Call a poison control center or doctor for immediate treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call	

INFOTRAC at 1-800-535-5053. NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage. Contains

PROP 65 NOTICE: This product contains a chemical known to the State of California to cause cancer.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

petroleum distillate. Vomiting may cause aspiration pneumonia.

Corrosive. Causes skin burns. Harmful if swallowed or inhaled. Causes moderate eye irritation. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

STORAGE AND DISPOSAL

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, use absorbent materials to contain liquids and dispose as waste.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank. Drain for 10 seconds after the flow begins to drip. Repeat the procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Refer to label booklet for additional Precautionary Information and Directions for Use, including Storage and Disposal.

Notice: Read the entire label before using. Use only according to label directions. Before buying or using this product, read "Warranty Disclaimer", "Inherent Risks of Use" and "Limitation of Remedies" inside label booklet.

For additional information on our products, please visit www.sepro.com.

EPA Reg. No. 67690-1 FPL041607 EPA Est. No. SPC-XXXXXX

*Trademark of SePRO Corporation SePRO Corporation Carmel, IN 46032 U.S.A.

Fungicide

Net Contents