



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

JUL 8 1994

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Mr. Bill Culpepper
SePRO Corporation
11550 North Meridian Street
Suite 200
Carmel, IN 46032

Dear Mr. Culpepper:

Subject: Supplemental Label
Sonar A.S. Herbicide
EPA Registration Number 67690-4
Your FAX of July 8, 1994

I have reviewed the referenced supplemental label and find it to be acceptable. A stamped copy is enclosed for your records. Please submit a final printed copy of the label for our records.

Sincerely yours,

Joanne I. Miller

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (7505C)

Enclosure



Recycled Recyclable
Printed with Soy Canola Ink on paper that
contains at least 50% recycled fiber

Supplemental Labeling



SePRO Corporation, 11550 North Meridian St., Suite 200, Carmel, Indiana 46032, USA

This supplemental label can be used with Sonar* A.S. Herbicide (EPA Reg. No. 62719-124) or Sonar* A.S. Herbicide (EPA Reg. No. 67690-4)

Sonar for Control of Eurasian Watermilfoil in Whole Lake or Reservoir Treatments

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Note to applicators (State and Local Coordination): Before application under any project program, notification and approval of local and state authorities may be required, either by letter of agreement or issuance of special permits for such use.
- All Directions for Use, General Information, Application Information, Precautions and Limitations on the Sonar A.S. label apply to this supplemental labeling.

Use Rates for Control of Eurasian Watermilfoil in Whole Lake or Reservoir Treatments:

The following application rates may be used for control of Eurasian watermilfoil when treating lakes or reservoirs where little dilution with untreated water is expected to occur. Under these conditions, Sonar may be applied to provide a concentration of 0.01 to 0.02 ppm (10 to 20 ppb) of active ingredient in treated water. Application rates necessary to achieve these active ingredient concentrations in treated water are shown in the following table. For optimum control, it is recommended that applications be made early in the growing season.

Average Water Depth of Treatment Site (feet)	Quarts of Sonar A.S. per Treated Surface Area
1	0.027-0.05
2	0.05-0.11
3	0.08-0.16
4	0.11-0.22
5	0.14-0.27
6	0.16-0.32
7	0.19-0.38
8	0.22-0.43
9	0.24-0.49
10	0.27-0.54

When treated with these use rates, other less susceptible species listed under Aquatic Plants Controlled may exhibit only temporary injury or stunting followed by recovery and normal growth. These 0.01-0.02 ppm rates may be applied where functioning potable water intakes are present. Note: When applications for management of Eurasian watermilfoil are made to only portions of lakes or reservoirs such as bays or fingers of these water bodies, the higher rates and use directions listed on the label accompanying the product under Applications to Lakes and Reservoirs are recommended.

*Trademark of SePRO Corporation

T3ESPO01

Approved 6/21/94

ACCEPTED
with COMMENTS
In EPA Letter Dated

JUL 9 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

BEST AVAILABLE COPY

6/21/94