

67690-9

3.28.2008

1/13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Amy Dugger-Ronyak
Regulatory Affairs Specialist
SePRO Corporation
11550 N. Meridian St., Ste 600
Carmel, IN 46032-4565

MAR 28 2008

RE: Notification to correct typographical error
EPA Registration Number: 67690-9
Date of Submission: February 28, 2008

Dear Ms. Dugger-Ronyak:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated, February 28, 2008, for the product, Captain Liquid Copper Algacide. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

3/13

[FRONT PANEL]



NOTIFICATION

MAR 28 2008

Captain* Liquid Copper Algaecide

FOR CONTROL OF PLANKTONIC AND FILAMENTOUS ALGAE AND CERTAIN VASCULAR PLANTS IN POTABLE WATER SOURCES, LAKES, RIVERS, RESERVOIRS, AND PONDS, SLOW-FLOWING OR QUIESCENT WATER BODIES, CROP AND NON-CROP IRRIGATION SYSTEMS (CANALS, LATERALS, AND DITCHES), FISH, GOLF COURSE, ORNAMENTAL, SWIMMING, AND FIRE PONDS, AND FISH HATCHERIES.

Active Ingredient:

Copper Carbonate† 15.9%

Other Ingredients 84.1%

TOTAL 100.0%

† Metallic copper equivalent, 9.1%

Keep Out of Reach of Children

DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail).

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call INFOTRAC at 1-800-535-5053.</p>	

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin irritation. Due to corrosive nature, may be harmful or fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield or safety glasses, protective clothing and rubber gloves when handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Fish toxicity is dependent on the hardness of the water. In soft water, trout and other species of fish may be killed at application rates recommended on this label. Do not use in water containing trout or other sensitive species if the carbonate hardness of water is less than 50 ppm. Fish toxicity generally decreases when the hardness of water increases. Consult State Fish and Game Agency or other responsible Agency before applying this product to public waters. Do not treat more than one-half of lake or pond at one time to avoid depletion of oxygen levels due to decaying vegetation.

Do not apply undiluted solution of this product directly to, or otherwise permit it to come into contact with any desirable plants as injury may result. Wash spray equipment thoroughly before and after each application.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

Captain Aquatic Algaecide is a double chelated copper formulation that is effective in controlling a broad range of algae.

This product has also been proven effective in controlling the rooted aquatic plant, Hydrilla verticillata.

The ethanolamines in this product prevent the precipitation of copper with carbonates and bicarbonates in the water. The application site is defined by this label as the specific location where Captain is applied. In slow moving and flowing canals and rivers, the application site is defined by this label as the target location for plant control. Use the lower recommended rate in Soft water (less than 50 ppm alkalinity) and the higher concentration in hard water (above 50 ppm alkalinity).

Water Use Restrictions

If treated water is a source of potable water, the residue of copper must not exceed 1 ppm. Waters treated with this product may be used for swimming, fishing, drinking, livestock watering or irrigating turf, ornamental plants or crops immediately after treatment. Always consult your State Fish and Game Agency or other responsible agency before applying this product to public waters.

Surface Spray/Injection Algaecide Application

For effective control, proper chemical concentration should be maintained for a minimum of three hours contact time. The application rates in the chart are based on static or minimal flow situations. Where significant dilution or loss of water from unregulated inflows or outflows occur (raceways) within a three-hour period, chemical may have to be metered in.

Identify the algae growth present as one of the following types: Planktonic (suspended), Filamentous (mat-forming), or Chara/Nitella.

Determine the surface acreage (1 acre = 43,560 sq. ft.) and average depth of infested area.

Refer to chart below to determine gallons of this product to apply per surface acre.

APPLICATION RATES (Gallons per Surface Acre)			
ALGAE TYPE OR SPECIES	DOSAGE	RATES	TREATMENT COMMENTS
	PPM COPPER	GALLONS / ACRE FOOT	
Planktonic	0.2	0.6 - 1.5	Apply lower dosage rates on light infestations. Use higher rates on heavy blooms and where algae masses are clumped and accumulated.
Filamentous	0.2 - 0.6	0.6 - 1.8	Apply lower dosage rates on early season, light infestations or treatment of regrowth. Apply higher rates on surface mats and species such as Pithophora, Cladophora, Lyngbya, and Hydrodictyon.
Chara/Nitella	0.4 - 0.8	1.2 - 2.4	Apply lower dosage rates on new infestations or early season growth. Apply higher rates on older, established calcified plants. Apply as close to top of plant growth as possible.

For dense infestations of filamentous algae or where the species of hydrodictyon, cladophora or pithophora are present, use the highest rate in the rate range.

For planktonic (suspended) algae and free-floating filamentous algae mats, application rates should be based on treating only the upper 3 to 4 feet of water where algae is growing. Under conditions of heavy infestation treat only 1/3 to 1/2 of the water body at a time to avoid fish suffocation caused by oxygen depletion from decaying algae. Before applying, dilute the required amount of this product with enough water to ensure even distribution with the type of equipment being used. For most effective results, apply under calm and sunny conditions when water temperature is at least 60°F. Break up floating algae mats before spraying or while application is being made. Use hand or power sprayer adjusted to rain-sized droplets. Spray shoreline areas to avoid trapping fish.

Herbicide Application (for Hydrilla Control)

Control of Hydrilla verticillata can be obtained from copper concentrations of 0.4 to 1.0 ppm resulting from this product's treatment. Choose the application rate based upon stage and density of Hydrilla growth and respective water depth from the chart below.

APPLICATION RATES (Gallons per Surface Acre)							
GROWTH STAGE/RELATIVE DENSITY	PPM COPPER	DEPTH IN FEET					
		1	2	3	4	5	6
Early Season/Low Density	0.4	1.2	2.4	3.6	4.8	6.0	7.2
	0.5	1.5	3.0	4.5	6.0	7.5	9.0
	0.6	1.8	3.6	5.4	7.2	9.0	10.8
Midseason/Moderate Density	0.7	2.1	4.2	6.3	8.4	10.5	12.6
	0.8	2.4	4.8	7.3	9.6	12.0	14.4
Late Season/High Density	0.9	2.7	5.4	8.1	10.8	13.5	16.2
	1.0	3.0	6.0	9.0	12.0	15.0	18.0

† Application rates for depths greater than six feet may be obtained by adding the rates given for the appropriate combination of depths. Application rates must not result in excess of 1.0 ppm copper concentration within treated water.

Diquat Tank Mix

On waters where enforcement of use restrictions for recreational, domestic and irrigation use are acceptable, the following mixture can be used as an alternative Hydrilla control method.

Tank mix 3-1/3 gallons of this product with 2 gallons of Diquat. Apply mixture at the rate of 5-1/3 gallons per surface acre. Dilute with at least 9 parts water and apply as a surface or underwater injection. Observe all cautions and restrictions on the labels of both products used in this mixture.

Drip System Application

For Use in Potable Water and Irrigation Conveyance Systems

This product should be applied as soon as algae or Hydrilla begins to interfere noticeably with normal delivery of water (clogging of lateral headgates, suction screens, weed screens, and siphon tubes). Delaying treatment could perpetuate the problem causing massing and compacting of plants. Heavy infestations and low flow may cause poor chemical distribution resulting in unsatisfactory control. Under these conditions increasing water flow rate during application may be necessary.

Prior to treatment it is important to accurately determine water flow rates. In the absence of weirs, orifices, or similar devices, which give accurate water flow measurements, volume of flow may be estimated by the following formula:

$$\text{Average Width (feet)} \times \text{Average Depth} \times \text{Velocity* (feet/second)} \times 0.9 = \text{Cubic Feet per Second (C.F.S.)}$$

*Velocity is the time it takes a floating object to travel a given distance. Dividing the distance traveled (feet) by the time (seconds) will yield velocity (feet/second). This measurement should be repeated at least three times in the intended application site and then averaged.

After accurately determining the water flow rate in C.F.S. or gallons/minute, find the corresponding drip rate in the chart below.

WATER FLOW RATE		CHEMICAL DRIP RATE		
C.F.S.	Gal./Min.	Qt./Hr.	ml/Min.	Fl. Oz./Min.
1	450	1	16	0.5
2	900	2	32	1.1
3	1350	3	47	1.6
4	1800	4	63	2.1
5	2250	5	79	2.7

Calculate the amount of product needed to maintain the drip rate for a treatment period of 3 or more hours by multiplying quart/hr x 3; ml / min. by 180; or Fl. oz. / min x 180. Dosage will maintain 1.0 ppm copper concentration in the treated water for the treatment period. Introduction of the chemical should be made in the channel at weirs or other turbulence-creating structures to promote the dispersion of the chemical.

Pour the required amount of this product into a drum or tank equipped with a brass needle valve and constructed to maintain a constant drip rate. Use a stopwatch and appropriate measuring container to set the desired drip rate. Readjust accordingly if the canal flow rate changes during the treatment period. This product can also be applied by using metering pumps that adjust to flow rates in the canal.

Results can vary depending upon species and density of algae and vegetation, desired distance of control and flow rate, and impact of water quality on copper residues and efficacy. Consult an Aquatic Specialist to determine optimal use rate and treatment period under local conditions. Periodic maintenance treatments may be required to maintain seasonal control.

General Treatment Notes

The following suggestions apply to the use of this product as an algaecide or herbicide in all approved use sites. For optimum effectiveness:

- Apply early in the day under calm, sunny conditions when water temperatures are at least 60 deg. F.
- Treat when growth first begins to appear or create a nuisance, if possible.
- Apply in a manner that will ensure even distribution of the chemical within the treatment area.
- Re-treat areas if regrowth begins to appear and seasonal control is desired. Allow one to two weeks between consecutive treatments.
- Allow seven to ten days to observe the effects of treatment (bleaching and breaking apart of plant material).
- Use a high-pressure surface spray application to break up dense floating algal mats.

Notice

Read and follow label directions carefully.

Contents may cause bluing where marcite has been etched.

Permits

Some states may require permits for the application of this product to public waters. Check with your local authorities.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage Instructions: This product should be stored only in the original container and placed in a cool and dry locked storage area. Keep away from other pesticides, fertilizer, food, and feed to prevent cross-contamination.

In case of spillage, dilute with water and wash up with water.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your local State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not reuse empty container. Triple rinse. Then offer for recycling, or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY DISCLAIMER

SePRO Corporation warrants that the product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SEPRO CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of SePRO Corporation as the seller. All such risks shall be assumed by buyer.

LIMITATION OF REMEDIES

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at SePRO Corporation's election, one of the following:


- (1) Refund of purchase price paid by buyer or user for product bought, or

(2) Replacement of amount of product used.

SePRO Corporation shall not be liable for losses or damages resulting from handling or use of this product unless SePRO Corporation is promptly notified of such losses or damages in writing. In no case shall SePRO Corporation be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer above and this Limitation of Remedies can not be varied by any written or verbal statements or agreements. No employee or sales agent of SePRO Corporation or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or Limitations of Remedies in any manner.

© Copyright _____ by SePRO Corporation



[BASE PANEL]



Captain* Liquid Copper Algacide

FOR CONTROL OF PLANKTONIC AND FILAMENTOUS ALGAE AND CERTAIN VASCULAR PLANTS IN POTABLE WATER SOURCES, LAKES, RIVERS, RESERVOIRS, AND PONDS, SLOW-FLOWING OR QUIESCENT WATER BODIES, CROP AND NON-CROP IRRIGATION SYSTEMS (CANALS, LATERALS, AND DITCHES), FISH, GOLF COURSE, ORNAMENTAL, SWIMMING, AND FIRE PONDS, AND FISH HATCHERIES.

Active Ingredient:

Copper Carbonate† 15.9%

Other Ingredients 84.1%

TOTAL 100.0%

† Metallic copper equivalent, 9.1%

Keep Out of Reach of Children

DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail).

FIRST AID

If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call **INFOTRAC** at **1-800-535-5053**.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

12/
13

Refer to label booklet for additional Precautionary Information and Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions. **Before buying or using this product, read "Warranty Disclaimer", "Inherent Risks of Use" and "Limitation of Remedies" inside label booklet.**

For additional information on our products, please visit www.sepro.com.

EPA Reg. No. 67690-9
FPL022808

EPA Est. No. _____
SPC- _____

*Trademark of SePRO Corporation
SePRO Corporation • 11550 N. Meridian Street, Suite 600 • Carmel, IN 46032 U.S.A.

Algaecide

Net Contents _____

CCCCC
CCCCC
CCCCC
CCCCC
CCCCC
CCCCC
CCCCC
CCCCC
CCCCC
CCCCC
CCCCC
CCCCC
CCCCC
CCCCC
CCCCC
CCCCC
CCCCC
CCCCC
CCCCC



13/13

SePRO Corporation • 11550 North Meridian Street • Suite 600 • Carmel, Indiana 46032-4565
Phone: (317) 580-8282 • Fax: (317) 428-4577

February 28, 2008

Mr. Adam Heyward, PM 34
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive.
Arlington, VA 22202-4501

**RE: Captain Liquid Copper Algaecide, EPA Reg. No. 67690-9
Notification to correct typographical error**

Dear Mr. Heyward,

On behalf of SePRO Corporation I am submitting a notification to amend the product label for Captain Liquid Copper Algaecide, EPA Reg. No. 67690-9. A typographical error is being corrected in the table found on page 4 of the enclosed label. This table mistakenly listed the algal type, "filamentous", twice. The second occurrence should read "chara/nitella". This table reflects the algal species listed under the section "Surface Spray/Injection Algaecide Application" directly above this table.

Please find enclosed the following information to support this notification request.

- Transmittal document (this letter)
- Application for Pesticide Registration, EPA Form 8570-1
- 5 (five) copies of the corrected label with changes highlighted on one copy.

This notification is consistent with the provisions of the PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions regarding this submission, please contact me at (317) 580-8286 or amy.dugger@sepro.com.

Sincerely,

Amy Dugger-Ronyak
Regulatory Affairs Specialist
SePRO Corporation

b6
b7C
b7E
b7F
b7G
b7H
b7I
b7J
b7K
b7L
b7M
b7N
b7O
b7P
b7Q
b7R
b7S
b7T
b7U
b7V
b7W
b7X
b7Y
b7Z
b7AA
b7AB
b7AC
b7AD
b7AE
b7AF
b7AG
b7AH
b7AI
b7AJ
b7AK
b7AL
b7AM
b7AN
b7AO
b7AP
b7AQ
b7AR
b7AS
b7AT
b7AU
b7AV
b7AW
b7AX
b7AY
b7AZ
b7BA
b7BB
b7BC
b7BD
b7BE
b7BF
b7BG
b7BH
b7BI
b7BJ
b7BK
b7BL
b7BM
b7BN
b7BO
b7BP
b7BQ
b7BR
b7BS
b7BT
b7BU
b7BV
b7BW
b7BX
b7BY
b7BZ
b7CA
b7CB
b7CC
b7CD
b7CE
b7CF
b7CG
b7CH
b7CI
b7CJ
b7CK
b7CL
b7CM
b7CN
b7CO
b7CP
b7CQ
b7CR
b7CS
b7CT
b7CU
b7CV
b7CW
b7CX
b7CY
b7CZ
b7DA
b7DB
b7DC
b7DD
b7DE
b7DF
b7DG
b7DH
b7DI
b7DJ
b7DK
b7DL
b7DM
b7DN
b7DO
b7DP
b7DQ
b7DR
b7DS
b7DT
b7DU
b7DV
b7DW
b7DX
b7DY
b7DZ
b7EA
b7EB
b7EC
b7ED
b7EE
b7EF
b7EG
b7EH
b7EI
b7EJ
b7EK
b7EL
b7EM
b7EN
b7EO
b7EP
b7EQ
b7ER
b7ES
b7ET
b7EU
b7EV
b7EW
b7EX
b7EY
b7EZ
b7FA
b7FB
b7FC
b7FD
b7FE
b7FF
b7FG
b7FH
b7FI
b7FJ
b7FK
b7FL
b7FM
b7FN
b7FO
b7FP
b7FQ
b7FR
b7FS
b7FT
b7FU
b7FV
b7FW
b7FX
b7FY
b7FZ
b7GA
b7GB
b7GC
b7GD
b7GE
b7GF
b7GG
b7GH
b7GI
b7GJ
b7GK
b7GL
b7GM
b7GN
b7GO
b7GP
b7GQ
b7GR
b7GS
b7GT
b7GU
b7GV
b7GW
b7GX
b7GY
b7GZ
b7HA
b7HB
b7HC
b7HD
b7HE
b7HF
b7HG
b7HH
b7HI
b7HJ
b7HK
b7HL
b7HM
b7HN
b7HO
b7HP
b7HQ
b7HR
b7HS
b7HT
b7HU
b7HV
b7HW
b7HX
b7HY
b7HZ
b7IA
b7IB
b7IC
b7ID
b7IE
b7IF
b7IG
b7IH
b7II
b7IJ
b7IK
b7IL
b7IM
b7IN
b7IO
b7IP
b7IQ
b7IR
b7IS
b7IT
b7IU
b7IV
b7IW
b7IX
b7IY
b7IZ
b7JA
b7JB
b7JC
b7JD
b7JE
b7JF
b7JG
b7JH
b7JI
b7JJ
b7JK
b7JL
b7JM
b7JN
b7JO
b7JP
b7JQ
b7JR
b7JS
b7JT
b7JU
b7JV
b7JW
b7JX
b7JY
b7JZ
b7KA
b7KB
b7KC
b7KD
b7KE
b7KF
b7KG
b7KH
b7KI
b7KJ
b7KK
b7KL
b7KM
b7KN
b7KO
b7KP
b7KQ
b7KR
b7KS
b7KT
b7KU
b7KV
b7KW
b7KX
b7KY
b7KZ
b7LA
b7LB
b7LC
b7LD
b7LE
b7LF
b7LG
b7LH
b7LI
b7LJ
b7LK
b7LL
b7LM
b7LN
b7LO
b7LP
b7LQ
b7LR
b7LS
b7LT
b7LU
b7LV
b7LW
b7LX
b7LY
b7LZ
b7MA
b7MB
b7MC
b7MD
b7ME
b7MF
b7MG
b7MH
b7MI
b7MJ
b7MK
b7ML
b7MM
b7MN
b7MO
b7MP
b7MQ
b7MR
b7MS
b7MT
b7MU
b7MV
b7MW
b7MX
b7MY
b7MZ
b7NA
b7NB
b7NC
b7ND
b7NE
b7NF
b7NG
b7NH
b7NI
b7NJ
b7NK
b7NL
b7NM
b7NN
b7NO
b7NP
b7NQ
b7NR
b7NS
b7NT
b7NU
b7NV
b7NW
b7NX
b7NY
b7NZ
b7OA
b7OB
b7OC
b7OD
b7OE
b7OF
b7OG
b7OH
b7OI
b7OJ
b7OK
b7OL
b7OM
b7ON
b7OO
b7OP
b7OQ
b7OR
b7OS
b7OT
b7OU
b7OV
b7OW
b7OX
b7OY
b7OZ
b7PA
b7PB
b7PC
b7PD
b7PE
b7PF
b7PG
b7PH
b7PI
b7PJ
b7PK
b7PL
b7PM
b7PN
b7PO
b7PP
b7PQ
b7PR
b7PS
b7PT
b7PU
b7PV
b7PW
b7PX
b7PY
b7PZ
b7QA
b7QB
b7QC
b7QD
b7QE
b7QF
b7QG
b7QH
b7QI
b7QJ
b7QK
b7QL
b7QM
b7QN
b7QO
b7QP
b7QQ
b7QR
b7QS
b7QT
b7QU
b7QV
b7QW
b7QX
b7QY
b7QZ
b7RA
b7RB
b7RC
b7RD
b7RE
b7RF
b7RG
b7RH
b7RI
b7RJ
b7RK
b7RL
b7RM
b7RN
b7RO
b7RP
b7RQ
b7RR
b7RS
b7RT
b7RU
b7RV
b7RW
b7RX
b7RY
b7RZ
b7SA
b7SB
b7SC
b7SD
b7SE
b7SF
b7SG
b7SH
b7SI
b7SJ
b7SK
b7SL
b7SM
b7SN
b7SO
b7SP
b7SQ
b7SR
b7SS
b7ST
b7SU
b7SV
b7SW
b7SX
b7SY
b7SZ
b7TA
b7TB
b7TC
b7TD
b7TE
b7TF
b7TG
b7TH
b7TI
b7TJ
b7TK
b7TL
b7TM
b7TN
b7TO
b7TP
b7TQ
b7TR
b7TS
b7TT
b7TU
b7TV
b7TW
b7TX
b7TY
b7TZ
b7UA
b7UB
b7UC
b7UD
b7UE
b7UF
b7UG
b7UH
b7UI
b7UJ
b7UK
b7UL
b7UM
b7UN
b7UO
b7UP
b7UQ
b7UR
b7US
b7UT
b7UU
b7UV
b7UW
b7UX
b7UY
b7UZ
b7VA
b7VB
b7VC
b7VD
b7VE
b7VF
b7VG
b7VH
b7VI
b7VJ
b7VK
b7VL
b7VM
b7VN
b7VO
b7VP
b7VQ
b7VR
b7VS
b7VT
b7VU
b7VV
b7VW
b7VX
b7VY
b7VZ
b7WA
b7WB
b7WC
b7WD
b7WE
b7WF
b7WG
b7WH
b7WI
b7WJ
b7WK
b7WL
b7WM
b7WN
b7WO
b7WP
b7WQ
b7WR
b7WS
b7WT
b7WU
b7WV
b7WW
b7WX
b7WY
b7WZ
b7XA
b7XB
b7XC
b7XD
b7XE
b7XF
b7XG
b7XH
b7XI
b7XJ
b7XK
b7XL
b7XM
b7XN
b7XO
b7XP
b7XQ
b7XR
b7XS
b7XT
b7XU
b7XV
b7XW
b7XX
b7XY
b7XZ
b7YA
b7YB
b7YC
b7YD
b7YE
b7YF
b7YG
b7YH
b7YI
b7YJ
b7YK
b7YL
b7YM
b7YN
b7YO
b7YP
b7YQ
b7YR
b7YS
b7YT
b7YU
b7YV
b7YW
b7YX
b7YY
b7YZ
b7ZA
b7ZB
b7ZC
b7ZD
b7ZE
b7ZF
b7ZG
b7ZH
b7ZI
b7ZJ
b7ZK
b7ZL
b7ZM
b7ZN
b7ZO
b7ZP
b7ZQ
b7ZR
b7ZS
b7ZT
b7ZU
b7ZV
b7ZW
b7ZX
b7ZY
b7ZZ