| - Sese read instructions | 7690-/ | 2 eting form. | and the second s | 4-8-2 Form Approve | | 2070-0060 | D. Approvel expres 2-3-9 |
|---|---|--|--|---|--------------------------------------|----------------------------------|---|
| ≎EPA | Environmenta | United States | | V | Registra Amendr Other | | OPP Identifier Number |
| | | Applicatio | n for Pestici | de - Section | 1 | | |
| 1. Company/Product Nur 67690-12 | nber | | 2. EPA J. Mille | Product Manager er | | | posed Classification None Restricted |
| 4. Company/Product (Na Sonar X | me) | | PM# 23 | | | | |
| 5. Name and Address of SePRO Corporation 11550 N. Meridian Carmel, IN 46032- | Street, Suite 600 | ode) | (b)(i), n to: | | nilar or ident | | FIFRA Section 3(c)(3) nposition and labeling |
| Check if | this is a new address | | Produ | ct Name | | | |
| | | | Section - I | | | | |
| Amendment - Exp | esponse to Agency lette | r dated | | Final printed labe Agency letter da "Me Too" Applic | ted | ,,,,, | OTIFICATION PR 0 8 2003 |
| Notification - Expl | ain below. | | | Other - Explain b | elow. | , ni | N 0 0 2003 |
| 152.46, and no other cha U.S.C. Sec. 1001 to willfu | tional page(s) if necessa ification per PR Notice 98- nges have been made to t illy make any false statem product may be in violation | -10. This notificati he labeling or the ent to EPA. I furt | ion is consistent wit confidential staten her understand that may be subject to e | ent of formula of the if this notification inforcement action | his product. I u is not consister | inderstand t it with the to | that it is a violation of 18 erms of PR Notice 98-10 |
| | | | Section - II | <u> </u> | | | |
| 1. Material This Product | | | | | <u> </u> | | ···· |
| Child-Resistant Packaging Yes No | Unit Packaging Yes No | | Water Soluble Pa | nckeging | 2. Type of (| Container Metai Plastic Glass | |
| Certification must be submitted | If "Yes" Unit Packaging wgt | No. per . container | If "Yes" Package wgt | No. per container | | Paper Other (Sp | ecify) |
| 3. Location of Net Conter | nts Information | 4. Size(s) Reta | il Container Various | 5. Lo | ocation of Lab | el Direction | 8 |
| 6. Manner in Which Labe | | Lithogra Paper g Stencile | aph lued id | Other | | | |
| | | | Section - i\ | | | | |
| 1. Contact Point (Comple | ete items directly below i | for identification | of individual to be | contacted, if nec | essery, to pro | cess this e | ppliertar) |
| Name James Messina | | 1 | itle Authorized Rep. c | f SePRO Corpor | | Telephone (202) 772-4 | No. (Include Area Code) 1932 |
| | stements I have made or any knowlingliy false or de law. | | Il attachments the | | | plete. | 3. Date Application Roceived (Stamped) |
| 2. Signature | Jen | | , Title Authorized Represe | ntative of SePRO | Corporation | | • |
| 4. Typed Name James Messina | | 5. | Date 4-4 | -03 | | | *. |
| | | | | | | | |

[FRONT PANEL]

NOTIFICATION

(logo) SePRO Corporation

APR 0 8 2003

Sonar* X

A herbicide for management of aquatic vegetation in fresh water ponds, lakes, reservoirs, potable water sources, drainage canals, irrigation canals and rivers.

Contains 0.05 pounds active ingredient per pound.

Keep Out of Reach of Children

CAUTION PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detaile. (If you do not understand this label, find someone to explain it to you in detail).

Refer to inside of label booklet for additional precautionary information and Directions for Use.

Notice: Read the entire label before using. Use only according to label directions. Before buying or using this product, read "Warranty Disclaimer", "Inherent Risks of Use" and "Limitation of Remedies" inside label booklet.

In case of emergency endangering health or the environment involving this product, call INFOTRAC at 1-800-535-5053.

EPA Reg. No. 67690-12 FPL 041503 EPA Est. No. 39578-TX-1 SPC-342142

*Trademark of SePRO Corporation SePRO Corporation • Carmel, IN 46032, U.S.A.

Herbicide

Net Weight - ____ pounds

Precautionary Statements

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children

CAUTION PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted no detaile. (If you do not understand this label, find someone to explain it to you in detail).

Harmful if Swallowed, Absorbed Through Skin, or if Inhaled

Avoid breathing of dust or contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

| | First Aid |
|---------------|---|
| If in eyes | Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice. |
| If on skin or | Take off contaminated clothing. |
| clothing | Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice. |
| If swallowed | Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. |
| | Do not give anything by mouth to an unconscious person. |
| If inhaled | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. |

Environmental Hazards

Follow use directions carefully so as to minimize adverse effects on nontarget organisms. In order to avoid impact on threatened or endangered aquatic plant or animal species, users must consult their State Fish and Game Agency or the U.S. Fish and Wildlife Service before making applications.

Do not contaminate untreated water when disposing of equipment washwaters. Trees and shrubs growing in water treated with Sonar X may occasionally develop chlorosis. Do not apply in tidewater/brackish water.

Lowest rates should be used in shallow areas where the water depth is considerably less than the average depth of the entire treatment site, for example, shallow shoreline areas.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read all Directions Carefully Before Applying Sonar X.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container only. Do not store near feed or foodstuffs. In case of leak or spill, contain material and dispose as waste.

Pesticide Disposal: Wastes resulting from use of this product may be used according to label directions or disposed of at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

Container Disposal for Refillable Containers: Seal all openings which have been opened during use. Return the empty container to a collection site designated by SePRO Corporation. If the container has been damaged and cannot be returned according to the recommended procedures, contact SePRO Corporation at 1-800-419-7779 to obtain proper handling instructions. General: Consult federal, state, or local disposal authorities for approved alternative procedures.

General Information

Sonar X herbicide is a selective systemic aquatic herbicide for management of aquatic vegetation in fresh water ponds, lakes, reservoirs, drainage canals, irrigation canals, and rivers. Sonar X is a pelleted formulation containing 5% fluridone. Sonar X is absorbed from water by plant shoots and from hydrosoil by the roots of aquatic vascular plants. It is important to maintain Sonar X in contact with the target plants for as long as possible. Rapid water movement or any condition which results in rapid dilution of Sonar X in treated water will reduce its effectiveness. In susceptible plants, Sonar X inhibits the formation of carotene. In the absence of carotene, chlorophyll is rapidly degraded by sunlight. Herbicidal symptoms of Sonar X appear in seven to ten days and appear as white (chlorotic) or pink growing points. Under optimum conditions 30 to 90 days are required before the desired level of aquatic weed management is achieved with Sonar X. Species susceptibility to Sonar X may vary depending on time of year, stage of growth and water movement. For best results, apply Sonar X prior to initiation of weed growth or when weeds begin active growth. Application to mature target plants may require higher application rates and may take longer to control.

Sonar X is not corrosive to application equipment.

The label provides recommendations on the use of a chemical analysis for the active ingredient. SePRO Corporation recommends the use of an Enzyme-Linked Immumoassay (ELISA Test) for the determination of the active ingredient concentration in the water. Contact SePRO Corporation for the utilization of this test, known as FasTEST, for the incorporation of this analysis in your treatment program. Other proven chemical analyses for the active ingredient may also be used. The chemical analysis, FasTEST, is referenced in this label as the preferred method for the rapid determination of the concentration of the active ingredient in the water.

Application rates are provided in pounds of Sonar X to achieve a desired concentration of the active ingredient in part per billion (ppb). The maximum application rate or sum of all application rates is 90 ppb in ponds and 150 ppb in lakes and reservoirs per annual growth cycle. This maximum concentration is the amount of product calculated as the target application rate, NOT determined by testing the residues of the active ingredient in the treated water.


General Use Precautions

- Obtain Required Permits: Consult with appropriate state or local water authorities before applying this product. Permits may be required by state or local public agencies.
- **NEW YORK STATE:** Application of Sonar X is not permitted in waters less than two (2) feet deep.
- Hydroponic Farming: Do not use Sonar X treated water for hydroponic farming.
- Greenhouse and Nursery Plants: Do not use Sonar X treated water for irrigating greenhouse or nursery plants. Use of an approved assay should confirm that residues are <1 ppb.
- WATER USE RESTRICTIONS FOLLOWING APPLICATIONS WITH SONAR X (DAYS)

| Application Rate | Drinking [†] | Fishing | Swimming | Livestock/Pet Consumption | Irrigation ^{††} |
|--------------------------------------|-----------------------|---------|----------|------------------------------|--|
| Maximum Rate (150 ppb) or less | 0 | 0 | 0 | 0 | See irrigation instructions below |

[†]Note below, under Potable Water Intakes, the information for application of Sonar X within ½ miles (1320) feet of a functioning potable water intake.

- Potable Water Intakes: Concentrations of the active ingredient fluridone up to 150 ppb are allowed in potable water sources; however, in lakes and reservoirs or other sources of potable water, <u>DO NOT APPLY</u> Sonar X at application rates greater than 20 ppb within one-fourth mile (1320 feet) of any functioning potable water intake. At application rates of 8-20 ppb, Sonar X <u>MAY BE APPLIED</u> where functioning potable water intakes are present. Note: Existing potable water intakes which are no longer in use, such as those replaced by connections to potable water wells or a municipal water system, are not considered to be functioning potable water intakes.
- Irrigation: Irrigation with Sonar X treated water may result in injury to the irrigated vegetation. SePRO Corporation recommends following these precautions and informing those who irrigate from areas treated with Sonar X of the irrigation time frames or water assay requirements presented in the table below. These time frames and assay recommendations are suggestions which should be followed to reduce the potential for injury to vegetation irrigated with water treated with Sonar X. Greater potential for crop injury occurs where Sonar X treated water is applied to crops grown on low organic and sandy soils.



¹¹ Note below, under Irrigation, specific time frames or fluridone residues that provide the widest safety margin for irrigating with fluridone treated water.

| | | Days After Appli | plication | | |
|--------------------------------------|---------------------------|--|--|--|--|
| Application Site | Established Tree Crops | Established Row Crops/ Turf/Plants | Newly Seeded Crops/Seedbeds or Areas to be Planted including Overseeded Golf Course Greens | | |
| ^T Ponds and Static Canals | 7 | 30 | Assay required | | |
| Canals | 7 | 7 | Assay required | | |
| Rivers | 7 | 7 | Assay required | | |
| TLakes and Reservoirs | 7 | 7 | Assay required | | |

^TFor purposes of Sonar X labeling, a pond is defined as a body of water 10 acres or less in size. A lake or reservoir is greater than 10 acres.

Where the use of Sonar X treated water is desired for irrigating crops prior to the time frames established above, the use of FasTEST assay is recommended to measure the concentration in the treated water. Where FasTEST has determined that concentrations are less than 10 parts per billion, there are no irrigation precautions for irrigating established tree crops, established row crops or turf. For tobacco, tomatoes, peppers or other plants within the Solanaceae Family and newly seeded crops or newly seeded grasses such as overseeded golf course greens, do not use Sonar X treated water if concentration are greater than 5 ppb. Furthermore, when rotating crops, do not plant members of the Solanaceae family in land that has been previously irrigated with fluridone concentrations in excess of 5 ppb. It is recommended that an aquatic specialist be consulted prior to commencing irrigation of these sites.

Plant Control Information

Sonar X selectivity is dependent upon dosage, time of year, stage of growth, method of application, and water movement. The following categories, controlled, partially controlled, and not controlled are provided to describe expected efficacy under ideal treatment conditions using higher to maximum label rates. Use of lower rates will increase selectivity of some species listed as controlled or partially controlled. Additional aquatic plants may be controlled, partially controlled, or tolerant to Sonar X. Consult an aquatic specialist Xior to application of Sonar X to determine a plant's susceptibility to Sonar X.

Vascular Aquatic Plants Controlled by Sonar X[†]

Submersed Plants:

bladderwort (*Utricularia* spp.)
common coontail (*Ceratophyllum demersum*)*
common Elodea (*Elodea canadensis*)*
egeria, Brazilian Elodea (*Egeria densa*)
fanwort, Cabomba (*Cabomba caroliniana*)
hydrilla (*Hydrilla verticillata*)
naiad (*Najas* spp.)*
pondweed (*Potamogeton* spp., except Illinois pondweed)*
watermilfoil (*Myriophyllum* spp. except variable-leaf milfoil)

Shorellae Grasses:
paragrass (Uzochloa mutica)

^{††}In lakes and reservoirs where one-half or greater of the body of water is treated, use the pond and static canal irrigation precautions.

[†]Species denoted by an asterisk are native plants that are often tolerant to Sonar X at lower use rates. Please consult an aquatic specialist for recommended Sonar X use rates when selective control of exotic species is desired.

Vascular Aquatic Plants Partially Controlled by Sonar X:

Floating Plants:

Salvinia (Salvinia spp.)

Emersed Plants:

alligatorweed (Alternanthera philoxeroides)
American lotus (Nelumbo lutea)
cattail (Typha spp.)
creeping waterprimrose (Ludwigia peploides)
parrotfeather (Myriophyllum aquaticum)
smartweed (Polygonum spp.)
spatterdock (Nuphar luteum)
spikerush (Eleocharis spp.)
waterlily (Nymphaea spp.)
waterpurslane (Ludwigia palustris)
watershield (Brasenia schreberi)

Submersed Plants:

Illinois pondweed (*Potamogeton illinoensis*) limnophila (*Limnophila sessiliflora*) tapegrass, American eelgrass (*Vallisneria americana*) watermilfoil--variable-leaf (*Myriophyllum heterophyllum*)

Shoreline Grasses:

barnyardgrass (Echinochloa crusgalli) giant cutgrass (Zizaniopsis miliacea) reed canarygrass (Philaris arundinaceae) southern watergrass (Hydrochloa caroliniensis) torpedograss (Panicum repens)

Vascular Aquatic Plants Not Controlled by Sonar X:

Floating Plants:

floating waterhyacinth (Eichhornia crassipes) waterlettuce (Pistia stratiotes)

Emersed Plants:

American frogbit (Limnobium spongia) arrowhead (Sagittaria spp.) bacopa (Bacopa spp.) big floatingheart, banana lily (Nymphoides aquatica) bulrush (Scirpus spp.) pickerelweed, lanceleaf (Pontederia spp.) rush (Juncus spp.) water pennywort (Hydrocotyle spp.)

Shoreling Grasses:

maidencahe (Panicum henritomon)

Note: algae (chara, nitella, and filamentous species are not controlled by Sonar X)

Application Directions

The aquatic plants present in the treatment site should be identified prior to application to determine their susceptibility to Sonar X. It is important to determine the area (acres) to be treated and the average depth in order to select the proper application rate. Do not exceed the maximum labeled rate for a given treatment site per annual growth cycle.

Application to Ponds

Sonar X may be applied to the entire surface area of a pond. For single applications, rates may be selected to provide 45 to 90 ppb to the treated water, although actual concentrations in treated water may be substantially lower at any point in time due to the slow-release formulation of this product. When treating for optimum selective control, lower rates may be applied for sensitive target species. Use the higher rate within the rate range where there is a dense weed mass, when treating more difficult to control species, and for ponds less than 5 acres in size with an average depth less than 4 feet. Application rates necessary to obtain these concentrations in treated water are shown in the following table. For additional application rate calculations, refer to page 9—Application Rate Calculations-Ponds, Lakes and Reservoirs. Split or multiple applications are recommended where dilution of treated water is anticipated; however, the sum of all applications should total 45 to 90 ppb and must not exceed a total of 90 ppb per annual growth cycle.

| Average Water Depth of Treatment Site | Pounds of Sonar X per Treated Surface Acre | | |
|---------------------------------------|--|----|--------|
| (feet) | 45 ppb | to | 90 ppb |
| 1 | 2.5 | · | 5 |
| 2 | 5 | | 10 |
| 3 | 7.5 | | 15 |
| 4 | 10 | | 20 |
| 5 | 12.5 | | 25 |
| 6 | 15 | | 30 |
| 7 | 17 | | 34 |
| 8 | 19.5 | | 39 |
| 9 | 22 | | 44 |
| 10 | 24.5 | | 49 |

Application to Lakes and Reservoirs

The following treatments are recommended for treating both whole lakes or reservoirs and partial areas of lakes or reservoirs (bays, etc.). For best results in treating partial lakes and reservoirs, Sonar X treatment areas should be a minimum of 5 acres in size. Treatment of areas smaller than 5 acres or treatment of narrow strips such as boat lanes or shorelines may not produce satisfactory results due to dilution by untreated water. Rate ranges are provided as a guide to include a wide range of environmental factors, such as target species, plant susceptibility, selectivity and other aquatic plant management objectives. Application rates and methods should be selected to theet the specific lake/reservoir aquatic plant management goals.

A. Whole Lake or Reservoir Treatments (Limited or No Water Discharge)

1. Single Application to Whole Lakes or Reservoirs

Where single applications to whole lakes or reservoirs are desired, apply Sonar X at an application rate of 16 to 90 ppb. Application rates necessary to obtain these concentrations in treated water are shown in the following table. For additional rate calculations, refer to page 9—Application Rate Calculation-Ponds, Lakes and Reservoirs. Choose an application rate to meet the aquatic plant management objective. Where greater plant selectivity is desired such as when controlling Eurasian watermilfoil and curlyleaf pondweed, choose an application rate lower in the rate range. For other plant species, SePRO recommends contacting an aquatic specialist in determining when to choose application rates lower in the rate range to meet specific plant management goals. Use the higher rate within the rate range where there is a dense weed mass or when treating more difficult to control plant species or in the event of a heavy rainfall event where dilution has occurred. In these cases, a second application or more may be required; however, the sum of all applications cannot exceed 150 ppb per annual growth cycle. Refer to the following Section (No. 2) Split or Multiple Applications for guidelines and maximum rate allowed.

| Average Water Depth of Treatment Site | | s of Sonar X Per d Surface Acre |
|---------------------------------------|--------|------------------------------------|
| (feet) | 16 ppb | to 90 ppb |
| 1 | 0.9 | 5 |
| 2 | 1.7 | 10 |
| 3 | 2.6 | 15 |
| 4 | 3.5 | 20 |
| 5 | 4.3 | 25 |
| 6 | 5.2 | 30 |
| 7 | 6.0 | 34 |
| 8 | 6.9 | 39 |
| 9 | 7.8 | 44 |
| 10 | 8.6 | 49 |
| 11 | 9.5 | 54 |
| 12 | 10.4 | 59 |
| 13 | 11.2 | 64 |
| 14 | 12.1 | 68 |
| 15 | 13.0 | 73 |
| 16 | 13.8 | 78 |
| 17 | 14.7 | 83 |
| 18 | 15.6 | 88 |
| 19 | 16.4 | 93 |
| 20 | 17.3 | 98 |

2. Split or Multiple Applications to Whole Lakes or Reservoirs

To meet certain plant management objectives, split or multiple applications may be desired in making whole lake treatments. Split or multiple application programs are desirable when the objective is to use the minimum effective dose and to maintain this lower dose for the sufficient time to ensure efficacy and enhance selectivity. Under these situations, use the lower rates (16 to 75 ppb) within the rate range. In controlling Eurasian watermilfoil and curlyleaf pondweed and where greater plant selectivity is desired, choose an application rate lower in the rate range. For other plant species, SePRO recommends contacting an aquatic specialist in determining when to choose application rates lower in the rate range to meet specific plant management goals. For split or repeated applications, the sum of all applications must not exceed 150 ppb per annual growth cycle.

Note: In treating lakes or reservoirs that contain potable water intakes and the application requires treating within ¼ mile of a potable water intake, no single application can exceed 20 ppb. Additionally, the sum of all applications cannot exceed 150 ppb per annual growth cycle.

B. Partial Lake or Reservoir Treatments

Where dilution of Sonar X with untreated water is anticipated, such as in partial lake or reservoir treatments, split or multiple applications may be used to extend the contact time to the target plants. The application rate and use frequency of Sonar X in a partial lake is highly dependent upon the treatment area. Higher application rates may be required and frequency of applications will vary depending upon the potential of untreated water diluting the Sonar X concentration in the treatment area. Use higher rates where greater dilution with untreated water is anticipated.

- 1. Application Sites Greater Than ½ Mile from a Functioning Potable Water Intake
 For single applications, apply Sonar X at application rates from 45 to 150 ppb. Split or multiple
 applications may be made, however, the sum of all applications cannot exceed 150 ppb per
 annual growth cycle. Split applications should be conducted to maintain a sufficient concentration
 in the target area for a period of 45 days or longer. The use of FasTEST is recommended to
 maintain the desired concentration in the target area over time.
- 2. Application Sites Within ¼ Mile of a Functioning Potable Water Intake
 In treatment areas that are within ¼ mile of a potable water intake, no single application can exceed 20 ppb. When utilizing split or repeated applications of Sonar X for sites which contain a potable water intake, FasTEST is required to determine the actual concentration in the water. Additionally, the sum of all applications cannot exceed 150 ppb per annual growth cycle.

Application Rate Calculation - Ponds, Lakes and Reservoirs


The amount of Sonar X to be applied to provide the desired ppb concentration of active ingredient equivalents in treated water may be calculated as follows:

• Pounds of Sonar X required per treated acre = Average water depth of treatment site x Desired ppb concentration of active ingredient equivalents x 0.054

For example, the pounds per acre of Sonar X required to provide a concentration of 25 ppb of active ingredient equivalents in water with an average depth of 5 feet is calculated as follows:

 $5 \times 25 \times 0.054 = 6.75$ pounds per treated surface acre.

Note: Calculated rates should not exceed the maximum allowable rate in pounds per treated surface acre for the water depth listed in the application rate table for the site to be treated.



11/1/1

Application to Drainage Canals, Irrigation Canals and Rivers

Static Canals:

In static drainage and irrigation canals, Sonar X should be applied at the rate of 20 to 40 pounds per surface acre.

Moving Water Canals and Rivers:

The performance of Sonar X will be enhanced by restricting or reducing water flow. In slow moving bodies of water use an application technique that maintains a concentration of 10 to 40 ppb in the applied area for a minimum of 45 days. Sonar X can be applied by split or multiple broadcast applications or by metering in the product to provide a uniform concentration of the herbicide based upon the flow pattern. The use of FasTEST is recommended to maintain the desired concentration in the target area over time.

Static or Moving Water Canals or Rivers Containing a Functioning Potable Water Intake In treating a static or moving water canal or river which contains a functioning potable water intake, applications of Sonar X greater than 20 ppb must be made more than ¼ mile from a functioning potable water intake. Applications less than 20 ppb may be applied within ¼ mile from a functioning potable water intake; however, if applications of Sonar X are made within ¼ mile from a functioning water intake, the FasTEST must be utilized to demonstrate that concentrations do not exceed 150 ppb at the potable water intake.

Application Rate Calculation-Drainage Canals, Irrigation Canals and Rivers

The amount of Sonar X to be applied through a metering system to provide the desired ppb concentration of active ingredient in treated water may be calculated as follows:

- 1. Average flow rate (feet per second) x average width (ft.) x average depth (ft.) x 0.9 = CFS (cubic feet per second)
- 2. CFS x 1.98 = acre feet per day (water movement)
- 3. Acre feet per day x desired ppb x 0.054 = pounds Sonar X required per day.



Warranty Disclaimer

SePRO Corporation warrants that the product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SEPRO COPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks Of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label such as unfavorable temperatures, soil conditions, ect.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner or application, or other factors, all of which are beyond the control of SePRO Corporation as the seller. All such risks shall be assumed by buyer.

Limitation of Remedies


The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at SePRO Corporation's election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

SePRO Corporation shall not be liable for losses or damages resulting from handling or use of this product unless SePRO Corporation is promptly notified of such losses or damages in writing. In no case shall SePRO Corporation be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer above and this Limitation of Remedies can not be varied by any written or verbal statements or agreements. No employee or sales agent of SePRO Corporation or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or Limitations of Remedies in any manner.

© Copyright 2003 by SePRO Corporation



[BASE PANEL]

(logo)

SePRO Corporation

Sonar* X

A herbicide for management of aquatic vegetation in fresh water ponds, lakes, reservoirs, potable water sources, drainage canals, irrigation canals and rivers.

| Active ingredient: | |
|---|------|
| fluridone: 1-methyl-3-phenyl-5-[3-(trifluoromethyl) | |
| phenyl]-4(1H)-pyridinone | 5.0% |
| Inert ingredients | |
| Total | |

Contains 0.05 pounds active ingredient per pound.

Precautionary Statements

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children

CAUTION **PRECAUCION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted no detaile. (If you do not understand this label, find someone to explain it to you in detail).

Harmful If Swallowed, Absorbed Through Skin, Or If Inhaled

Avoid breathing of dust or contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

| | First Aid |
|---|--|
| If in eyes | Hold Eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice. |
| If on skin or | Take off contaminated clothing. |
| clothing | Rinse skin immediately with plenty of water for 15 – 20 minutes. |
| | Call a poison control center or doctor for treatment advice. |
| If swallowed | Call a poison control center or doctor for treatment advice. |
| | Have person sip a glass of water if able to swallow. |
| | Do not induce vomiting unless told to do so by a poison control center or doctor. |
| | Do not give anything by mouth to an unconscious person |
| If inhaled | Move person to fresh air. |
| | • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. |
| سانه سوی پای سان سان در | Call a poison control center or doctor for further treatment advice. |
| Have the product co | ntainer or label with you when calling a poison control center or doctor, or |

going for treatment.

Environmental Hazards

Follow use directions carefully so as to minimize adverse effects on nontarget organisms. In order to avoid impact on threatened or endangered aquatic plant or animal species, users must consult their State Fish and Game Agency or the U.S. Fish and Wildlife Service before making applications. See additional Environmental Hazards under Precautionary Statements inside label booklet.

Refer to label booklet for additional precautionary information and Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions. Before buying or using this product, read "Warranty Disclaimer", "Inherent Risks of Use" and "Limitation of Remedies" inside label booklet.

In case of emergency endangering health or the environment involving this product, call INFOTRAC AT 1-800-535-5053.

EPA Reg. No. 67690-12 FPL 041503 EPA Est. No. 39578-TX-1 SPC-342142

*Trademark of SePRO Corporation SePRO Corporation • Carmel, IN 46032, U.S.A.

Herbicide

Net Weight - ____Pounds

15/1/1

E^xponent

(formerly Novigen Sciences, Inc.)

Exponent 1730 Rhode Island Ave., NW Suite 1100 Washington, DC 20036

telephone 202-772-4900 facsimile 202-772-4979 www.exponent.com

April 4, 2003

Ms. Joanne Miller Herbicide Branch, Product Manager 23 Office of Pesticide Programs (NOTIF) Registration Division (7505C) 1921 Jefferson Davis Highway Arlington, VA 22202

RE: Submission of Notification

Sonar X, EPA Registration No. 67690-12

Dear Ms. Miller:

On behalf of SePRO Corporation (11550 N. Meridian Street, Suite 600, Carmel, Indiana 46032-4562), Exponent, Inc. is submitting a notification pursuant to PR Notice 98-10 to make some editorial corrections, revise the pounds active ingredient per pound statement so it is not container specific, add refillable packaging language, add various container sizes, and remove some language that is not required on the label for Sonar X (EPA Registration #67690-12). We have revised the label and have enclosed five copies of it, including one copy with all notification language highlighted. The following items are enclosed in support of this label notification:

- Application for Pesticide, EPA 8570-1 Form; and
- Five copies of the updated label.

A summary of the specific revisions made to the enclosed label follow. We have added "No." to EPA Establishment, we have left the Net Contents statement blank to allow for various container sizes, and we have added an internal tracking number on the front panel and base label. We have replaced "Contains 1.5 pounds active ingredient per 30-pound container" to the equal statement "Contains 0.05 pounds active ingredient per pound" so that it is not container size specific. We are adding 1, 5, 8, and 40 pound container sizes to the product label. We have also added "Pesticide" and refillable container language to the Storage and Disposal directions on the label. The refillable container language is identical to the language approved on the Renovate (EPA Registration #62719-37) label. We have replaced the statement "Wash exposed clothing before reuse" on the base label to be consistent with language that was previously approved by EPA on the front panel (approved by EPA on label stamped April 22, 2002) that states "Renove contaminated clothing and wash before reuse." Lastly, we have updated the copyright date and made a few typographical corrections.

Miller, Joanne Page 2 April 4, 2003

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Per PR Notice 98-10, we request that the Agency provide a letter confirming the acceptability of this notification so that we can support the state registration label updates for Sonar X. Please find enclosed a stamped self-addressed postcard with a reference to the notification submission, product name, and registration number.

If you have any questions, please contact me at (202) 772-4932.

Sincerely.

James B. Messina

Exponent, Inc.

Authorized Representative of

SePRO Corporation

Enclosures

cc: Steve Cockreham, SePRO