

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460 EPA Reg. Number: Date of Issuance:

67690-29

APR 20 2009

NOTICE OF PESTICIDE:

____ Registration
XX Reregistration
(under FIFRA, as amended)

Terms of Issuance: Unconditional

Name of Pesticide Product: SpinOut260

Name and Address of Registrant (include ZIP Code):

SePRO Corporation (Attention Amy Dugger-Ronyak) 11550 North Meridian Street, Suite 600 Carmel, IN 46032

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document(s), EPA has reregistered the product listed above. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product. Within 45 days from the date of this notice, two copies of a final printed label must be submitted which makes the following changes:

(continued page 2)

Signature of Approving Official:

Date:

- APR 20 2009

Tony Kish, Product Manager (22) Registration Division, Fungicide Branch

EPA Form 8570-6

- 1. In the Precautionary Statements on pages 2, 5, and 10, change "Wear goggles" to "Wear safety glasses, goggles".
- 2. In the "Environmental Hazards" sections on pages 3, 6, and 11 delete the sentence "Certain water conditions...aquatic organism" because this is for direct aquatic application uses.
- 3. Because there is a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance. As an alternative, you may refer consumers to the company's phone number or e:mail address.
- 4. On page 10 after "protective eyewear" add "(safety glasses, goggles or face shield)".
- 5. A one year GLP storage stability (830.6317) and corrosion characteristics (830.6320) study must be submitted by 5/31/2010.
- 6. On page 10 the "respiratory protection device" is not defined or needed for this acute toxicity III product. Either delete this bullet or define this PPE. Also replace "exists" with "exist".
- 7. On page 11 in the "General Precautions" add "except for tree wound dressing as described on this label", after "Do not apply SpinOut 260 directly on plants".
- 8. Products shipped after 12 months from the date of this Notice or the next printing of the label, whichever occurs first, must bear the new revised label

SpinOut* 260


Root Control Coating

EPA Reg. No. 67690-29

Registration Notes: Amendment to U.S. EPA to comply with Copper RED. Other changes as described below.

General Label changes:

- 1. Add descriptive sale copy.
- 2. Compliance with PR Notice 2007-4 by adding storage and disposal language for:
 - a. Nonrefillable, rigid containers 5 gallons or less in size.
 - b. Refillable, rigid containers greater than 5 gallons in size.
- 3. Revised the following label elements to comply with the Copper RED.
 - a. Active Ingredient Statement to add the CAS Number for Copper Hydroxide, as required.
 - b. Environmental Hazards statements.
 - c. Personal Protective Equipment.
 - d. User Safety Recommendations.
 - e. Deleted the Agricultural-Use Requirements box.
 - f. Added a Nonagricultural-Use Requirements box.
- 4. Added text to the precautionary statements, "Wash thorogully with soap and water after handeling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse."
- 5. Added SePRO's full physical address.
- 6. Reworded various portions of the Directions for Use section to create better flow and understanding of SpinOut 260 use.
- 7. Updated the *Inherent Risks of Use* and *Limitation of Remedies* sections of the warranty statement.
- 8. Corrected minor typographical errors and formatting, throughout label as permitted by PRN 98-10.



-67690-29

[Base label for Nonrefillable, Rigid containers 5 gal or less]



SpinOut* 260

ROOT CONTROL COATING

Control of the contro GHELUIDAGUNUTSIANERONFANISTEVANDATIONAL SULLINGALINGANILLE IMPREVITAIANIGREERISNISTEMSTEVARIEVIDNINGERADEREPIEVENIGANILLE

Active Ingredient

Copper hydroxide [†] CASH20427-50-2	
Other Ingredients	<u>80</u> .4%
TOTAL	100.0%
[†] Metallic Copper equivalent 12.8%	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

PROTECT FROM FREEZING

Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Avoid breathing spray mist or vapors. Wear goggles or face shield. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash trioroughly with sont and water after handling and before eating shrinking, crewing ovina ogustice obacco-skemoverabi svast contamina obecombe belore reuse

	FIRST AID
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing	
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.

^{*}Trademark of SePRO Corporation

	 Do not give anything by mouth to an unconscious person.
If inhaled	Move person to fresh air.
	 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
	Call a poison control center or doctor for further treatment advice.
Have the pro	duct container or label with you when calling a poison control center or doctor, or
going for trea	atment. In case of authorizent and present and present and an analysis and a second a second and
fill the state of	in Cut 260, call INFOTRAC at 1-800-535-5053.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This pestigide is taxic to its and addate invertible second may contain that water through containing the supplied for several ments of more effects applied for several ments of more effects applied for several ments of more effects applied for the containing solutions of solutions with shallow, we get ables are note provide to produce much that contains Sometic 200. For enesting uses, at not apply disactly to where to alcase where surface waters present out included areas before the mean fight water may. Desired containing the water was a surface water where containing the water was a surface water where containing the water was a surface water where containing the water was a surface water when a surface and end of a supplements was by waters or means.

Ceuale varer certoitions inclumination of (555) Nov. dissolvers notains carron (2005) levels (3.9 mg/Lon.lower) and sont waters the alkalinity less from 50 mg/L. Increases the potential acule textolytic her range aqualis organisms.

Dinkologicalitation in the distancious content and the content of the content of

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Store above 32°F and protect from freezing.

Pesticide Disposal: Wastes resulting from the use of Sain 2002 may be disposed of on site or at an approved waste disposal facility.

Nonrefitable Container Disposal (rigid 5 gations of less). Do not reuse of felili this container. Triple rinse container (or equivalent) proportivated employing. There have as follows. Emply the remaining contents into application equipment or a publication vater and recap. Shake for 10 seconds after the flow begins to enp. Fill the container 2 full with water and recap. Shake for 10 seconds. Pour masale interapplication equipment or a mix tank or store imparence for later use or disposal. Drain for 10 seconds after the flow begins to dep. Repeat the precedure two more times. Then offer for recycling (at available) or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Refer to inside of label booklet for additional precautionary information and directions for use.

NOTICE: Read the entire label before using. Use only according to label directions. Before buying or using **SpinGut 260**, read *Warranty Disclaimer*, *Inherent Risks of Use* and *Limitation of Remedies* inside label booklet.

For additional information on our products, please visit <u>www.sepro.com</u>.

^{*}Trademark of SePRO Corporation

EPA REG. NO. 67690-29

EPA EST. NO. _____

SePRO Corporation 1.550 N. Mendian St. Ste. 600. Carmel, IN 46032 U.S.A.

Root Control Coating

Net contents _____

[Base label for Refillable, Rigid containers larger than 5 gal]



SpinOut* 260

ROOT CONTROL COATING

welster gettiellen fact sie vilken de auf begen bei syn eine belande son office profit in the first companies of the first results and the companies of the first of the first companies of Thereof the capabilities are the property of the contract of t

Active Ingredient

Other Ingredients 80.4
ingredients
TOTAL

TMetallic Copper equivalent 12.8%

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children

DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

PROTECT FROM FREEZING

Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Avoid breathing spray mist or vapors. Wear goggles or face shield. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash troisudalvivilias parano vale de celentare in celente per per estima e con en en

	FIRST AID
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

^{*}Trademark of SePRO Corporation

If inhaled

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangency health or the environment involved Spinout 200, call INFO RAC at 1-800-535-5053.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This pesticles is sold to its hard access in terreplates and now contaminate water than organizated sold nas a policial according to several policial organization. Produce application water capter and the sold nas and sold with static water capter and the organizate organizate and the contains sold to the contains of the contains

centaminateri pertatrionis including low dei aeron low clissobied organic carbon is recilievels.

S.G. minimal lowers canorised were sold canadimity deserviac accordant in creases the contential acute toxicity to sold larger acutant concentration.

Drittand unoffenay be havardous to aquatic organisms in water adjacent to be aied areas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Store above 32°F and protect from freezing.

Pesticide Disposal: Wastes resulting from the use of spinole and may be disposed of on site or at an approved waste disposal facility.

Retilable Container Disposal (rigid, larger than 5 gai). Pesilipps consider with pesilicide only. Do not revise this container for any other purposes. Cleaning the container before tingle disposal is the responsibility of the person disposing of the container. Cleaning parameteriting is the responsibility of the refiner. Forceast the sometimer perore fluid disposal, a may the remaining contents from this container into application estupation and tank. Existing remaining contents from this container into application estupation and tank. Existing container about 10 percent full with water. Agrical regionalities receiped in ensure collection system of the amount of purpositions are into the percent of the amount of the container specific and the amount of the amoun

Refer to inside of label booklet for additional precautionary information and directions for use.

NOTICE: Read the entire label before using. Use only according to label directions. Before buying or using **SpinOut 260**, read *Warranty Disclaimer*, *Inherent Risks of Use* and *Limitation of Remedies* inside label booklet.

For additional information on our products, please visit <u>www.sepro.com</u>. *Trademark of SePRO Corporation

16

EPA REG. NO. 67690-29

ΞPΑ	EST.	NO.	
SPC	-		

SePRO Corporation 1550 N. Mendian 31, Sie 500, Carmel, IN 46032 U.S.A.

Root Control Coating

Net contents _____

[Front of label booklet, ALL containers]



SpinOut* 260

ROOT CONTROL COATING

restational and the state of the second seco District and the state of the s The complete is the control of the c

Active Ingredient

Copper hydroxide Copper hydroxide	
Other Ingredients	80.4%
TOTAL	100.0%
Motallia Conner equivalent 12 90/	•

Metallic Copper equivalent 12.8%

Keep Out of Reach of Children **DANGER / PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

PROTECT FROM FREEZING

	FIRST AID
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or	Take off contaminated clothing.
clothing	Rinse skin immediately with plenty of water for 15 - 20 minutes.
	Call a poison control center or doctor for treatment advice.
lf	Call a poison control center or doctor immediately for treatment advice.
swallowed	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
If inhaled	Move person to fresh air.
	If person is not breathing, call 911 or an ambulance, then give artificial
•	respiration, preferably mouth-to-mouth if possible.
	 Call a poison control center or doctor for further treatment advice.
Have the prod	uct container or label with you when calling a poison control center or doctor, or
going for treat	ment. In case of emergency endangering health or the environment

involving SpinOut 260, call INFOTRAC at 1-800-535-5053. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

^{*}Trademark of SePRO Corporation

Refer to inside of label booklet for additional precautionary information and directions for use moleding storage and disposal.

NOTICE: Read the entire label before using. Use only according to label directions. Before buying or using Spiricut 200, read Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies inside label booklet.

For additional information on our products, please visit <u>www.sepro.com</u>.

EPA REG. NO. 67690-29

FREEZERS

EPA EST. NO. SPC -

SePRO Corporation 1 350 N Werdian St. Ste 600 Carmel, IN 46032 U.S.A.

Root Control Coating

Net contents ____

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Keep Out of Reach of Children DANGER

Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Avoid breathing spray mist or vapors. Wear goggles or face shield. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, danking chewing gun, or using tobacco. Remove and wash contaminates clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to **Sold of 250** are listed below. If you want more options, follow the instructions for category A on an EPA chemical resistance category selection sheet.

Applicators and other handlers must wear:

- Coveralls worn over a long-sleeved shirt and long pants;
- Socks girs chemical resistant footwear;
- Chemical-resistant gloves such as polyvinyl chloride (PVC), nitrile rubber or butyl rubber;
- Respiratory protection device; and
- Protective eyewear.

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exists, use detergent and hot water. Keep and wash PPE separately from other laundry. Discare clothing and other absorbent materials that have been drenched or neaving contaminated with Spin Our 260's concentrate. Do not reuse them:

USER SAFETY RECOMMENDATIONS

Users should:

- Washine ousine or gloves defene nerroving
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove RPE immediately after nandling SpinOut 269. As seen as cossible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic torish and actiatic invertebrates and may contaminate water through numer. Spin Out 260 has a potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains Spin Out 260. For terrestrial uses, do not apply directly to water to aceas where surface water is present or to intertical areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or insale:

^{*}Trademark of SePRO Corporation

6

Certain water conditions including low philisers; lew dissolved organicication. (ECA) levels (S.S. nort) of lower, and soft waters the calkability less than 50 mg/L problems as the potential acute toxism to portained adultic organisms.

Diff and informacy be navarobused abusing organisms in which adjugate the feet areas

DIRECTIONS FOR USE

It is a violation of Federal Law to use some 222 in a manner inconsistent with its labeling.

Do not apply **Specific 1** in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the **transport** area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Navigation of the contraction of

The new litements in this cax apoly for secon Sum on 2602 har are not within the score of the Western Profession Standard for agricultural people of \$1.2502 have the Westernless when Spinicultural people of the Westernless when Spinicultural people of the western when Spinicultural posterior profession of the control of

De nomente non allow oune is for enter main such year aver direction treate or poissaire ets

Celevatic obtained and the celebrate of the celebrate of

Spine 14:768 sa plan quewin regulator for use on plastic de estidiose doseny confainers and realed sheets for use as incerts in container grown woods ornamental and hereaceous plant species and non-peacing star and muserops. Spino a 250 may also se used on Landscape and browstrative Fabrics and as a gree woung bressing

SpinOut 260 acts as a root pruning agent to control root spiraling and promote the development of a fibrous root system. Use SpinOut 260 at any stage of plant development from seedlings to large container-grown trees. Apply in a well-ventilated area.

SpinOut 260 has been extensively researched; however, testing has not been conducted on all species or cultivars, or under all growing conditions. In some instances performance characteristics may vary.

Generaliterations

- Do not apply SpinOut 260 directly on plants or soil.
- Do not apply Spin Out 260 through any type of irrigation system.
- Do not apply SpinOut 260 when the temperature is below 50°F (10°C).
- **Spingle 260** may be reactive on masonry and metal surfaces such as galvanized roofing. Avoid contact with metal surfaces.
- Some containers, particularly bedding plant containers, may be treated with a slipping agent for easy unstacking. Slipping agents usually appear waxy and can prevent the adhesion of SpinOut 260. SpinOut 260 applications are not recommend under these conditions.
- It must be determined if proper application and molding equipment are available and if the

^{*}Trademark of SePRO Corporation

16

waste associated with their use can be properly handled. **Spin at 260** may be reactive with the materials used in the construction of application and molding equipment such as aluminum, rubber and some synthetic materials. This factor should be taken into consideration when selecting proper application and molding equipment. It is necessary for all application and molding equipment to be thoroughly flushed with clean water after each day's use.

APPLICATION DIRECTIONS

Containers - Nursery containers should be clean and dry before applying SpinOut 260. Used containers should be free of any loose soil. Stir SpinOut 260 well before use.
SpinOut 260 may be diluted with water up to 25% (1 gallon SpinOut 260:1 quart water), depending on the spray equipment used.

Apply an even coating of SpinOut 260 to the inner surfaces of plastic or cellulose containers using conventional paint spraying equipment. Spray equipment can be cleaned with warm soapy water or any household cleaning product. Refer to the sprayer equipment owner's manual for specific instructions on equipment clean up. Follow all directions and precautions for the specific application equipment being used.

Allow SpinOut 260 to dry on containers for 30 to 60 minutes under good drying conditions before stacking or filling with soil. SpinOut 260 is thoroughly dry when it changes from dark to a light gray color. When restacking, do not push containers tightly together to prevent scratching the SpinOut 260 coating. Treated containers can be stored for up to 1 year before use.

Inserts - Stir SpinOut 260 well before use and **DO NOT DILUTE**. Inserts made of paper, cardboard, plastic, foil, non-woven fabric or other suitable material that have been evenly sprayed or coated with SpinOut 260 on one or both sides can be placed in a container to cover the inner surface. Insert material may be coated with SpinOut 260 by any appropriate industrial coating machinery, such as roll coating, printing press, doctors blade or other equipment that will provide an even coating on the material. Allow SpinOut 260 is the roughly on when toranges from tark to a heart gray color.

Inserts must cover the inner surface without tears, holes or gaps in coverage and should be trimmed around the top of the pot with scissors, if needed. Dispose of trimmings in a sanitary landfill, or by burning, or if allowed by state and local authorities, wrap trimmings in newspaper and place in trash collection. If burned, stay out of smoke.

➤ Landscape And Industrial Use Fabrics – SpinOut 260, when applied to woven and non-woven fabrics at a manuacturing facility, allows the fabric to be used for covering greenhouse benches/floors, tray/pot bottoms, nursery, landscape, industrial and garden matting (under mulches and pavements) to extend fabric life and prevent root penetration of the barrier from both below and above the fabric. The fabric can also be used as an underground pipe wrap to prevent roots from penetrating the pipe.

SpinOut 260 can be applied to fabric by dipping, spraying or coating with any appropriate industrial coating machinery, such as roll coating, printing press, doctors blade or other equipment that will provide an even coating on the material. Fabric must be evenly coated with SpinOut 260 on one or both sides.

^{*}Trademark of SePRO Corporation

> Tree Wound Dressing - SpinOut 260 may be sprayed or painted over wounds and cuts in tree bark to seal the wound and help prevent bacterial and fungus infections of the tree. Spray or paint an even coat of SpinOut 260 over tree wounds or cuts. One coat of SpinOut 260 should protect wounds or cuts for up to one year or until average size wounds have healed.

Landscape Root Control Barriers (Plastic Or Sheet Metal) - SpinOut 260 may be applied to landscape root control barriers used to divert plant roots around or under structures like sidewalks, retaining walls, street curbs, and building foundations. SpinOut 260 will control roots that grow against the physical barrier. Apply SpinOut 260 to landscape root control barriers and panels before assembly by spraying or painting. Apply a uniform heavy coat for maximum root control. Two applications may be applied for extended activity.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Store above 32°F and protect from freezing.

Pesticide Disposal: Wastes resulting from the use of spinous 250 may be disposed of on

site or at an approved waste disposal facility.

Nonrefiliable Container Disposal (rigid 5 gallens of less): De not reuse of refilithis container. Triple rinse container (or equivalent) promptivance employing. Triple rinse as follows: Employ the remaining contents into application equipment or a more taple and train to be seconds after the flow begins to come in the container. Authorities and receipt shake for 10 seconds (Four insafe plo application equipment or a mix transfer store means for later use or disposal. Drain for 10 seconds after the how begins to do procedure two more times. Then offer for recycling (if available) or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Refliable Container Disposal (rigid, larger than & gall). Reflicting container with pesticide only. Do not relise this container for any other purpose. Graning the container before final disposal responsibility of the person disposing of instromancer. Gleaning perfore teriling is the responsibility of the refiller. To elean the container before final disposal, empty the remaining contents man this cornainer line additioner up never a rick tank. Put the container about (0) percent foll with water Agnate vigging by a recirculate water with the output for 2 minutes. Four or pupit instrume additional requirement, trustes collecting system of treatment area. Repeat this small of procedure two more times. It reforming container seal all objectings which have been created during use. Return the ampty container to a collection site designated by SePRC comparation. If the container has been camaged and cannot be returned according to the recommendatividual structions.

WARRANTY DISCLAIMER

SePRO Corporation warrants that the product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SEPRO CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

^{*}Trademark of SePRO Corporation

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of **SpinOut 262**. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of SePRO Corporation as the seller.

LIMITATION OF REMEDIES

Te the extent consistent with acplicable law the exclusive pine of for losses or damages resulting from some if 250 (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at SePRO Corporation's election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

To the extent consistent with applicable law. SePRO Corporation shall not be liable for losses or damages resulting from handling or use of SanOut 250 unless SePRO Corporation is promptly notified of such losses or damages in writing. To be extent consistent with applicable law in no case shall SePRO Corporation be liable for consequential or incidental damages or losses.

The terms of the *Warranty Disclaimer* above and this *Limitation of Remedies* cannot be varied by any written or verbal statements or agreements. No employee or sales agent of SePRO Corporation or the seller is authorized to vary or exceed the terms of the *Warranty Disclaimer* or *Limitations of Remedies* in any manner.

©Copyright ____ SePRO Corporation