

67690-42

12.18.2006

1/13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

December 18, 2006

Amy Dugger-Ronyak
Regulatory Affairs Specialist
SePRO Corporation
11550 N. Meridian St., Suite 600
Carmel, IN 56032-4565

SUBJECT: Application for Pesticide Notification
Renovate® G
EPA Reg. No. 67690-42
Application Dated December 5, 2006

Dear Ms. Dugger-Ronyak:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above product. The Registration Division (RD) has conducted a preliminary screen of this request for its applicability under PRN 98-10 and finds that the action requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input checked="" type="checkbox"/> Amendment <input type="checkbox"/> Other	OPP Identifier Number
--	---	---	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 67690-42	2. EPA Product Manager Jim Tompkins	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Renovate G	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) SePRO Corporation 11550 N. Meridian St., Ste. 600 Carmel, IN 46032-4565 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
--	---

NOTIFICATION

DEC 18 2006

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Pursuant to PR Notice 98-10, notification is here made to update the storage and disposal statement to address packaging in plastic bags.

Section - III

1. Material This Product Will Be Packaged In:						2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt. _____ No. per container _____	If "Yes" Package wgt _____ No. per container _____				
3. Location of Net Contents Information Label <input type="checkbox"/> Container <input checked="" type="checkbox"/>		4. Size(s) Retail Container 10 lb, 40 lb, various		5. Location of Label Directions <input type="checkbox"/> Front <input checked="" type="checkbox"/> Back			
6. Manner in Which Label is Affixed to Product							
<input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled						<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Amy Dugger-Ronyak	Title Regulatory Affairs Specialist	Telephone No. (Include Area Code) 317-580-8288
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Affairs Specialist	
4. Typed Name Amy Dugger-Ronyak	5. Date December 05, 2006	



SePRO Corporation • 11550 North Meridian Street • Suite 600 • Carmel, Indiana 46032-4565
Phone: (317) 580-8282 • Fax: (317) 428-4577

December 5, 2006

NOTIFICATION
DEC 18 2006

Mr. Jim Tompkins, Product Manager 25
Document Processing Desk
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive.
Arlington, VA 22202-4501

RE: Label Notification – Storage and Disposal Statement
Renovate Granular
EPA Reg. No. 67690-42

Mr. Tompkins:

On behalf of SePRO Corporation (11550 North Meridian Street, Suite 600, Carmel, Indiana 46032-4565, EPA Company #67690), I am submitting information to amend the product label for Renovate G (EPA Reg. No. 67690-42) to add appropriate storage and disposal language for product sold in plastic bags. Please find enclosed the following information to support this notification:

- Application for Pesticide, EPA 8570-1 Form; and
- 5 (five) copies of the updated label with changes highlighted on the first label.

This notification is consistent with the provisions of the PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions regarding this submission, please contact me at (317) 580-8286.

Sincerely,

Amy Dugger-Ronyak
Regulatory Affairs Specialist
SePRO Corporation

Enclosures (6)

cc: Steve D. Cockreham, SePRO
Jim Messina, Exponent, Inc.
Carrie Daniels, Exponent, Inc.



NOTIFICATION

DEC 18 2006

Renovate[®] Granular

Aquatic Sites: For control of emersed, submersed and floating aquatic plants in the following aquatic sites: ponds; lakes; reservoirs; marshes; wetlands; impounded rivers, streams and other bodies of water that are quiescent; non-irrigation canals, seasonal irrigation waters and ditches which have little or no continuous outflow.

Active Ingredient:

triclopyr: 3,5,6-trichloro-
2-pyridinyloxyacetic acid,
triethylamine salt..... 14.0%

Other Ingredients..... 86.0%

Total..... 100.0%

(Acid equivalent: triclopyr - 10.0% - 1.6 ounces per pound)

Keep Out of Reach of Children

CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

Precautionary Statements

Hazard to Humans and Domestic Animals

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

First Aid	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye • Call a poison control center or doctor for treatment advice
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call INFOTRAC at 1-800-535-5053.</p>	

Environmental Hazards

Under certain conditions, treatment of aquatic weeds can result in oxygen depletion or loss due to decomposition of dead plants, which may contribute to fish suffocation. This loss can cause fish suffocation. Therefore, to minimize this hazard, do not treat more than one-third to one-half of the water area in a single operation and wait at least 10 to 14 days between treatments. Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. Consult with the State agency for fish and game before applying to public water to determine if a permit is needed.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal. Open dumping is prohibited.

Pesticide Storage: Store in original container. Do not store near food or feed. In case of leak or spill, contain material and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Disposal (Plastic Bags): Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Container Disposal (Plastic): Do not reuse container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

General: Consult federal, state, or local disposal authorities for approved alternative procedures.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

Refer to label booklet for additional precautionary information and Directions for Use.

Notice: Read the entire label. Use only according to label directions. **Before using this product, read "Warranty Disclaimer", "Inherent Risks of Use", and "Limitation of Remedies" at end of label booklet. If terms are unacceptable, return at once unopened.**

If you wish to obtain additional product information, please visit our web site at www.sepro.com.

EPA Reg. No. 67690-42
FPL 103006

EPA Est. No. _____
SPC-XXXXXX

Renovate is a registered trademark of Dow AgroSciences LLC.

Manufactured by:

SePRO Corporation Carmel, IN 46032 U.S.A.

Herbicide

Net Contents: _____

6/13

(Datapack)

Renovate G, EPA Reg. No. 67690-42

NOTIFICATION
DEC 18 2006



Renovate® Granular

Aquatic Sites: For control of emerged, submersed and floating aquatic plants in the following aquatic sites: ponds; lakes; reservoirs; marshes; wetlands; impounded rivers, streams and other bodies of water that are quiescent; non-irrigation canals, seasonal irrigation waters and ditches which have little or no continuous outflow.

Active Ingredient:

triclopyr: 3,5,6-trichloro-
2-pyridinyloxyacetic acid,
triethylamine salt..... 14.0%

Other Ingredients 86.0%

Total 100.0%

(Acid equivalent: triclopyr - 10% - 1.6 ounces per pound)

Keep Out of Reach of Children

CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

Refer to inside of label booklet for additional precautionary information, including Personal Protective Equipment (PPE), User Safety Recommendations and Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions. **Before using this product, read "Warranty Disclaimer", "Inherent Risks of Use", and "Limitation of Remedies" at end of label booklet. If terms are unacceptable, return at once unopened.**

If you wish to obtain additional product information, visit our web site at www.sepro.com.

EPA Reg. No. 67690-42
FPL 103006

EPA Est. No. _____
SPC-XXXXXX

Renovate is a registered trademark of Dow AgroSciences LLC.
Manufactured by:
SePRO Corporation Carmel, IN 46032 U.S.A.

Herbicide

Net Contents: _____

(Page 1 through end):

Table of Contents	Page
Precautionary Statements	5
Hazards to Humans and Domestic Animals.....	5
First Aid	5
Environmental Hazards	5
Physical or Chemical Hazards	5
Directions for Use	5
General Information	6
Aquatic and Wetland Sites	6
General Use Precautions and Restrictions	6
Grazing and Haying Restrictions	6
Best Management Practices for Aerial Application	7
Aquatic Weeds Controlled by Renovate Granular	7
Application Methods	8
Floating and Emersed Weeds	8
Submersed Weeds	8
Precautions for Potable Water Intakes	9
Wetland Sites	9
Storage and Disposal	10
Terms and Conditions of Use.....	10
Warranty Disclaimer	10
Inherent Risks of Use	10
Limitation of Remedies	10

Precautionary Statements

Hazard to Humans and Domestic Animals

CAUTION / PRECAUCIÓN

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

First Aid	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye • Call a poison control center or doctor for treatment advice
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call INFOTRAC at 1-800-535-5053.</p>	

Environmental Hazards

Under certain conditions, treatment of aquatic weeds can result in oxygen depletion or loss due to decomposition of dead plants, which may contribute to fish suffocation. This loss can cause fish suffocation. Therefore, to minimize this hazard, do not treat more than one-third to one-half of the water area in a single operation and wait at least 10 to 14 days between treatments. Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. Consult with the State agency for fish and game before applying to public water to determine if a permit is needed.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

General Information

When applying this product follow all applicable use directions, precautions and limitations.

For Aquatic and Wetland Sites:

Use Renovate® Granular herbicide for control of emerged, submersed and floating aquatic plants in the following aquatic sites: ponds; lakes; reservoirs; marshes; wetlands; impounded rivers, streams and other bodies of water that are quiescent; non-irrigation canals, seasonal irrigation waters and ditches which have little or no continuous outflow.

Obtain Required Permits: Consult with appropriate state or local water authorities before applying this product in and around public waters. State or local public agencies may require permits.

Recreational Use of Water in Treatment Area: There are no restrictions on use of water in the treatment area for recreational purposes, including swimming and fishing.

Livestock Use of Water from Treatment Area: There are no restrictions on livestock consumption of water from the treatment area.

General Use Precautions and Restrictions

Chemigation: Do not apply this product through any type of irrigation system.

Irrigation: Water treated with Renovate Granular may not be used for irrigation purposes for 120 days after application or until triclopyr residue levels are determined by laboratory analysis, or other appropriate means of analysis, to be 1.0 ppb or less.

- **Seasonal Irrigation Waters:** Renovate Granular may be applied during the off-season to surface waters that are used for irrigation on a seasonal basis, provided that there is a minimum of 120 days between Renovate Granular application and the first use of treated water for irrigation purposes or until triclopyr residue levels are determined by laboratory analysis, or other appropriate means of analysis, to be 1.0 ppb or less.
- **Irrigation Canals/Ditches:** DO NOT apply Renovate Granular to irrigation canals/ditches unless the 120 day restriction on irrigation water usage can be observed or triclopyr residue levels are determined by laboratory analysis, or other appropriate means of analysis, to be 1.0 ppb or less.
- Do not apply Renovate Granular directly to, or otherwise permit it to come into direct contact with grapes, tobacco, vegetable crops, flowers, or other desirable broadleaf plants, and do not permit granule dust to drift into them.
- Do not apply to salt water bays or estuaries.
- Do not apply directly to un-impounded rivers or streams.
- Do not apply on ditches or canals currently being used to transport irrigation water or that will be used for irrigation within 120 days following treatment or until triclopyr residue levels are determined to be 1.0 ppb or less.
- Do not apply where runoff water may flow onto agricultural land as injury to crops may result.
- **Grazing and Haying Restrictions:** Except for lactating dairy animals, there are no grazing restrictions following application of this product.
 - **Grazing Lactating Dairy Animals:** Do not allow lactating dairy animals to graze treated areas until the next growing season following application of this product.
 - Do not harvest hay for 14 days after application.
 - Grazed areas of non-cropland and forestry sites may be spot treated if they comprise no more than 10% of the total grazable area.
- **Slaughter Restrictions:** During the season of application, withdraw livestock from grazing treated grass at least 3 days before slaughter.

Best Management Practices for Drift Management

Equipment used in the application of Renovate Granular should be carefully calibrated before use and checked frequently during application to be sure it is working properly and delivering a uniform distribution pattern. To prevent increased Renovate Granular dosage above specified limits, do not overlap applications. Aerial application should be made only when the wind velocity is 2 to 10 mph.

Applications should be made only when there is little or no hazard for volatility or dust drift, and when application can maintain Renovate Granular placement in the intended area. Very small quantities of dust, which may not be visible, may seriously injure susceptible plants, and Renovate Granular may be blown outside of the intended treatment area under extreme conditions. Do not spread Renovate Granular when wind is blowing toward susceptible crops or ornamental plants that are near enough to be injured.

Avoiding drift at the application site is the responsibility of the applicator. The interaction of many equipment and weather related factors determine the potential for drift. The applicator is responsible for considering all these factors when making decisions.

Ground Application Equipment: To aid in reducing drift, Renovate Granular should be applied when wind velocity is low (follow state regulations; see Sensitive Area under Aerial Drift Reduction Advisory below).

Aerial Drift Reduction Advisory

This section is advisory in nature and does not supersede the mandatory label requirements.

Application Height: Applications should not be made at a height greater than 10 feet above the top of the largest plants unless a greater height is required for aircraft safety. Making applications at the lowest height that is safe reduces drift potential.

Swath Adjustment: When applications are made with a crosswind, the swath will be displaced downwind. Therefore, on the up and downwind edges of the field, the applicator must compensate for this displacement by adjusting the path of the aircraft upwind. Swath adjustment distance should increase, with increasing drift potential (e.g. higher wind).

Wind: Drift potential is lowest between wind speeds of 2 – 10 mph (follow state regulations). However, many factors, including equipment type, determine drift potential at any given speed. Application should be avoided below 2 mph due to variable wind direction and high inversion potential. Note: Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they affect drift.

Sensitive Areas: Renovate Granular should only be applied when the potential for drift to adjacent sensitive areas (e.g., residential areas, known habitat for threatened or endangered species, non-target crops) is minimal (e.g., when wind is blowing away from the sensitive areas).

Aquatic Weeds Controlled by Renovate Granular

alligatorweed	parrotfeather ^{††}	yellow water lily (Nuphar spp., spatterdock)
American lotus	pickerelweed	white water lily (Nymphaea spp.)
bladderwort	pennywort	water primrose (Ludwigia spp.)
Eurasian watermilfoil	smartweed	watershield (Brasenia spp.)
milfoil species	water chestnut [†]	

[†] Not for use in California

^{††}Retreatment may be needed to achieve desired level of control.

Application Methods

Surface Application

Use a mechanical spreader such as a fertilizer spreader or mechanical seeder or similar equipment capable of uniformly applying Renovate Granular. Before spreading any product, carefully calibrate the application equipment. When using boats and power equipment, you must determine the proper combination of (1) boat speed (2) rate of delivery from the spreader, and (3) width of swath covered by the granules.

Use the following formula to calibrate the spreader's delivery in pounds of Renovate Granular per minute:

$$\frac{\text{Miles per hour} \times \text{spreader width (feet)} \times \text{pounds per acre}}{495} = \text{Pounds per minute}$$

Aerial Application (Helicopter Only)

Ensure uniform application. All equipment should be properly calibrated using blanks with similar physical characteristics to Renovate Granular. To avoid streaked, uneven or overlapped application, use an appropriate tracking device (e.g. GPS). Refer to the **Aerial Drift Reduction Advisory** section of this label for additional precautions and instructions for aerial application.

➤ Floating and Emerged Weeds

For control of water lily's (*Nymphaea* spp. and *Nuphar* spp.), watershield (*Brasenia* spp.), and other susceptible emerged and floating herbaceous weeds, apply 0.75 to 2.5 ppm triclopyr per acre. Apply when plants are actively growing.

Use higher rates in the rate range when plants are mature, when the weed mass is dense, or for difficult to control species. Repeat as necessary to control regrowth, but do not exceed a total of 2.5 ppm triclopyr for the treatment area per annual growing season.

➤ Submersed Weeds

For control of Eurasian watermilfoil (*Myriophyllum spicatum*) and other susceptible submerged weeds in ponds, lakes, reservoirs, impounded rivers, streams and other bodies of water that are quiescent; non-irrigation canals, and seasonal irrigation waters, or ditches that have little or no continuous outflow, apply Renovate Granular using mechanical or portable granule spreading equipment. Rates should be selected according to the rate chart below to provide a triclopyr concentration of 0.75 to 2.5 ppm ae in treated water. Use of higher rates in the rate range is recommended in areas of greater water exchange or when treating target area of ½ acre or smaller. These areas may require a repeat application. However, total application of Renovate Granular must not exceed an application rate of 2.5 ppm ae triclopyr for the treatment area per annual growing season.

For optimal control, apply in spring or early summer when Eurasian watermilfoil or other submersed weeds are actively growing.

Concentration of Triclopyr Acid in Water (ppm a.e.)					
Avg. Water Depth (ft)	0.75 ppm	1.0 ppm	1.5 ppm	2.0 ppm	2.5 ppm
	lbs. Renovate Granular / acre (10% a.e.)				
1	20	27	41	54	68
2	41	54	81	108	135
3	61	81	122	162	203
4 feet or greater	81	108	164	216	270

Precautions for Potable Water Intakes:

For applications of Renovate Granular to control floating, emersed, and submersed weeds in sites that contain a functioning potable water intake for human consumption, see the chart below to determine the minimum setback distances of the application from the functioning potable water intakes.

Area Treated (acres)	Concentration of Triclopyr Acid in Water (ppm ae)				
	0.75 ppm	1.0 ppm	1.5 ppm	2.0 ppm	2.5 ppm
	Required Setback Distance (ft) from Potable Water Intake				
< 4	300	400	600	800	1000
> 4 – 8	420	560	840	1120	1400
> 8 – 16	600	800	1200	1600	2000
> 16 - 32	780	1040	1560	2080	2600
> 32 acres, calculate a setback using the formula for the appropriate rate	Setback (ft) = (800 * ln (acres) – 160)/3.33	Setback (ft) = (800 * ln (acres) – 160)/2.50	Setback (ft) = (800 * ln (acres) – 160)/1.67	Setback (ft) = (800 * ln (acres) – 160)/1.25	Setback (ft) = (800 * ln (acres) – 160)

Note: ln = natural logarithm

Example Calculation 1: to apply 2.5 ppm Renovate Granular to 50 acres:

$$\begin{aligned} \text{Setback in feet} &= (800 \times \ln(50 \text{ acres})) - 160 \\ &= (800 \times 3.912) - 160 \\ &= 2970 \text{ feet} \end{aligned}$$

Example Calculation 2: to apply 0.75 ppm Renovate Granular to 50 acres:

$$\begin{aligned} \text{Setback in feet} &= \frac{(800 \times \ln(50 \text{ acres})) - 160}{3.33} \\ &= \frac{(800 \times 3.912) - 160}{3.33} \\ &= 892 \text{ feet} \end{aligned}$$

Note: Existing potable water intakes which are no longer in use, such as those replaced by potable water wells or connections to a municipal water system, are not considered to be functioning potable water intakes.

To apply Renovate Granular around and within the distances noted above from a functioning potable water intake, the intake must be turned off until the triclopyr level in the intake water is determined to be 0.4 parts per million (ppm) or less by laboratory analysis or immunoassay.

➤ **Wetland Sites**

Wetlands include flood plains, deltas, marshes, swamps, bogs, and transitional areas between upland and lowland sites. Wetlands may occur within forests, wildlife habitat restoration and management areas and similar sites as well as areas adjacent to or surrounding domestic water supply reservoirs, lakes and ponds.

For control of emersed, floating or submersed aquatic weeds in wetland sites, follow use directions and application methods associated with the Floating and Emersed or Submersed sections on this label.

Use Precautions

Minimize unintentional application to open water when treating target vegetation in wetland sites.

Note: Consult local public water control authorities before applying this product in and around public water. Permits may be required to treat such areas.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal. Open dumping is prohibited.

Pesticide Storage: Store in original container. Do not store near food or feed. In case of leak or spill, contain material and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Disposal (Plastic Bags): Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Container Disposal (Plastic): Do not reuse container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

General: Consult federal, state, or local disposal authorities for approved alternative procedures.

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

Warranty Disclaimer

SePRO Corporation warrants that the product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SEPRO CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of SePRO Corporation as the seller. To the extent permitted by applicable law all such risks shall be assumed by buyer.

Limitation of Remedies

To the extent permitted by applicable law the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at SePRO Corporation's election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

To the extent permitted by applicable law SePRO Corporation shall not be liable for losses or damages resulting from handling or use of this product unless SePRO Corporation is promptly notified of such losses or damages in writing. To the extent permitted by applicable law in no case shall SePRO Corporation be liable for consequential or incidental damages or losses.

The terms of the "Warranty Disclaimer" above and this "Limitation of Remedies" cannot be varied by any written or verbal statements or agreements. No employee or sales agent of SePRO Corporation or the seller is authorized to vary or exceed the terms of the "Warranty Disclaimer" or "Limitations of Remedies" in any manner.

Renovate is a registered trademark of Dow AgroSciences LLC.

SePRO Corporation Carmel, IN 46032 U.S.A.

©Copyright 2006 SePRO Corporation