



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 3, 2015

Mr. Laurent C. Mezin
SePRO Corporation
11550 N. Meridian St., Suite 600
Carmel, IN 46032

Subject: Label Amendment – Add a retail sub-label, an alternate brand name and other changes
Product Name: Littora
EPA Registration Number: 67690-53
Application Date: 2/20/15
Decision Number: 500351

Dear Mr. Mezin:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 67690-53
Decision No. 500351

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Banza Djapao at 703-305-7269 or by email at djapao.banza@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Shaja B. Joyner". The signature is written in a cursive style with a large initial "S".

Shaja B. Joyner, Product Manager 20
Fungicide and Herbicide Branch
Registration Division (7504P)

Enclosure

Littora®

Landscape and Aquatic Herbicide

EPA Reg. No. 67690-53

FPL20140929 Clean

ABN: SePRO Total Pond - React

Version A - Professional uses sub-label	pp. 1-17
Version B – Retail Residential uses sub-label	pp. 18-25

Registration Notes: Based on EPA stamped label with FPL20130821.

Label Notes: Depending on container size, some label components found on the 'Base' label (e.g. Environmental Hazards, Storage and Disposal, etc) may not appear on the base label, but will be located in the label booklet due to space limitations due to the size of the container.

Label Changes:

1. Updated FPL date
2. Adds a use site listing to front and base panels.
3. Deletes the NY SLN text – not needed
4. Adds a Consumer sub-label
5. Adds an alternate brand name for the consumer sub-label
6. Other minor changes.

[Front of label booklet]


Littora®

Landscape and Aquatic Herbicide

ACCEPTED

Apr 03, 2015

 Under the Federal Insecticide, Fungicide
 and Rodenticide Act as amended, for the
 pesticide registered under
 EPA Reg. No. 67690-53

For use as a general herbicide to control weeds in commercial greenhouses and nurseries; ornamental seed crops; landscape, industrial, recreational, commercial, residential, and public areas; turf renovation; dormant established turfgrass; and aquatic areas.

To prevent accidental poisoning, never put this product into food, drink, or other containers. Do not use measuring utensils for subsequent food use. Use strictly in accordance with entire label.

Active Ingredient

Diquat dibromide [6,7-dihydrodipyrido(1,2-a:2',1'-c)pyrazinedium dibromide]37.3%

Other Ingredients.....62.7%

Total100.0%

Contains 2 pounds diquat cation per one (1) U.S. gallon (3.73 pounds diquat dibromide per gallon).

Keep Out of Reach of Children
CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Refer to inside of label booklet for additional precautionary information and directions for use, including First Aid and storage and disposal.

Notice: Read the entire label before using. Use only according to label directions. **Before buying or using this product, read *Terms and Conditions of Use, Warranty Disclaimer, Inherent Risks of Use* and *Limitation of Remedies* inside label booklet. If terms are unacceptable, return at once unopened.**

 EPA Reg. No. 67690-53
 FPL20140929

 EPA Est. No. _____
 [SPC-]_____

SePRO Corporation 11550 N. Meridian St., Suite 600 Carmel, IN 46032 U.S.A.
Net Contents _____
(Non-)Refillable Container _____

[Label booklet text]

PRECAUTIONARY STATEMENTS**Hazards to Humans and Domestic Animals****Keep Out of Reach of Children
CAUTION / PRECAUCIÓN**

Harmful if inhaled. Harmful if swallowed. Causes moderate eye irritation. Avoid breathing spray mist and contact with eyes or clothing.

FIRST AID	
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call INFOTRAC at 1-800-535-5053.</p>	

Note to Physicians: To be effective, treatment for diquat poisoning must begin **IMMEDIATELY**. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination, and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are: barrier laminate, butyl rubber ≥14 mils, nitrile rubber ≥14 mils. If you want more options, follow the instructions for Category A on an EPA Chemical Resistance Category Selection Chart.

Mixers, Loaders, Applicators and Other Handlers Must Wear:

- Coveralls over long-sleeved shirt and long pants;
- Chemical-resistant gloves;
- Chemical-resistant footwear plus socks;
- Protective eyewear;
- Chemical-resistant headgear for overhead exposure;
- Chemical-resistant apron when cleaning equipment, mixing, or loading; and
- Face shield when mixing or loading.

Exception: After this product has been diluted to 0.50% Littora or less in water (i.e., the labeled rate for some spot applications), applicators for **AQUATIC SURFACE APPLICATIONS** must, at a minimum, wear (Note: Mixers and loaders for this application method must still wear the PPE as described in the above section.):

- Long-sleeved shirt and long pants;
- Shoes plus socks;
- Waterproof gloves; and
- Protective eyewear.

Exception: At a minimum, applicators for **AQUATIC SUBSURFACE APPLICATIONS** must wear (Note: Mixers and loaders for this application method must still wear the PPE as described in the above section.):

- Short-sleeved shirt and short pants;
- Waterproof gloves; and
- Chemical-resistant footwear plus socks.

USER SAFETY REQUIREMENT

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this products concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS

Mixers and loaders supporting aerial applications are required to use closed systems that provide dermal protection. The closed system must be used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4)]. When using the closed system, mixers and loaders' PPE requirements may be reduced or modified as specified in the WPS.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. **For Terrestrial Uses** do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. **For Aquatic Uses** do not apply directly to water except as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read the entire label. Use strictly in accordance with precautionary statements and directions for use, and with applicable state and federal regulations.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not apply this product through any type of irrigation system.

Do not use this product for reformulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the WPS.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the WPS and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over long-sleeve shirt and long pants;
- Chemical-resistant gloves;
- Chemical-resistant footwear plus socks;
- Protective eyewear; and
- Chemical-resistant headgear for overhead exposure.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep all unprotected persons out of operating areas or vicinity where there may be drift.

For terrestrial uses, do not enter or allow entry of maintenance workers into treated areas, or allow contact with treated vegetation wet with spray, dew, or rain, without appropriate protective clothing until spray has dried.

For aquatic uses, do not enter treated areas while treatments are in progress.

PRODUCT OVERVIEW INFORMATION

Littora* Landscape and Aquatic Herbicide is a nonvolatile herbicidal for use as a general herbicide to control weeds in:

- Commercial greenhouses and nurseries;
- Ornamental seed crops (flowers, bulbs, etc. - except in the state of California);
- Landscape, industrial, recreational, commercial, residential, and public areas;
- Turf renovation (all turf areas except commercial sod farms);
- Dormant established turfgrass (bermudagrass, zoysiagrass, nonfood or feed crop); and
- Aquatic areas.

Absorption and herbicidal action is usually quite rapid with effects visible in a few days. Littora controls weeds by interfering with photosynthesis that occurs within green plant tissue. Weeds should be succulent and/or actively growing for best results.

Rinse all spray equipment thoroughly with water after use. Avoid spray drift to crops, ornamentals, and other desirable plants during application, as injury may result. Application to muddy water may result in reduced control. Minimize creating muddy water during aquatic application. Use of dirty or muddy water for Littora dilution may result in reduced herbicidal activity. Avoid applying under conditions of high wind, water flow, or wave action.

Spray Drift Management

Avoiding spray drift at the application site is the responsibility of the applicator. The interactions of many equipment- and weather-related factors determine the potential for spray drift. The applicator is responsible for considering all these factors when making decisions.

The following drift management requirements must be followed to avoid off-target drift movement from aerial applications to agricultural field crops:

- The distance of the outermost nozzles on the boom must not exceed $\frac{3}{4}$ the length of the wingspan or rotor; and
- Nozzles must always point backward parallel with the air stream and never be pointed downward more than 45 degrees.

Where states have more stringent regulations, they must be observed.

Droplet Size

The most effective way to reduce drift potential is to apply large droplets. The best drift management strategy is to apply the largest droplets that provide sufficient coverage and control. Applying larger droplets reduces drift potential, but will not prevent drift if applications are made improperly, or under unfavorable environmental conditions (See *Wind, Temperature and Humidity*, and *Temperature Inversions* sections of this label).

Controlling Droplet Size

Volume - Use high flow rate nozzles to apply the highest practical spray volume. Nozzles with higher rated flows produce larger droplets.

Pressure - Do not exceed the nozzle manufacturer's recommended pressures. For many nozzle types, lower pressure produces larger droplets. When higher flow rates are needed, use higher flow rate nozzles instead of increasing pressure.

Number of Nozzles - Use the minimum number of nozzles that provide uniform coverage.

Nozzle Orientation - Orienting nozzles so that the spray is released parallel to the airstream produces larger droplets than other orientations and is the recommended practice. Significant deflection from horizontal will reduce droplet size and increase drift potential.

Nozzle Type - Use a nozzle type that is designed for the intended application. With most nozzle types, narrower spray angles produce larger droplets. Consider using low-drift nozzles. Solid stream nozzles oriented straight back produce the largest droplets and the lowest drift.

Boom Length

For some use patterns, reducing the effective boom length to less than $\frac{3}{4}$ of the wingspan or rotor length may further reduce drift without reducing swath width.

Application Height

Applications should not be made at a height greater than 10 feet above the top of the target plants, unless a greater height is required for aircraft safety. Making applications at the lowest height that is safe reduces exposure of droplets to evaporation and wind.

Swath Adjustment

When applications are made with a crosswind, the swath will be displaced downwind.

Therefore, on the up and downwind edges of the field, the applicator must compensate for this displacement by adjusting the path of the aircraft upwind. Swath adjustment distance should increase with increasing drift potential (higher wind, smaller drops, etc.).

Wind

Drift potential is lowest between wind speeds of 2-10 mph. However, many factors, including droplet size and equipment type, determine drift potential at any given speed. Application should be avoided below 2 mph due to variable wind direction and high inversion potential.

Note: Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they affect spray drift.

Temperature and Humidity

When making applications in low relative humidity conditions set up equipment to produce larger droplets to compensate for evaporation. Droplet evaporation is most severe when conditions are both hot and dry.

Temperature Inversions

Applications should not occur during a temperature inversion because drift potential is high.

Temperature inversions restrict vertical air mixing, which causes small suspended droplets to remain in a concentrated cloud. This cloud can move in unpredictable directions due to the light variable winds common during inversions. Temperature inversions are characterized by increasing temperatures with altitude and are common on nights with limited cloud cover and light to no wind. They begin to form as the sun sets and often continue into the morning. Their presence can be indicated by ground fog; however, if fog is not present inversions can also be identified by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing.

Sensitive Areas

The pesticide should only be applied when the wind is blowing away from adjacent sensitive areas (e.g., residential areas, bodies of water, known habitat for threatened or endangered

species, non-target crops).

USE IN COMMERCIAL GREENHOUSES AND NURSERIES

For general weed control in commercial greenhouses (beneath benches), field grown and container stock, and other similar areas, Littora may be applied pre- or post-plant preemergence in field grown ornamental nursery plantings or post-emergence as a directed spray. Littora may also be applied preemergence in ornamental seed crops (except in the state of California).

Avoid contact with desirable foliage as injury may occur. Do not use on food or feed crops.

Spot spray: Apply 1-2 quarts of Littora plus the labeled rate of a 75% or greater nonionic surfactant per 100 gallons of water, or 0.75 ounces (22 milliliters) of Littora plus the labeled rate of a 75% or greater nonionic surfactant per 1 gallon of water.

Broadcast: Apply 1-2 pints of Littora in a minimum of 15 gallons of water per acre. Add the labeled rate of a 75% or greater nonionic surfactant per 100 gallons of spray mixture. Use an adequate spray volume to insure good coverage.

USE IN ORNAMENTAL SEED CROPS (FLOWERS, BULBS, ETC.) [EXCEPT IN THE STATE OF CALIFORNIA]

For pre-harvest desiccation of ornamental seed crops. NOT FOR FOOD OR FIBER CROPS.

Broadcast (Air or Ground): Apply 1.5-2 pints of Littora plus the labeled rate of a 75% or greater nonionic surfactant per acre in sufficient water (minimum of 5 gallons by air; 15 gallons by ground) for desiccation and weed burndown. Repeat as needed at no less than at 5-day intervals; up to three applications. Do not use seed, screenings, or waste as feed or for consumption.

USE IN LANDSCAPE, INDUSTRIAL, RECREATIONAL, COMMERCIAL, RESIDENTIAL, AND PUBLIC AREAS

Littora provides fast control of broadleaf and grassy weeds in industrial, recreational, golf course, commercial, residential, and public areas. Littora is a nonselective herbicide that rapidly kills undesirable above ground weed growth in 24-36 hours. Avoid application of Littora to desirable plants.

Littora is a contact/desiccant herbicide; it is essential to obtain complete coverage of the target weeds to get good control. Improper application technique and/or application to stressed weeds may result in unacceptable weed control. For best results, apply to actively growing, young weeds. Difficult weeds (such as perennial or deeply-rooted weeds) can often be controlled by tank mixing Littora with other systemic-type herbicides. Refer to other product labels for specific application directions.

For residual weed control, tank mix Littora with a preemergent herbicide labeled for the intended use site. When mixing Littora with another herbicide, it is recommended to mix just a small amount to first determine if the mixture is physically compatible before proceeding with larger volumes.

SePRO Corporation has not tested all possible tank mixtures with other herbicides for compatibility, efficacy or other adverse effects. Before mixing with other herbicides SePRO

Corporation recommends you first consult your state experimental station, state university or extension agent.

- **Grounds maintenance weed control:** Littora can be used as a spot or broadcast spray to control weeds in public, commercial and residential landscapes, including landscape beds, lawns, golf courses and roadsides. Littora can also be used for weed control around the edges and non-flooded portions of ponds, lakes and ditches.
- **Trim and Edge weed control:** Littora can be used to eliminate undesired grass and broadleaf plant growth in a narrow band along driveways, walkways, patios, cart paths, fence lines, and around trees, ornamental gardens, buildings, other structures, and beneath noncommercial greenhouse benches. Vegetation control with Littora is limited to the spray application width. Do not exceed the labeled rate of Littora as excessive rates may result in staining of concrete-based materials.

Littora, since it does not translocate systemically, can be used as an edging or pruning tool when precisely applied to select areas of grass or to undesirable growth on desirable ornamental bedding plants, ground covers, etc.

- **Industrial weed control:** Littora can be used as a spot or broadcast spray either alone or in combination with other herbicides as a fast burndown or control weeds in rights-of-ways, railroad beds/yards, highways, roads, dividers and medians, parking lots, pipelines, pumping stations, public utility lines, transformer stations and substations, electric utilities, storage yards, and other non-crop areas.

Spot spray: Apply either 1-2 quarts of Littora plus the labeled rate of a 75% or greater nonionic surfactant per 100 gallons water, or 0.75 ounces (22 milliliters) Littora plus the labeled rate of a 75% or greater nonionic surfactant per 1 gallon of water.

Broadcast: 1-2 pints of Littora per acre in sufficient water to insure good spray coverage. Add the labeled rate of 75% or greater nonionic surfactant per 100 gallons spray mixture. Greater water volumes are necessary if the target plants are tall and/or dense. It is recommended that 60 gallons or greater water volume be used to obtain good coverage of dense weeds.

USE IN TURF RENOVATION (ALL TURF AREAS EXCEPT COMMERCIAL SOD FARMS)

To desiccate golf course turf and other turf areas prior to renovation, apply 1-2 pints of Littora per acre plus the labeled rate of a 75% or greater nonionic surfactant in 20-100 gallons of water (4 teaspoons of Littora plus the labeled rate of a 75% or greater nonionic surfactant per 1 gallon of water) using ground spray equipment. Apply for full coverage and thorough contact with the turfgrass. Apply only when the turf is dry, free from dew and incidental moisture. For enhanced turf desiccation, especially in the case of thick turfgrass, water volumes should approach 100 gallons of water per acre.

For **suppression** of regrowth and quick desiccation of treated turfgrass, Littora may be mixed with other systemic nonselective or systemic post-emergence grassy weed herbicides. Refer to other product labels for specific application directions and restrictions.

Avoid spray contact with, or spray drift to, foliage of ornamental plants or food crops. Do not graze livestock on treated turf or feed treated thatch to livestock.

USE IN DORMANT ESTABLISHED TURFGRASS (BERMUDAGRASS, ZOYSIAGRASS), NONFOOD OR FEED CROP

For control of emerged annual broadleaf and grass weeds, including Little Barley[†], Annual Bluegrass, Bromes including Rescuegrass, Sixweeks fescue, Henbit, Buttercup, and Carolina Geranium in established dormant bermudagrass lawns, parks, golf courses, etc.

Apply 1-2 pints Littora per acre in 20-100 gallons of spray mix by ground as a broadcast application. Add the labeled rate of a 75% or greater nonionic surfactant per 100 gallons of spray mixture.

Bermudagrass must be dormant at application. Application to actively growing bermudagrass or bermudagrass in transition may cause delay or permanent injury. Users in the extreme Southern areas should be attentive to the extent of dormancy at the time of application.

[†]For control of Little Barley, apply Littora prior to the mid-boot stage.

USE IN AQUATIC AREAS

New York - Not for Sale or Use in New York State without Supplemental Special Local Needs Labeling.

Obtain Required Permits: Consult with appropriate state or local pesticide and/or water authorities before applying this product in or around public waters. Permits and posting or treatment notification may be required by state, tribal, or local public agencies.

Treatment of dense weed areas may result in oxygen loss from decomposition of dead weeds. This loss of oxygen may cause fish suffocation. Therefore, to minimize this hazard, do not treat more than $\frac{1}{2}$ of the water body area at one time and wait 14 days between treatments when susceptible plants are mature and have grown to the water's surface, or when the treatment would result in significant reductions in total plant biomass. Waters having limited and less dense weed infestations may not require partial treatments.

For application only to **still water** (i.e. ponds, lakes, and drainage ditches) where there is minimal or no outflow to public waters.

and/or

For applications to **public waters** in ponds, lakes, reservoirs, marshes, bayous, drainage ditches, canals, streams, rivers, and other slow-moving or quiescent bodies of water for control of aquatic weeds. For use by:

- Corps of Engineers;
- Federal or State public agencies (i.e., Water Management District personnel, municipal officials); or
- Applicators and/or licensees (certified for aquatic pest control) that are authorized by the State or Local government.

Treated water may be used according to the water use restrictions set forth in Table 1 or when an approved assay or analytical method establishes that the water does not contain more than

the designated maximum contaminant level goal (MCLG) of 0.02 mg/l (ppm) of diquat dibromide (calculated as the cation).

TABLE 1: WATER USE RESTRICTIONS FOLLOWING APPLICATIONS WITH LITTORA (Days)

Application Rate (gallons/surface acre)	Drinking	Fishing and Swimming	Livestock/ Domestic Animals Consumption	Irrigation to Turf and Landscape Ornamentals ^{††}	Irrigation to Food Crops and Production Ornamentals ^{††}
≥ 2	3 days	0	1 day	3 days	5 days
1	2 days	0	1 day	2 days	5 days
0.75	2 days	0	1 day	2 days	5 days
0.50	1 day	0	1 day	1 day	5 days
Spot Spray[†] (< 0.5)	1 day	0	1 day	1 day	5 days

[†] Add a nonionic surfactant (with at least 75% of the constituents active as a spray adjuvant) at the rate recommended by the manufacturer.

^{††} For preparing agricultural sprays for food crops, turf or ornamentals (to prevent phytotoxicity), do not use water treated with Littora before the specified time period.

When the contents of more than one spray tank is necessary to complete a single aquatic application, no water holding restrictions apply between the consecutive spray tanks.

No applications are to be made in areas where commercial processing of fish, resulting in the production of fish protein concentrate or fish meal, is practiced.

Littora may be applied by backpack, airboat, spray handgun, helicopter, airplane, or similar application equipment that results in thorough spray coverage.

Floating and Marginal Weed Control

Littora may be applied by backpack, airboat, spray handgun, helicopter, airplane, or similar application equipment that results in thorough spray coverage.

- Cattails, *Typha* spp.
- Duckweed, including *Lemna* spp.
- Frog's Bit[†], *Limnobium spongia*
- Pennywort (*Hydrocotyle* spp.)
- Salvinia spp. (including *S. molesta*)
- Water hyacinth, *Eichhornia crassipes*
- Water lettuce, *Pistia stratiotes*

[†]Not for use in California

Spot Treatment: Apply Littora at 2 to 4 quarts per 100 gallons spray carrier (0.5 - 1.0% solution) with an approved aquatic surfactant or wetting agent at 0.25 - 1.0% v/v (1 quart to 1 gallon per 100 gallons water; refer to the surfactant label for product-specific rates). For cattail control, Littora should be applied prior to flowering at the maximum application rate (8 quarts of Littora /100 gallons spray carrier) plus the wetting agent. Repeat treatments may be necessary for complete control.

Spray to completely wet target weeds but not to runoff. Densely packed weeds or mats may require additional applications due to incomplete spray coverage. Re-treat as needed. For best results, re-treat weed escapes within 2 weeks of the initial treatment.

Broadcast Treatment: Apply Littora at the rate of 0.5 - 2.0 gallons per surface acre in sufficient carrier along with 16-32 ounces per acre of an aquatic surfactant or wetting agent (refer to the surfactant label for product specific rates). Re-treat as necessary for densely populated weed areas. Good coverage is necessary for control of the target weeds.

For duckweed control, apply Littora at 1 - 2 gallons/acre.

Submersed Weed Control

To control submersed weeds apply Littora in water at 0.5 - 2.0 gallons per surface acre (per 4 foot water depth), or up to 0.5 gallons/acre foot in water with an average depth greater than 4 feet deep. For severe weed infestations or when treating more difficult to control species, use 0.5 gallons/acre foot of water. Refer to Table 2 for application rates.

- Algae^{††}, *Spirogyra* spp. and *Pithophora* spp.
- Bladderwort, *Utricularia* spp.
- Brazilian Elodea, *Egeria densa*
- Coontail, *Ceratophyllum demersum*
- Elodea, *Elodea* spp.
- Hydrilla, *Hydrilla verticillata*
- Naiad, *Najas* spp.
- Pondweeds[†], *Potamogeton* spp.
- Watermilfoils (including Eurasian), *Myriophyllum* spp.

[†]Littora controls *Potamogeton* species except Richardson's pondweed, *P. richardsonii*.

^{††}Suppression only. For control of *Spirogyra* and/or *Pithophora*, use Littora in a tank mix with an approved algaecide.

Application Rate (gallons/acre)	Average Water Depth			
	1 Foot	2 Feet	3 Feet	4 Feet ^{††}
1	0.25 gal.	0.50 gal	0.75 gal.	1.0 gal.
2	0.50 gal	1.0 gal.	1.5 gals.	2.0 gals.

[†]For water depths ≤ 2 feet including shorelines, do not exceed 1 gallon per surface acre.

^{††}In treatment areas with an average water depth greater than 4 feet, apply a maximum of 0.5 gallons per acre foot of water.

Subsurface Applications: Where the submersed weed growth, especially hydrilla, has reached the water surface, apply either in a water carrier or an invert emulsion through trailing hoses to apply the dilute spray below the water surface to insure adequate coverage.

Bottom Placement: Where submersed weeds such as hydrilla, bladderwort, or coontail are growing in deeper water and are less mature (e.g. not to the surface of the water) and/or where the water is slowly moving through the weed growth, the use of an application method (such as invert emulsion carrier or long-trailing hoses) to inject Littora near the bottom with weighted hoses may improve control.

Surface Application for Submerged Aquatic Weeds: Apply the recommended rate of Littora as a spray in sufficient carrier to fully cover the target area. Applications should be made to ensure complete coverage of the weed areas. In mixed weed populations, use the

high rate of application as indicated by weeds present. For dense submersed weeds or water over 2 feet deep, a surface spray is not recommended (Littora should be applied subsurface in these situations.)

Tank Mixes With Other Aquatic Herbicides/Algaecides: For severe weed or algae infestations, the use of an approved algaecide either as a pretreatment to the Littora application or in a tank mix, may result in enhanced weed control.

When tank mixing, read and follow the labeled precautionary statements, directions for use, weeds controlled, and other restrictions for each tank mix product. **Use in accordance with the most restrictive label limitations and precautions of the products used in the tank mix.** Do not exceed any labeled rate or dose. To ensure compatibility, a jar test is recommended before field application of any tank mix combination. Consult with SePRO Corporation for latest tank mix recommendations.

Littora + Komeen*

The addition of Komeen, or other copper-based herbicides/algaecides, with Littora may improve control on some species, such as hydrilla. For best results, apply 2 gallons Littora in combination with 4 gallons of Komeen (0.8 lbs a.i./gallon) per acre. For hydrilla control and control of other species with high sensitivity to copper, lower rates of Komeen may also enhance the activity of Littora. Apply copper at a minimum of 0.1 ppm in combination with Littora. Higher rates may be needed in areas with dense weeds.

NOTE: For Drinking (Potable) Water

- The drinking (potable) water restrictions for applications of Littora plus endothall are to ensure that consumption of water by the public is allowed only when the concentration of endothall in the water is less than the MCL (Maximum Contamination Level) of 0.1 ppm. Applicators should consider the unique characteristics of the treated waters to assure that endothall concentrations in potable drinking water do not exceed 0.1 ppm at the time of consumption.
- For applications of Littora plus endothall, the drinking water setback distance from functioning potable water intakes is ≥ 600 feet. Note: Existing potable water intakes that are no longer in use, such as those replaced by a connection to a municipal water system or a potable water well, are not considered to be functioning potable water intakes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not contaminate feed, foodstuffs, or drinking water. Do not store or transport near feed or food. Store at temperatures above 32°F.

Pesticide Disposal: Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Nonrefillable Container Disposal (rigid, 5 gallons or less): Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $\frac{1}{4}$ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat the procedure two

more times. Then offer the container for recycling (if available) or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable Container Disposal (rigid, greater than 5 gallons): Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling (if available) or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

TERMS AND CONDITIONS OF USE

If terms of the following *Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies* are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, to the extent consistent with applicable law, use by the buyer or any other user constitutes acceptance of the terms under *Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies*.

WARRANTY DISCLAIMER

SePRO Corporation warrants that the product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SEPRO CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of SePRO Corporation or the seller. To the extent consistent with applicable law, all such risks shall be assumed by buyer.

LIMITATION OF REMEDIES

To the extent consistent with applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at SePRO Corporation's election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

To the extent consistent with applicable law, SePRO Corporation shall not be liable for losses or damages resulting from handling or use of this product unless SePRO Corporation is promptly notified of such losses or damages in writing. In no case shall SePRO Corporation be liable for consequential or incidental damages or losses.

The terms of the *Terms and Conditions of Use, Warranty Disclaimer, Inherent Risks of Use* and this *Limitation of Remedies* cannot be varied by any written or verbal statements or agreements. No employee or sales agent of SePRO Corporation or the seller is authorized to vary or exceed the terms of the *Warranty Disclaimer* or this *Limitation of Remedies* in any manner.

© Copyright ____ SePRO Corporation
Littora is a registered trademark of SePRO Corporation

[Base/Booklet cover label for Nonrefillable, Rigid containers, 5 gal or less]



Littora®

Landscape and Aquatic Herbicide

For use as a general herbicide to control weeds in commercial greenhouses and nurseries; ornamental seed crops; landscape, industrial, recreational, commercial, residential, and public areas; turf renovation; dormant established turfgrass; and aquatic areas.

To prevent accidental poisoning, never put this product into food, drink, or other containers. Do not use measuring utensils for subsequent food use. Use strictly in accordance with entire label.

Active Ingredient

Diquat dibromide [6,7-dihydrodipyrido(1,2-a:2',1'-c)pyrazinediium dibromide]37.3%

Other Ingredients.....62.7%

Total100.0%

Contains 2 pounds diquat cation per one (1) U.S. gallon (3.73 pounds diquat dibromide per gallon).

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children

CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Harmful if inhaled. Harmful if swallowed. Causes moderate eye irritation. Avoid breathing spray mist and contact with eyes or clothing.

FIRST AID	
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call **INFOTRAC** at **1-800-535-5053**.

Note to Physicians: To be effective, treatment for diquat poisoning must begin **IMMEDIATELY**. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination, and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. **For Terrestrial Uses** do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. **For Aquatic Uses** do not apply directly to water except as specified on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not contaminate feed, foodstuffs, or drinking water. Do not store or transport near feed or food. Store at temperatures above 32°F.

Pesticide Disposal: Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Nonrefillable Container Disposal (rigid, 5 gallons or less): Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat the procedure two more times. Then offer the container for recycling (if available) or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable Container Disposal (rigid, greater than 5 gallons): Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling (if available) or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

Refer to label booklet for additional precautionary information including First Aid and directions for use.

Notice: Read the entire label before using. Use only according to label directions. **Before buying or using this product, read *Terms and Conditions of Use, Warranty Disclaimer, Inherent Risks of Use* and *Limitation of Remedies* inside label booklet. If terms are unacceptable, return at once unopened.**

EPA Reg. No. 67690-53
FPL20140929

EPA Est. No. _____
[SPC-]_____

SePRO Corporation 11550 N. Meridian St., Suite 600 Carmel, IN 46032 U.S.A.

**Net Contents _____
(Non-)Refillable Container _____**

[Front label ONLY for STP]



SePRO Total Pond - React

In-Season All-Purpose Aquatic Weed Control

To prevent accidental poisoning, never put this product into food, drink, or other containers. Do not use measuring utensils for subsequent food use. Use strictly in accordance with entire label.

Active Ingredient

Diquat dibromide [6,7-dihydrodipyrido(1,2-a:2',1'-c)pyrazinediium dibromide] 37.3%

Other Ingredients..... 62.7%

Total 100.0%

Contains 2 pounds diquat cation per one (1) U.S. gallon (3.73 pounds diquat dibromide per gallon).

Keep Out of Reach of Children

CAUTION

See back panel booklet for additional precautionary statements.



Controls all forms of aquatic weeds in ponds, lakes and reservoirs

- Fast-Acting Contact Control
- Kills only what you spray
- Suppresses some algae

[Booklet cover for **STP ONLY**]



SePRO Total Pond – React

In-Season All-Purpose Aquatic Weed Control

Controls fresh water weeds in, on and around water
(photos of use sites)

Shorelines

Ponds

Docks

Swimming Areas

Provides a quick kill for many aquatic weeds with visible results in just days!

General Application Guidance

Mix 4.5 oz. with 3 gallons of water to cover 900 sq. ft. (4 ft. average depth)

One pint (this container) treats up to 3,200 sq. ft.

Fishing and Swimming is permitted immediately following application.

Refer to the inside of this label booklet for additional information including Precautionary Statements, First Aid, and complete Instructions for Use including Storage and Disposal.



Copyright ©_____ SePRO Corporation

Customer Service: 1-844-766-2727

1-866-869-8521

www.seprototal.com

SePRO Total Pond – React is a Registered trademark of SePRO Corporation

Printed in the U.S.A.

EPA Reg. No. 67690-53

FPL20140929

Manufactured for:

SePRO Corporation 11550 N. Meridian St., Suite 600 Carmel, IN 46032 U.S.A.

EPA Est. No. _____

[SPC-]_____

Net Contents_____
(Non-)Refillable Container_____

[Label booklet text]

STOP! Please read entire label before use.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



HOW TO USE

SePRO Total Pond – React is an all-purpose, fast-acting, contact herbicide that controls unwanted floating, emergent and submersed aquatic weeds growing in the water and along the shoreline.

HOW SePRO Total Pond – React WORKS

This product controls weeds by interfering with photosynthesis that occurs within plant tissue. Absorption and herbicidal action is usually quite rapid with effects visible in a few days.

WHEN TO APPLY

This product should be applied when weeds are actively growing. Spray when the air is calm to minimize drift to desirable plants.

WHERE TO APPLY IN PONDS, LAKES and RESERVOIRS

- along shorelines
- around docks or piers
- channels or canals
- wetlands and other natural areas

Bladderwort	Naiads
Brazilian Elodea	Pennywort
Cattails	Pondweed spp.
Coontail	Salvinia
Duckweed	Water Lettuce
Elodea	Watermilfoil spp.
Hydrilla	

HOW TO APPLY***Foliar Spray Targeting Floating Weeds & Emergent (i.e. duckweed, cattails)***

1. This product mixes readily with water. Add 1.5 oz. to 1 gallon of water (plus the addition of a non-ionic aquatic surfactant) to a spray tank to treat 300 square feet.
2. Close sprayer, shake/swirl well. If possible, adjust nozzle tip to apply a coarse spray.
3. Spray directly on plants you want to control until they look glossy wet.
4. Some species may require retreatment to achieve complete control. Wait 14 days before reapplication.

Surface Spray or Injection Targeting Submersed Weeds (i.e. naiads, pondweeds, watermilfoil)

1. This product mixes readily with water. Based upon your average water depth of the treatment area, add the recommended rate from Table 2 to 1 gallon of water (plus the addition of a non-ionic aquatic surfactant) to a sprayer tank to treat 300 square feet.
2. If applying by boat surface spray and/or inject the spray solution by placing the spray tip under the surface of water while moving around the waterbody.

Table 2. Submersed Weeds Recommended Use Rate	
Average Water Depth of treatment area (feet)	Product Use Rate (oz./gallon of water)
2	3/4
4	1 1/2
6	2 1/4

Example: Submersed weeds in average depth of 4 feet of water. Mix 4.5 oz to 3 gallons of water to treat 900 square feet.

(step by step illustration of how to mix and apply)

TIPS FOR BEST RESULTS

- Apply directly to vegetation to be controlled insuring complete, uniform coverage; spray to glossy wet.
- Begin by treating from the shoreline, moving outward toward the middle of water body.
- Muddy water in the pond or sprayer can reduce effectiveness.

Do not treat more than 1/3 of the waterbody during a single application to avoid the potential for depletion of oxygen due to decaying vegetation. Wait at least 14 days before completing treatment of the remainder of the waterbody.

Obtain Required Permits: Consult with appropriate state or local pesticide and/or water authorities before applying this product in or around public waters. Permits and posting or treatment notification may be required by state, tribal, or local public agencies.

For application only to **still water** (i.e. ponds, lakes, reservoirs) where there is **minimal or no outflow to public waters**.

Treated water may be used according to the water use restrictions set forth in Table 3 or when an approved assay or analytical method establishes that the water does not contain more than the designated maximum contaminant level goal (MCLG) of 0.02 mg/l (ppm) of diquat dibromide (calculated as the cation). For preparing agricultural sprays for food crops, turf or ornamentals (to prevent phytotoxicity), do not use water treated with this product before the specified time period.

TABLE 3: WATER USE RESTRICTIONS FOLLOWING APPLICATIONS WITH THIS PRODUCT (Days)				
Drinking	Fishing and Swimming	Livestock/ Domestic Animals Consumption	Irrigation to Turf and Landscape Ornamentals	Irrigation to Food Crops and Production Ornamentals
3 days	0	1 day	3 days	5 days

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children

CAUTION

Harmful if inhaled. Harmful if swallowed. Causes moderate eye irritation. Avoid breathing spray mist and contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID	
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call INFOTRAC at 1-800-535-5053 .	

Note to Physicians: To be effective, treatment for diquat poisoning must begin **IMMEDIATELY**. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination, and removal of diquat from the

blood by charcoal hemoperfusion or continuous hemodialysis.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. Apply this product only in a manner specified on this label. Treatment of dense weed areas may result in oxygen loss from decomposition of dead weeds. This loss of oxygen may cause fish suffocation. Therefore, to minimize this hazard, do not treat more than 1/3 of the water body area at one time and wait 14 days between treatments when susceptible plants are mature and have grown to the water's surface, or when the treatment would result in significant reductions in total plant biomass. Waters having limited and less dense weed infestations may not require partial treatments.

STORAGE AND DISPOSAL

Pesticide Storage: Keep from freezing. Store in original container only. Do not store near feed or foodstuffs. In case of leak or spill, use absorbent materials to contain liquids and dispose as waste.

Container Handling

Nonrefillable Container. DO NOT reuse or refill this container.

If empty: Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

Notice: Research and testing have determined that the "directions for use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the buyer assumes responsibility for lack of performance or safety if not used according to the directions. To the extent consistent with applicable law, Manufacturer makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall Manufacturer be liable for consequential, special or indirect damages resulting from the use, handling or application of this product.



Need help? A SePRO Pond Advisor can remotely and accurately measure the size of your pond and discuss a personalized strategy to keep your pond clear of unwanted algae. Call us TOLL FREE at 1-844-766-2727 or email service@seprototal.com

© Copyright ____ SePRO Corporation

SePRO Total Pond - React is a registered trademark of SePRO Corporation

[Base label for **STP ONLY**]

SePRO Total Pond – React

In-Season All-Purpose Aquatic Weed Control

To prevent accidental poisoning, never put this product into food, drink, or other containers. Do not use measuring utensils for subsequent food use. Use strictly in accordance with entire label.

Active Ingredient

Diquat dibromide [6,7-dihydrodipyrido(1,2-a:2',1'-c)pyrazinediium dibromide]37.3%

Other Ingredients.....62.7%

Total 100.0%

Contains 2 pounds diquat cation per one (1) U.S. gallon (3.73 pounds diquat dibromide per gallon).

Keep Out of Reach of Children

CAUTION

Harmful if inhaled. Harmful if swallowed. Causes moderate eye irritation. Avoid breathing spray mist and contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.



Spring Summer Fall

FIRST AID

If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving

this product, call **INFOTRAC** at **1-800-535-5053**.

Note to Physicians: To be effective, treatment for diquat poisoning must begin **IMMEDIATELY**. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination, and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. **For Terrestrial Uses** do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. **For Aquatic Uses** do not apply directly to water except as specified on this label.

STORAGE AND DISPOSAL

Pesticide Storage: Keep from freezing. Store in original container only. Do not store near feed or foodstuffs. In case of leak or spill, use absorbent materials to contain liquids and dispose as waste.

Container Handling

Nonrefillable Container. DO NOT reuse or refill this container.

If empty: Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

Refer to label booklet for additional precautionary information and directions for use.

EPA Reg. No. 67690-53
FPL20140929

EPA Est. No. _____
[SPC-]_____

SePRO Corporation 11550 N. Meridian St., Suite 600 Carmel, IN 46032 U.S.A.

Net Contents _____
(Non-)Refillable Container _____