UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Laurent C. Mezin Regulatory Affairs Manager SePRO Corporation 11550 N. Meridian St., Suite 600 Carmel, IN 46032

AUG 2 6 2014

Subject:

Label Notification per PRN 98-10 – Adding Additional Aquatic Plants

Product Name: KOMEEN CRYSTAL EPA Registration Number: 67690-60

Application Date: 08/04/2014 Decision Number: 494390

Dear-Mezin:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the addition of aquatic plants falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Maryam Muhammad by phone at 703-347-0301, or via email at Muhammad.maryam@epa.gov.

Sincerely,

Tony Kish, Profluct Manager 22

Fungicide Branch

Registration Division (7505P) Office of Pesticide Programs

Please read instructions on	reverse before com	pleting forn) <u>. </u>	F	orm Approv	red. ON	MB No. 20	070-0060.	Approval expires 05-31-98
i	Uni	ited States				F	Registr	ation	OPP Identifier Number
EPA Environmental Protection Ag			on Agend	у			Amend	ment	
	· Washing	gton, DC 204	60 [°]			\boxtimes C	Other		
		Applicat	ion for P	esticide -					
Company/Product Number 67690-60				2. EPA Pro	duct Manag Tony Ki		•		posed Classification
4. Company/Produc SePRO / Komeen Cr				PM#	2	22			None Restricted
5. Name and Address of Appl	•	de)		6. Expedite product is si					Section 3(c)(3)(b)(l), my
SePRO CORPORATION									g 10-
11550 N. Meridian St., S	iuite 600								
Carmel, IN 46032				EPA Reg. N	lo				
				Product Nar	ne				
Check if this	is a new address				·				
			Sec	tion II			· · · · · · · · · · · · · · · · · · ·		
Amendment - Explain bel	low.			Final p	rinted labels	s in resp	ponse to	Agency lett	er dated
Resubmission in respons		ted XX-XX-X	<	"Me T	oo" Applicat	tion		,	
Notification - Explain bel	•			Other -	Explain be	low.			
Explanation: Use additional page		(For section I	and Section		<u> </u>			·	
Submission of a notification to	make minor changes	to the label							
			Sect	ion III				<u> </u>	
Material This Product Will E	Be Packaged In:					-	<u> </u>		
Child-Resistant Packaging	Unit Packaging		Water	Soluble Pack	aging ·		2. Type	of Contain	er
Yes*	Yes			Yes		- 1		Metal	
⊠ No	⊠ No			∆ No			\bowtie	Plastic	
40 - 4/6/2 - 4/2 4	If "Yes" Unit Packaging wgt.	No. per Container	If "Yes	s" ige wgt.	No. per Containe	_r		Glass	
*Certification must be submitted	Critic r destaying was	. Goritainer	, done	.gc g	Containe	-'	i	⊃aper `	
De Suprintieu		<u> </u>	<u>'</u>					Other_(Spec	cify)
3. Location of Net Contents In	formation	4. Size(s)	Retail Contai	ner				Label Direc	ctions
Label	Container		1 – 100 Lbs		⊠On Label				
		<u> </u>				<u> </u>	On Lab	eling accor	npanying product
6. Manner in Which Label is A	ffixed to Product	Lithog	•	Other		·- <u>-</u>			
		Paper	•			•		÷	
		Stenc		ion IV					((((
4 Contact Daint (Complete its	ann directly below for	identification			od if poops	2004 to	222222	this sastion	sint to C
Contact Point (Complete its Name	ins airectly below for		tle	to be contact	sa, ii rieces:	sary, to			<i>uon.)</i> No. (Include Area Cod∋). ⊂ ⊆
Laurent (C. Mézin	"		ulatory Affa	irs Mana	ger		•	(317) 580-8286 c
		Certif	cation						6. Date Application
I certify that the statements I have made on this form and all attach acknowledge that any knowingly false or misleading statement may under applicable law.								ŀ	(Stamped)
2. Signature			3. Title						
BY: Lauent 1	Tlezin	:	Regulatory Affairs Manager			(
4. Typed Name: Laure	nt C. Mézin		5. Date: 0	4 August 2014	4		· · · · · · · · · · · · · · · · · · ·		



SePRO Corporation • 11550 North Meridian Street • Suite 600 • Carmel, Indiana 46032-4565 *Phone*: (317) 580-8282 Fax: (317) 580-8290

04 August 2014

Tony Kish
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

RE: Komeen Crystal (EPA Reg. No. 67690-60) Notification to add species to the label

Dear Mr. Kish:

SePRO Corporation is submitting minor label changes as a notification under PR Notice 98-10 for the product Komeen Crystal (EPA Reg. No. 67690-60), to add a few controlled species, and other minor changes. The following enclosed items support this notification:

- Cover letter (this document);
- Application for Registration, EPA Form 8570-1;
- Two (2) copies of the Label for Komeen Crystal (1 highlighted and 1 clean).

This notification is consistent with the provisions of the PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions, please do not hesitate to contact me at (317) 580-8286 or at LaurentM@sepro.com.

Sincerely,

Laurent C, Mézin, Ph.D.

Laurent -

Manager, Regulatory Affairs

SePRO Corporation

[Front of label booklet, ALL containers]



NOTIFICATION

AUG 2 6 2014

Komeen® Crystal

For use in slow-moving or quiescent bodies of water including: golf course, ornamental, fish, and fire ponds; fresh water lakes, fish hatcheries, and potable water reservoirs.

Active Ingredient

Copper ethylenediamine complex[†] (CAS# 13426-91-0) 50.0%

Other Ingredients 50.0%

TOTAL 100.0%

†Metallic copper equivalent = 17.5%

KEEP OUT OF THE REACH OF CHILDREN DANGER / PELIGRO

involving this product, call INFOTRAC at 1-800-535-5053.

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

	FIRST AID
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
lf swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice:
	duct container or label with you when calling a poison control center or doctor, eatment. In case of emergency endangering health or the environment.

Refer to inside of label booklet for additional precautionary information and directions for use including first aid and storage and disposal.

Notice: Read the entire label before using. Use only according to label directions. Eefore buying or using this product, read Terms and Conditions of Use, Warranty Dischaimer, Inherent Risks of Use and Limitation of Remedies inside label booklet.

EPA Reg. No. 67690-60

EPA Est. No.

Komeen® (Crystal,	EPA	Reg.	No.	67	69	0-	6	0
-----------	----------	-----	------	-----	----	----	----	---	---

FPL20140804

[SPC-	

SePRO Corporation 11550 North Meridian Street, Suite 600, Carmel, IN 46032, U.S.A.

Net weight ____ [Refillable/ Nonrefillable Container ____]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

KEEP OUT OF THE REACH OF CHILDREN DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Corrosive. Causes irreversible eye damage. May be fatal if swallowed. Harmful if inhaled. Do not get in eyes or on clothing. Wear appropriate protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Avoid breathing dust. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

For applications in waters destined for use as drinking water, those waters must receive additional and separate potable water treatment. Do not apply more than 1.0 ppm as metallic copper in any waters.

	FIRST AID				
 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 					
lf swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person. 				
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 				
Have the product container or label with you when calling a poison control center or coctor, or going for treatment. In case of emergency endangering health or the environment.					

involving this product, call **INFOTRAC** at **1-800-535-5053**.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators, and other handlers must wear the following:

- Protective eyewear;
- Long-sleeve shirt and long pants;
- Shoes plus socks; and
- Waterproof gloves.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for

washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash the outside of gloves before removing.
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling Komeen *Crystal*. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Waters treated with this product may be hazardous to aquatic organisms. Treatment of aquatic weeds and algae can result in oxygen loss from decomposition of dead algae and weeds. This oxygen loss can cause fish and invertebrate suffocation. To minimize this hazard, do not treat more than ½ of the water body to avoid depletion of oxygen due to decaying vegetation. Wait at least 14 days between treatments. Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. Consult with the State or local agency with primary responsibility for regulating pesticides before applying to public waters, to determine if a permit is required.

Certain water conditions including low pH (\leq 6.5), low dissolved organic carbon (DOC) levels (3.0 mg/L or lower), and "soft" waters (i.e. alkalinity less than 50 mg/L), increase the potential acute toxicity to non-target aquatic organisms. Do not use in waters containing trout or other fish species that are highly sensitive to copper if the alkalinity is less than 50 ppm. Fish toxicity generally decreases when the hardness of water increases. Komeen *Crystal* must not be used in ornamental ponds containing Koi.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read all directions for use carefully before applying this product. Use only according to label directions.

Do not apply Komeen *Crystal* in a way that will contact workers or other persons, either directly or through drift; only protected handlers may be in close proximity to the mixing area or application equipment while in use. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Areas treated with Komeen Crystal may be used for fishing, swimming, and irrigation.

PRODUCT INFORMATION

Komeen Crystal controls many submersed and floating aquatic plant species including hydrilla (Hydrilla verticillata), Brazilian elodea (Egeria densa), naiad (Najas spp.), coontail (Ceratophyllum demersum), elodea (Elodea canadensis), water lettuce (Pistia stratiotes), water fern (Salvinia and Azolla spp.), duckweed (Lemna, Landoltia, and Spirodela spp.), water hyacinth (Eichhornia crassipes), horned pondweed (Zannichellia palustris), sago pondweed (Stuckenia pectinatus), floating-leaved pondweeds (Potamogeton spp.), Eurasian waterinilfoil (Myriophyllum spicatum) and Eurasian milfoil X native milfoil hybrids, American eelgrass, tapegrass (Vallisneria americana), Charophytes (Chara spp., Nitella spp., and Nitellopsis spp.),

and other submersed and floating aquatic weed species that are sensitive to copper.

Apply when weeds are actively growing. Copper-sensitive weed species require a minimum of three (3) to twenty-four (24) hours of contact with Komeen *Crystal* in order to provide effective control. Less susceptible species may require longer contact time or higher doses. Significant water movement may result in dilution of the treated water and reapplication may be necessary. Susceptible aquatic weeds will generally drop below the surface of the water within 3 to 14 days after treatment. If this effect is not observed, Komeen *Crystal* may be re-applied at a minimum of 14 days after the initial application. Once weeds drop below the surface, it can take up to 6 weeks to realize the full effect of the treatment.

Komeen *Crystal* may be applied by aircraft or boat or from the shoreline as a surface application by spreader, eduction, or blower-type application equipment, or as a subsurface application through weighted hoses connected to an eduction system.

Precautions and Restrictions

- Do not enter or allow others to enter until application is complete.
- Do not apply in such a way that Komeen *Crystal* comes in direct contact with crops, ornamentals, grass or desirable plants.
- Wash application equipment thoroughly before and after each application.

APPLICATION INFORMATION

In lakes, reservoirs, and ponds, the application site is defined by this label as the specific location where Komeen *Crystal* is applied. Use the lower labeled rate in soft water (less than 50 ppm alkalinity), for light infestations and less mature plants; use the higher concentration in hard water (above 50 ppm alkalinity), for dense infestations or when targeting more mature vegetation.

For aquatic weed control (including vascular plants and algae), do not exceed 1.0 ppm metallic copper during any single application; wait a minimum of 14 days between treatments.

When treating slow-moving water, apply the product counter to the flow of water.

TABLE 1*			
Application Concentrations For Submersed	Aquatic Weed Control		
· Weed Species	Metallic Copper Level Required For Control (ກຸກຸກ)		
Floating-leaved pondweeds (Potamogeton spp.) †	0.75 - 1.0		
Brazilian elodea (Egeria densa)	0.50 - 1.0 - 1.6 c		
Coontail (Ceratophyllum demersum)	0.50 - 1.0		
Elodea (Elodea canadensis)	0.50 - 1.0		
Eurasian watermilfoil (Myriophyllum spicatum) †	0.75 - 1.0		
Horned pondweed (Zannichellia palustris) †	(کا کا کا 1.0 - 0.75		
Hydrilla (Hydrilla verticillata)	0.75 - 1.0		
Naiad (Najas spp.)	0.50 - 1.0		
Pondweed spp. (Potamogeton spp.)	0.75 - 1.0		
Sago pondweed (Stuckenia pectinatus) †	0.50 - 1.0		
Tapegrass, American eelgrass (Vallisneria americana)	0.50 - 1.0		
Charophytes (Chara spp., Nitella spp., and Nitellopsis	0.30 – 1.0		

ĺ	spp.)		
	Other susceptible submersed species	0.75 - 1.0	

^{*} Treatment rates may be calculated based on portion of water column with vegetation – see notes under Application Rate Calculation.

Komeen *Crystal* can be effective on species of algae with a high sensitivity to copper at concentrations ranging from 0.2 to 1.0 ppm.

Foliar Application For Floating Aquatic Weed Control

In certain application designs, Komeen *Crystal* may be applied to floating weed species such as, but not limited to, Duckweed (*Lemna*, *Landoltia*, and *Spirodela* spp.), Water fern, (*Salvinia* and *Azolla* spp.), Water hyacinth (*Eichhornia crassipes*), and Water lettuce (*Pistia stratiodes*). Such applications must not exceed 15.5 lbs of Komeen *Crystal* per acre foot. A SePRO Corporation Aquatic Specialist should be consulted on treatment design for this type of application.

Application Rate Calculation

For large bodies of water, determine the size (in acres) and the average depth (in feet) of the area to be treated. Application rates are calculated by using the following formula to obtain the appropriate copper concentration:

Desired concentration of copper (ppm) x Average depth of water (feet) x 15.5 = pounds of Komeen *Crystal* per surface acre

To calculate the area and average depth of a lake or pond, use the following formulas and conversion factors. All measurements (length, width, radius, depth) should be in feet.

Formulas

- Area of a square or rectangle (ft²) = length x width
- Area of a circle (ft²) = radius x radius x 3.14
- Average depth (ft) = sum of all depth measurements ÷ number of measurements (The more measurements taken, the more accurate the average depth will be.)

Conversion Factors

- 1 acre = 43,560 square feet
- 1 acre-foot = 43,560 cubic feet = 325,762 gallons = 2,720,000 pounds

TABLE 2 – TREATMEN	NT AREAS IN L	ARGE BODIES	OF WATER ''.'		
Average Water Depth of Treatment Site (feet)	Pounds of Komeen <i>Crystal</i> per Surface Acre to Achieve the Desired Copper Concentration [†]				
	0.5 ppm	0.75 ppm	1.0 ppm ് ്		
1	7.7	11.6	15.5		
2	15.5	23.2	31.0		
3	23.2	34.8	46.5		
4	31.0	46.5	62.0		
5	38.7	58.1	77.4		

[†] Generally, these plants are only controlled in low water hardness (<150 ppm) or with repeat applications. Includes Eurasian X native milfoil hybrids.

Komeen® Crystal, EPA Reg. No. 67690-60

6	46.5	69.7	92.9
7	54.2	81.3	108
. 8	62.0	92.9	124
9	69.7	105	139
10	77.4	116	155

[†]In-water application rates for submersed weeds and algae may be adjusted based on proportion of the treated water volume with vegetation. See INFESTED WATER VOLUME ADJUSTMENT below.

For smaller bodies of water, determine the size (in square feet) and the average depth (in feet) of the area to be treated.

Average Water Depth of Treatment Site (feet)	Pounds of Komeen <i>Crystal</i> per 1,000 ft ² to Achieve the Desired Copper Concentration [†]			
	0.5 ppm	0.75 ppm	1.0 ppm	
1	0.17	0.27	0.36	
2	0.35	0.54	0.72	
3	0.52	0.81	1.07	
4	0.70	1.08	1.43	
5	0.87	1.36	1.79	
6	1.05	1.63	2.15	
7	1.22	1.90	2.51	
8	1.39	2.17	2.87	
9	1.57	2.44	3.22	
10	1.74	2.71	3.58	

[†]In-water application rates for submersed weeds and algae may be adjusted based on proportion of the treated water volume with vegetation. See INFESTED WATER VOLUME ADJUSTMENT below.

Infested Water Volume Adjustment

In treatment areas with submersed plants only growing in a portion of the water column, Komeen *Crystal* application rates may be based upon the portion of the water column containing plants. The volume would be based upon the height of plants from the bottom of the water body. For example, if average depth is 8 feet and target vegetation is 4 feet in height from the bottom, the treatment rate may be based upon an average depth of four feet and the applicable application rate for four feet of water from Table 2 or Table 3. In areas of high water exchange, this adjustment should not be made due to potential for quick vertical mixing and dilution. It is recommended that a SePRO Corporation Aquatic Specialist be contacted for best methodology to quantify site characteristics and determine if an adjustment is appropriate.

METHODS OF APPLICATION

Surface Application

Apply Komeen *Crystal* by boat or from the shoreline as a surface application by spreader, eduction, or blower-type application equipment. Do not exceed 15.5 lbs of Komeen *Crystal* per acre foot.

Apply Komeen *Crystal* by boat as a subsurface application through weighted hoses connected to an eduction system. Do not exceed 15.5 lbs of Komeen *Crystal* per acre foot.

Aerial Application

Komeen *Crystal* may be applied using helicopter or airplane. Aerial applications must be conducted in a manner that applies target lbs per acre evenly in the treatment area.

DRIFT MANAGEMENT

A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of application (e.g., ground, aerial, airblast, chemigation) can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

Wind Speed

Do not apply at wind speeds greater than 15 mph. Only apply this product if the wind direction favors on-target deposition (approximately 3 to 10 mph), and there are no sensitive areas within 250 feet downwind.

Temperature Inversions

If applying at wind speeds less than 3 mph, the applicator must determine if a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into areas of temperature inversions or stable atmospheric conditions.

Other State and Local Requirements

Applicators must follow all state and local pesticide drift requirements regarding application of copper compounds. Where states have more stringent regulations, they must be observed.

Equipment

All aerial and ground application equipment must be properly maintained and calibrated using appropriate carriers or surrogates.

Additional requirements for aerial applications:

- The boom length must not exceed 75% of the wingspan or 90% of the rotor blade diameter.
- Release spray at the lowest height consistent with efficacy and flight safety. Do not release spray at a height greater than 10 feet above the crop canopy unless a greater height is required for aircraft safety.
- When applications are made with a crosswind, the swath must be displaced downwind. The applicator must compensate for this displacement at the up and downwind edge of the application area by adjusting the path of the aircraft upwind.

Combination Treatment

Komeen *Crystal* may be co-applied or sequentially applied with other approved aquatic herbicides for control of a broader weed spectrum or other management objective. It is recommended that a SePRO Corporation Aquatic Specialist be consulted for the latest information on compatibility prior to mixing and then co-applying Komeen *Crystal* with other herbicide formulations. Komeen *Crystal* must not be co-applied with any product containing a label prohibition against such form of application and must be used in accordance with the more restrictive of the label limitations and precautions. Do not exceed any label dosage rate.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Komeen® Crystal, EPA Reg. No. 67690-60

Pesticide Storage: Store in original container only. Do not store near feed or foodstuffs. In case of spill, contain material and dispose of as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling:

Nonrefillable Container: Do not reuse or refill this container. Completely empty container into application equipment. Offer for recycling if available. If recycling is not available, then dispose of empty container in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

TERMS AND CONDITIONS OF USE

If terms of the following Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, to the extent consistent with applicable law, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies.

WARRANTY DISCLAIMER

SePRO Corporation warrants that the product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SEPRO CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of SePRO Corporation or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the buyer.

LIMITATION OF REMEDIES

To the extent consistent with applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at SePRO Corporation's election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

To the extent consistent with applicable law, SePRO Corporation shall not be liable for loss'es or damages resulting from handling or use of this product unless SePRO Corporation is promptly notified of such losses or damages in writing. In no case shall SePRO Corporation be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales

Komeen® Crystal, EPA Reg. No. 67690-60

agent of SePRO Corporation or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or Limitations of Remedies in any manner.

©Copyright ____ SePRO Corporation

® Komeen is a registered trademark of SePRO Corporation.

[Base label for ALL containers]



Komeen® Crystal

AQUATIC HERBICIDE

For use in slow-moving or quiescent bodies of water including: golf course, ornamental, fish, and fire ponds; fresh water lakes, fish hatcheries, and potable water reservoirs.

Active Ingredient

Copper ethylenediamine complex [†] (CAS# 13426-91-0)	50.0%
Other Ingredients	50.0%
TOTAL	100.0%
†Metallic copper equivalent = 17.5%	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

	FIRST AID			
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 			
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person. 			
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 			

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call **INFOTRAC** at **1-800-535-5053**.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container only. Do not store near feed or foodstuffs. In case of spill, contain material and dispose of as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site

Komeen® Crystal, EPA Reg. No. 67690-60

or at an approved waste disposal facility.

Container Handling:

Nonrefillable Container: Do not reuse or refill this container. Completely empty container into application equipment. Offer for recycling if available. If recycling is not available, then dispose of empty container in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Refer to label booklet for additional precautionary information and directions for use, including first aid and storage and disposal.

Notice: Read the entire label before using. Use only according to label directions. Before buying or using this product, read *Terms and Conditions of Use, Warranty Disclaimer, Inherent Risks of Use* and *Limitation of Remedies* inside label booklet.

EPA Reg. No. 67690-60 FPL20140804	EPA Est. No
SePRO Corporation 11550 North Meridian Street, Suite 600, Carmel, IN 46032, U.S.A.	
	Net weight [Refillable/ Nonrefillable Container