

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

February 6, 2015

Laurent C. Mezin, Ph.D. Manager, Regulatory Affairs SePRO Corporation 11550 N. Meridian St, Suite 600 Carmel, IN 46032

Subject: Label Amendment – adding residential sub-label based on CRP self- certification;

alternate brand name -- "SePro Total Pond- Rescue"

Product Name: Komeen Crystal EPA Registration Number: 67690-60

Application Date: 10/8/2014 Decision Number: 496501

Dear Mr. Mezin:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 67690-60 Decision No. 496501

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Lindsay Roe by phone at 703-347-0506, or via email at roe.lindsay@epa.gov.

Sincerely,

Tony Kish, Product Manager 22

Fungicide Branch

Registration Division (7505P)

Office of Pesticide Programs

Enclosure

[Front of label booklet, <u>ALL</u> containers]



Komeen® Crystal AQUATIC HERBICIDE

ACCEPTED

02/06/2015

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 67690-60

For use in slow-moving or quiescent bodies of water including: golf course, ornamental, fish, and fire ponds; fresh water lakes, fish hatcheries, and potable water reservoirs.

Active Ingredient

Copper ethylenediamine complex [†] (CAS# 13426-91-0)	50.0%
Other Ingredients	50.0%
TOTAL	100.0%

[†]Metallic copper equivalent = 17.5%

KEEP OUT OF THE REACH OF CHILDREN DANGER / PELIGRO

involving this product, call **INFOTRAC** at 1-800-535-5053.

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

	FIRST AID		
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. 		
If inhaled	Do not give anything to an unconscious person. Mayor person to freely six		
ii iiinaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 		
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment			

Refer to inside of label booklet for additional precautionary information and directions for use including first aid and storage and disposal.

Notice: Read the entire label before using. Use only according to label directions. Before buying or using this product, read *Terms and Conditions of Use, Warranty Disclaimer*, *Inherent Risks of Use* and *Limitation of Remedies* inside label booklet.

EPA Reg. No. 67690-60

EPA Est. No. _____

FPL2015011

[SPC-]

SePRO Corporation 11550 North Meridian Street, Suite 600, Carmel, IN 46032, U.S.A.

Net weight _____ [Refillable/ Nonrefillable Container _____]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

KEEP OUT OF THE REACH OF CHILDREN DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Corrosive. Causes irreversible eye damage. May be fatal if swallowed. Harmful if inhaled. Do not get in eyes or on clothing. Wear appropriate protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Avoid breathing dust. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

For applications in waters destined for use as drinking water, those waters must receive additional and separate potable water treatment. Do not apply more than 1.0 ppm as metallic copper in any waters.

FIRST AID		
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person. 	
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 	

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call **INFOTRAC** at **1-800-535-5053**.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators, and other handlers must wear the following:

- Protective eyewear;
- Long-sleeve shirt and long pants;
- Shoes plus socks; and
- Waterproof gloves.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for

washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash the outside of gloves before removing.
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling Komeen Crystal. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Waters treated with this product may be hazardous to aquatic organisms. Treatment of aquatic weeds and algae can result in oxygen loss from decomposition of dead algae and weeds. This oxygen loss can cause fish and invertebrate suffocation. To minimize this hazard, do not treat more than ½ of the water body to avoid depletion of oxygen due to decaying vegetation. Wait at least 14 days between treatments. Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. Consult with the State or local agency with primary responsibility for regulating pesticides before applying to public waters, to determine if a permit is required.

Certain water conditions including low pH (\leq 6.5), low dissolved organic carbon (DOC) levels (3.0 mg/L or lower), and "soft" waters (i.e. alkalinity less than 50 mg/L), increase the potential acute toxicity to non-target aquatic organisms. Do not use in waters containing trout or other fish species that are highly sensitive to copper if the alkalinity is less than 50 ppm. Fish toxicity generally decreases when the hardness of water increases. Komeen Crystal must not be used in ornamental ponds containing Koi.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read all directions for use carefully before applying this product. Use only according to label directions.

Do not apply Komeen Crystal in a way that will contact workers or other persons, either directly or through drift; only protected handlers may be in close proximity to the mixing area or application equipment while in use. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Areas treated with Komeen Crystal may be used for fishing, swimming, and irrigation.

PRODUCT INFORMATION

Komeen Crystal is a granular product that controls many submersed and floating aquatic plant species including hydrilla (*Hydrilla verticillata*), Brazilian elodea (*Egeria densa*), naiad (*Najas* spp.), coontail (*Ceratophyllum demersum*), elodea (*Elodea canadensis*), water lettuce (*Pistia stratiotes*), water fern (*Salvinia* and *Azolla* spp.), duckweed (*Lemna, Landoltia*, and *Spirodela* spp.), water hyacinth (*Eichhornia crassipes*), horned pondweed (*Zannichellia palustris*), sago pondweed (*Stuckenia pectinatus*), floating-leaved pondweeds (*Potamogeton spp.*), Eurasian watermilfoil (*Myriophyllum spicatum*) and Eurasian milfoil X native milfoil hybrids, American eelgrass, tapegrass (*Vallisneria americana*), Charophytes (*Chara* spp., *Nitella* spp., and

Nitellopsis spp.), and other submersed and floating aquatic weed species that are sensitive to copper.

Apply when weeds are actively growing. Copper-sensitive weed species require a minimum of three (3) to twenty-four (24) hours of contact with Komeen Crystal in order to provide effective control. Less susceptible species may require longer contact time or higher doses. Significant water movement may result in dilution of the treated water and reapplication may be necessary. Results are typically visible in a few days. Susceptible aquatic weeds will generally drop below the surface of the water within 3 to 14 days after treatment. If this effect is not observed, Komeen Crystal may be re-applied at a minimum of 14 days after the initial application. Once weeds drop below the surface, it can take up to 6 weeks to realize the full effect of the treatment.

Komeen Crystal may be applied by aircraft or boat or from the shoreline as a surface application by spreader, eduction, or blower-type application equipment, or as a subsurface application through weighted hoses connected to an eductor application system.

Precautions and Restrictions

- Do not enter or allow others to enter until application is complete.
- Do not apply in such a way that Komeen Crystal comes in direct contact with crops, ornamentals, grass or desirable plants.
- Wash application equipment thoroughly before and after each application.

APPLICATION INFORMATION

In lakes, reservoirs, and ponds, the application site is defined by this label as the specific location where Komeen Crystal is applied. Use the lower labeled rate in soft water (less than 50 ppm alkalinity), for light infestations and less mature plants; use the higher concentration in hard water (above 50 ppm alkalinity), for dense infestations or when targeting more mature vegetation.

For aquatic weed control (including vascular plants and algae), do not exceed 1.0 ppm metallic copper during any single application. Do not treat more than half of a water body at one time. Wait a minimum of 14 days between treatments.

When treating slow-moving water, apply the product counter to the flow of water.

TABLE 1* Application Concentrations For Submersed Aquatic Weed Control		
Weed Species Metallic Copper Level Required For Control (pp		
Floating-leaved pondweeds (Potamogeton spp.)†	0.75 - 1.0	
Brazilian elodea (Egeria densa)	0.50 - 1.0	
Coontail (Ceratophyllum demersum)	0.50 - 1.0	
Elodea (Elodea canadensis)	0.50 - 1.0	
Eurasian watermilfoil (Myriophyllum spicatum)†	0.75 - 1.0	
Horned pondweed (Zannichellia palustris) †	0.75 - 1.0	
Hydrilla (Hydrilla verticillata)	0.75 - 1.0	
Naiad (Najas spp.)	0.50 - 1.0	
Pondweed spp. (Potamogeton spp.)	0.75 - 1.0	
Sago pondweed (Stuckenia pectinatus)†	0.50 - 1.0	

Tapegrass, American eelgrass (Vallisneria americana)	0.50 – 1.0
Charophytes (Chara spp., Nitella spp., and Nitellopsis	0.30 – 1.0
spp.)	
Other susceptible submersed species	0.75 - 1.0

^{*} Treatment rates may be calculated based on portion of water column with vegetation – see notes under Application Rate Calculation.

Komeen Crystal can be effective on species of algae with a high sensitivity to copper at concentrations ranging from 0.2 to 1.0 ppm.

Foliar Application For Floating Aquatic Weed Control

In certain application designs, Komeen Crystal may be applied to floating weed species such as, but not limited to, Duckweed (*Lemna*, *Landoltia*, and *Spirodela* spp.), Water fern, (*Salvinia* and *Azolla* spp.), Water hyacinth (*Eichhornia crassipes*), and Water lettuce (*Pistia stratiodes*). Such applications must not exceed 15.5 lbs of Komeen Crystal per acre foot. A SePRO Corporation Aquatic Specialist should be consulted on treatment design for this type of application.

Application Rate Calculation

For large bodies of water, determine the size (in acres) and the average depth (in feet) of the area to be treated. Application rates are calculated by using the following formula to obtain the appropriate copper concentration:

Desired concentration of copper (ppm) x Average depth of water (feet) x 15.5 = pounds of Komeen Crystal per surface acre

To calculate the area and average depth of a lake or pond, use the following formulas and conversion factors. All measurements (length, width, radius, depth) should be in feet.

Formulas

- Area of a square or rectangle (ft²) = length x width
- Area of a circle (ft²) = radius x radius x 3.14
- Average depth (ft) = sum of all depth measurements ÷ number of measurements (The more measurements taken, the more accurate the average depth will be.)

Conversion Factors

- 1 acre = 43,560 square feet
- 1 acre-foot = 43,560 cubic feet = 325,762 gallons = 2,720,000 pounds

TABLE 2 – TREATMENT AREAS IN LARGE BODIES OF WATER			
Average Water Depth of Treatment Site (feet)	Pounds of Komeen Crystal per Surface Acre to Achieve the Desired Copper Concentration [†]		
	0.5 ppm	0.75 ppm	1.0 ppm
1	7.7	11.6	15.5
2	15.5	23.2	31.0
3	23.2	34.8	46.5
4	31.0	46.5	62.0

[†] Generally, these plants are only controlled in low water hardness (<150 ppm) or with repeat applications. Includes Eurasian X native milfoil hybrids.

5	38.7	58.1	77.4
6	46.5	69.7	92.9
7	54.2	81.3	108
8	62.0	92.9	124
9	69.7	105	139
10	77.4	116	155

[†] In-water application rates for submersed weeds and algae may be adjusted based on proportion of the treated water volume with vegetation. See INFESTED WATER VOLUME ADJUSTMENT below.

For smaller bodies of water, determine the size (in square feet) and the average depth (in feet) of the area to be treated.

TABLE 3 - TREATMENT AREAS IN SMALL BODIES OF WATER			
Average Water Depth of Treatment Site (feet)	Pounds of Komeen Crystal per 1,000 ft ² to Achieve the Desired Copper Concentration [†]		
	0.5 ppm	0.75 ppm	1.0 ppm
1	0.17	0.27	0.36
2	0.35	0.54	0.72
3	0.52	0.81	1.07
4	0.70	1.08	1.43
5	0.87	1.36	1.79
6	1.05	1.63	2.15
7	1.22	1.90	2.51
8	1.39	2.17	2.87
9	1.57	2.44	3.22
10	1.74	2.71	3.58

[†] In-water application rates for submersed weeds and algae may be adjusted based on proportion of the treated water volume with vegetation. See INFESTED WATER VOLUME ADJUSTMENT below.

Infested Water Volume Adjustment

In treatment areas with submersed plants only growing in a portion of the water column, Komeen Crystal application rates may be based upon the portion of the water column containing plants. The volume would be based upon the height of plants from the bottom of the water body. For example, if average depth is 10 feet and target vegetation is 4 feet in height from the bottom, the treatment rate may be based upon an average depth of four feet and the applicable application rate for four feet of water from Table 2 or Table 3. In areas of high water exchange, this adjustment should not be made due to potential for quick vertical mixing and dilution. It is recommended that a SePRO Corporation Aquatic Specialist be contacted for best methodology to quantify site characteristics and determine if an adjustment is appropriate.

METHODS OF APPLICATION

Surface Application

Apply Komeen Crystal by boat or from the shoreline as a surface application by spreader, eduction, or blower-type application equipment. Do not exceed 15.5 lbs of Komeen Crystal per acre foot.

Apply Komeen Crystal by boat as a subsurface application through weighted hoses connected

to an eduction system. Do not exceed 15.5 lbs of Komeen Crystal per acre foot.

Aerial Application

Komeen Crystal may be applied using helicopter or airplane. Aerial applications must be conducted in a manner that applies target lbs per acre evenly in the treatment area.

DRIFT MANAGEMENT

A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of application (e.g., ground, aerial, airblast, chemigation) can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

Wind Speed

Do not apply at wind speeds greater than 15 mph. Only apply this product if the wind direction favors on-target deposition (approximately 3 to 10 mph), and there are no sensitive areas within 250 feet downwind.

Other State and Local Requirements

Applicators must follow all state and local pesticide drift requirements regarding application of copper compounds. Where states have more stringent regulations, they must be observed.

Equipment

All aerial and ground application equipment must be properly maintained and calibrated using appropriate carriers or surrogates.

Additional requirements for aerial applications:

- The boom length must not exceed 75% of the wingspan or 90% of the rotor blade diameter.
- Release granules at the lowest height consistent with efficacy and flight safety. Do not release granules at a height greater than 10 feet above the water surface unless a greater height is required for aircraft safety.
- When applications are made with a crosswind, the swath must be displaced downwind. The applicator must compensate for this displacement at the up and downwind edge of the application area by adjusting the path of the aircraft upwind.

Combination Treatment

Komeen Crystal may be co-applied or sequentially applied with other approved aquatic herbicides for control of a broader weed spectrum or other management objective. It is recommended that a SePRO Corporation Aquatic Specialist be consulted for the latest information on compatibility prior to mixing and then co-applying Komeen Crystal with other herbicide formulations. Komeen Crystal must not be co-applied with any product containing a label prohibition against such form of application and must be used in accordance with the more restrictive of the label limitations and precautions. Do not exceed any label dosage rate.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container only. Do not store near feed or foodstuffs. In case of spill, contain material and dispose of as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling:

Nonrefillable Container: Do not reuse or refill this container. Completely empty container

into application equipment. Offer for recycling if available. If recycling is not available, then puncture and dispose of empty container in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

TERMS AND CONDITIONS OF USE

If terms of the following *Warranty Disclaimer*, *Inherent Risks of Use* and *Limitation of Remedies* are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, to the extent consistent with applicable law, use by the buyer or any other user constitutes acceptance of the terms under *Warranty Disclaimer*, *Inherent Risks of Use*, and *Limitation of Remedies*.

WARRANTY DISCLAIMER

SePRO Corporation warrants that the product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SEPRO CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of SePRO Corporation or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the buyer.

LIMITATION OF REMEDIES

To the extent consistent with applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at SePRO Corporation's election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

To the extent consistent with applicable law, SePRO Corporation shall not be liable for losses or damages resulting from handling or use of this product unless SePRO Corporation is promptly notified of such losses or damages in writing. In no case shall SePRO Corporation be liable for consequential or incidental damages or losses.

The terms of the *Warranty Disclaimer*, *Inherent Risks of Use* and this *Limitation of Remedies* cannot be varied by any written or verbal statements or agreements. No employee or sales agent of SePRO Corporation or the seller is authorized to vary or exceed the terms of the *Warranty Disclaimer* or *Limitations of Remedies* in any manner.

©Copyright ____ SePRO Corporation

® Komeen is a registered trademark of SePRO Corporation.



Komeen® Crystal

For use in slow-moving or quiescent bodies of water including: golf course, ornamental, fish, and fire ponds; fresh water lakes, fish hatcheries, and potable water reservoirs.

Active Ingredient

Copper ethylenediamine complex [†] (CAS# 13426-91-0)	50.0%
Other Ingredients	50.0%
TOTAL	100.0%

[†]Metallic copper equivalent = 17.5%

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

KEEP OUT OF THE REACH OF CHILDREN DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID		
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person. 	
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 	

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call **INFOTRAC** at **1-800-535-5053**.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container only. Do not store near feed or foodstuffs. In case of spill, contain material and dispose of as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site

or at an approved waste disposal facility.

Container Handling:

Nonrefillable Container: Do not reuse or refill this container. Completely empty container into application equipment. Offer for recycling if available. If recycling is not available, then puncture and dispose of empty container in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Refer to label booklet for additional precautionary information and directions for use, including first aid and storage and disposal.

Notice: Read the entire label before using. Use only according to label directions. Before buying or using this product, read *Terms and Conditions of Use, Warranty Disclaimer, Inherent Risks of Use* and *Limitation of Remedies* inside label booklet.

EPA Reg. No. 67690-60 FPL20150112	EPA Est. No			
SePRO Corporation 11550 North Meridian Street, Suite 600, Carmel, IN 46032, U.S.A.				
	Net weight [Refillable/ Nonrefillable Container	1		



Komeen® Crystal

In-Season Chara and Aquatic Weed Control Solution

Active Ingredient

Copper ethylenediamine complex [†] (CAS# 13426-91-0)	50.0%
Other Ingredients	50.0%
TOTAL	100.0%

[†]Metallic copper equivalent = 17.5%

KEEP OUT OF THE REACH OF CHILDREN DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See back panel booklet for additional precautionary statements.

Controls bottom algae and many submersed weeds

- · Contact herbicide and algaecide
- Easy-to-Apply
- High concentration, quick copper release crystal for targeted application



Recommended application timing

See back panel and booklet for first aid information, precautionary statements and use directions.



Komeen® Crystal

In-Season Chara and Aquatic Weed Control Solution



Recommended application timing

Komeen Crystal controls undesirable aquatic vegetation and bottom algae in ponds, lakes, and reservoirs.

Quick facts:

The high concentration, quick copper release formulation optimizes product exposure in the plant and bottom algae "kill zone".

Concentrated formulation containing 17.5% elemental copper

No fishing, swimming, or irrigation restrictions following application

Depending on species, plants are generally controlled in 10-20 days

When and where to use:

Ideal for strategic spot treatments while weeds and algae are actively growing.

Around the perimeter of a dock.

Keeps swimming beaches clear of nuisance weeds and algae.

How to use:

Cast granules into the water targeting bottom algae and submersed weeds. (See inside label for detailed use instructions)



STOP! Please read entire label before use.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Use only according to label directions.

How Komeen Crystal Works:

Komeen Crystal is a concentrated chelated copper formulation that is effective as a result of its ability to act at multiple sites of action in the plant. This product works by shutting down photosynthesis and disrupting cell integrity. The high concentration, quick copper release granular formulation optimizes product exposure in the area where weeds and bottom-dwelling algae are growing.

When to apply:

Komeen Crystal should be applied while weeds and algae are actively growing.

Where and how to apply:

This product is formulated for direct application to the water. Simply apply the appropriate amount of product evenly in the water, around the perimeter of the waterbody or over the targeted treatment area using a gloved hand, scoop or other granule application equipment to cast the pellets into the water. For best results, target coverage in areas where aquatic weeds and bottom-dwelling algae are actively growing.

Water treated with this product may be used for fishing, swimming, and irrigation following application.

Do not treat more than 1/3 of the waterbody during a single application to avoid the potential for depletion of oxygen due to decaying vegetation. Wait at least 14 days before continuing treatment of the remainder of the waterbody.

Species controlled:

This product controls many submersed aquatic plant and bottom—dwelling algae species including hydrilla, Brazilian elodea (Egeria), naiad, coontail, elodea, horned pondweed, sago pondweed, floating-leaved pondweeds, watermilfoil and American eelgrass, (tapegrass), Charophytes (*Chara* spp., *Nitella* spp., and *Nitellopsis* spp.), and other submersed weed and algae that are sensitive to copper.

Table 1.					
Recommend	Recommended Application Rate (lbs.)**				
Average					
Pond		Treated area (surface	e acre*)		
Depth (ft)	1/8	1/4	1/2		
2	2.5	5.0	10.0		
3	3.8	7.5	15.0		
4	5.0	10.0	20.0		
5	6.3	12.5	25.0		

6	7.5	15.0	30.0	
7	8.8	17.5	35.0	
8	10.0	20.0	40.0	

^{*1} surface acre = 43, 650 square feet

TIPS FOR BEST RESULTS

- Ensure complete, uniform coverage of areas where target weeds or algae are growing.
- Apply on a calm day.
- This product requires a minimum 3 hours of contact time to achieve optimum results.
- Prevent disturbing the treated areas for 24 hours or as long as possible to maximize contact time.

^{**} Do not treat more than 1/3 waterbody during a single application

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

KEEP OUT OF THE REACH OF CHILDREN DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Corrosive. Causes irreversible eye damage. May be fatal if swallowed. Harmful if inhaled. Do not get in eyes or on clothing. Wear appropriate protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Avoid breathing dust. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID		
 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person. 		
 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 		

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call **INFOTRAC** at **1-800-535-5053**.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

You must wear the following:

 Safety glasses; Long-sleeve shirt and long pants; Shoes plus socks; and Waterproof gloves. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: Wash the outside of gloves before removing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

for use including storage and disposal.



Komeen® Crystal

In-Season Chara and Aquatic Weed Control Solution

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Waters treated with this product may be hazardous to aquatic organisms. Treatment of aquatic weeds and algae can result in oxygen loss from decomposition of dead algae and weeds. This oxygen loss can cause fish and invertebrate suffocation. To minimize this hazard, do not treat more than 1/3 of the water body to avoid depletion of oxygen due to decaying vegetation. Wait at least 14 days between treatments. Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. Consult with the State or local agency with primary responsibility for regulating pesticides before applying to public waters, to determine if a permit is required.

Certain water conditions including low pH (≤6.5), low dissolved organic carbon (DOC) levels (3.0 mg/L or lower), and "soft" waters (i.e. alkalinity less than 50 mg/L), increase the potential acute toxicity to non-target aquatic organisms. Do not use in waters containing trout or other fish species that are highly sensitive to copper if the alkalinity is less than 50 ppm. Fish toxicity generally decreases when the hardness of water increases. This product must not be used in ornamental ponds containing Koi.

For applications in waters destined for use as drinking water, those waters must receive additional and separate potable water treatment. Do not apply more than 1.0 ppm as metallic copper in any waters.

Refer to inside of label booklet for additional precautionary information and directions for use including storage and disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container only. Do not store near feed or foodstuffs. In case of spill, contain material and dispose of as waste.

Container Handling:

Nonrefillable Container: Do not reuse or refill this container. **If empty**: Place in trash or offer for recycling if available. **If partly filled**: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Notice: Research and testing have determined that the "directions for use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the buyer assumes responsibility for lack of performance or safety if not used according to the directions. To the extent consistent with applicable law, Manufacturer makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall Manufacturer

be liable for consequential, special or indirect damages resulting from the use, handling or application of this product.



Need help? A SePRO Pond Advisor can remotely and accurately measure the size of your pond and discuss a personalized strategy to keep your pond clear of unwanted weeds and algae. Call us TOLL FREE at 1-844-766-2727 or email service@seprototal.com

	1	Net weight	(Non-refillable)
Manufactured by 46032, U.S.A.	SePRO Corporation 11550 North M	eridian Street, Suite	600, Carmel, IN
SePRO Total Po Printed in the U.S		·	
Made in the U.S.	A.		
EPA Reg. No. 67 FPL20150112	7690-60	EPA Est. No	