



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

July 13, 2021

Joshua Wood
Regulatory Affairs Associate
SePRO Corporation
11550 North Meridian Street, Suite 600
Carmel, IN 46032

Subject: Label Amendment – To remove of herbaceous perennials, add rate conversion for amount of product per 1000 sq. ft., added antidote statement, and other minor changes.
Product Name: FSP G
EPA Registration Number: 67690-69
Application Date: May 12, 2020
Decision Number: 563525

Dear Joshua Wood:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 67690-69
Decision No. 563525

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Ralph Narain by phone at 703-347-8750, or via email at Narain.Ralph@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to be 'KBD', enclosed within a hand-drawn oval.

Kable Bo Davis
Senior Regulatory Specialist
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

[Front label, ALL containers]



FSP® G

(ABN: Cutless Shrub and Tree Sculptor™)

For growth management, plant quality enhancement and terminal growth suppression of landscape and ornamental hedges, trees, and shrubs.

Active Ingredient

Flurprimidol: α -(1-methylethyl)- α -[4-(trifluoromethoxy)phenyl]-5-pyrimidinemethanol	2.5%
Paclobutrazol: (\pm)-(R*,R*)- β -[4-chlorophenyl)methyl]- α -(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol.....	7.5%

Other Ingredients	90.0%
TOTAL	100.0%

Contains 0.025 pounds of flurprimidol per one (1) U.S. pound (Granular).
Contains 0.075 pounds of paclobutrazol per one (1) U.S. pound (Granular).

Keep Out of Reach of Children CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

Refer to label booklet for additional Precautionary Information and Directions for Use, including First Aid and Storage and Disposal.

Notice: Read the entire label before using. Use only according to label directions. **Before buying or using this product, read *Warranty Disclaimer* and *Misuse* statements in label booklet. If terms are unacceptable, return at once, unopened.**

SPECIALTY CHEMICAL: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No. 67690-69
FPL20210702


EPA Est. No. _____
[P/N] _____

FSP is a registered trademark of SePRO Corporation.

SePRO Corporation 11550 N. Meridian Street, Suite 600 Carmel, IN 46032, U.S.A.

Plant Growth Regulator

Net weight _____(Non-refillable)



[Label booklet text]

FIRST AID	
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call INFOTRAC at 1-800-535-5053 .	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants;
- Shoes plus socks; and
- Protective eyewear.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment water or rinsate.

Ground Water Advisory

This pesticide has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into ground water if used in areas where soils are permeable, particularly where the water table is shallow.

Surface Water Advisory

This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water

This product is classified as having high potential for reaching surface water via runoff for several months or more after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs, will reduce the potential loading of this product from runoff and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix or allow contact with oxidizing agents. Hazardous chemical reaction may occur.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read all directions for use carefully before applying this product. Use only according to label directions.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions *and exceptions pertaining to the statements* on this label about personal protective equipment (PPE), restricted-entry interval, and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted entry interval of 12 hours.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated; such as plants, soil, or water is:

- Long-sleeved shirt and long pants;
- waterproof gloves; and
- Shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The

WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

POLLINATOR ADVISORY STATEMENT

Protect forage and habitat of pollinators including the monarch butterfly (and its larvae), birds, and bats by following label directions, and making only directed applications.

RUNOFF PREVENTION

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when excessive rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

PRODUCT INFORMATION

FSP G is a systemic plant growth regulator for use on landscape and ornamental hedges, trees and shrubs. Treated plants require less trimming and exhibit a more compact growth form through the inhibition of gibberellin biosynthesis. Smaller leaves and intensified greening may occur in some species.

Time required for onset of growth suppression may vary from 4 to 8 weeks, depending on species, size and age of plants, as well as weather conditions. In general, growth suppression will be slower to occur and of longer duration in plants with a larger mass of woody tissue. Duration of growth suppression will vary depending upon plant species, application rate, size and age of plant, and environmental conditions. For optimum product performance, continue routine maintenance of plant material to encourage healthy growth, including fertilization. G may not be effective on certain conifers or other species which contain high concentrations of oils, resins and latex materials in plant tissue.

The rate required for optimum growth regulation is dependent upon plant characteristics (stem mass, height and foliage volume), environmental setting (exposure to sunlight, temperature conditions, rainfall/irrigation and soil texture), and species susceptibility. Cultural practices such as frequency of irrigation, fertilization and timing of application may also affect the response to treatments. Because of these interacting factors, plant response to a given application rate may vary according to local conditions. Users should determine specific application rates for different species in small-scale treatments under actual use conditions prior to large-scale application. It is recommended that the user consult with SePRO Corporation for site-specific recommendations.

Use Restrictions

- **DO NOT** apply to plants from which fruits, nuts or other commodities may be produced for human consumption or livestock feed.
- **DO NOT** apply to annual bedding plants or areas intended for annual bedding plants within 6 months of application unless potential growth regulation of those plants is acceptable.
- **DO NOT** apply this product through any type of chemigation system.

- **DO NOT** apply to plants that are stressed or rapidly declining due to moisture, temperature, low soil fertility, or exhibit mechanical, pest, or chemical injury.
- The maximum number of annual applications is determined by the sum of the rates applied, not to exceed 26.7 lbs. FSP G per acre (2.0 lbs. paclobutrazol per acre).
- **DO NOT** apply by aerial application.

Use Precautions

- Use only on well-established plants.
- When treating deciduous plants, allow target plants to fully emerge from dormancy before application.
- Avoid direct application to plants other than those specifically being targeted for growth regulation. Non-target plants with roots that extend into soil containing FSP G may exhibit growth regulation.
- Avoid application when weather conditions favor movement of granules from targeted treatment area.
- Application may result in localized, temporary discoloration of turfgrass immediately adjacent to the treatment site.

APPLICATION DIRECTIONS

Application Timing

Apply in accordance with designated rates from Table 1 for shoot growth suppression of landscape or ornamental hedges, trees, and shrubs in conjunction with pruning or trimming of target species. For best results, shape or prune plants 4 weeks after application and avoid frequent trimming thereafter. Frequent trimming between applications will reduce the amount of FSP G in the plant and can reduce growth regulation.

Application Rates

Higher rates are generally required for larger plants with greater woody mass, species with rapid growth rates, and plants grown in fine-textured soils. Refer to Table 1 for rate directions.

For spot treatment applications to landscape ornamentals contained in beds less than one acre (43,560 ft²), DO NOT exceed 26.7 lbs. product per acre per year over the entire acre containing the spot treatments.

TABLE 1			
Application Rates			
Landscape Ornamental	Plant Height in feet	FPS G † ounces per plant	FSP G †† pounds per 1,000 ft ²
Hedges, Shrubs and Trees	5 to 8	0.8 to 1.5	2.5 to 4.5
	8-12	1.5 to 2.2	4.5 to 6.5
	12-15	2.2 to 2.7	6.5 to 8.5
	15-18	2.7 to 3.2	8.5 to 10

† Do not apply more than 3.2 ounces per plant per year.

†† Do not apply more than 26.7 lbs per acre per year over the entire acre containing the spot treatments.

Application Methods

Apply FSP G uniformly over the spot treatment area with a rotary-type, gravity-fed, or airflow driven spreader. For smaller scale applications or treatment to single trees or shrubs, applications may be made by gloved hand or pre-measured scoop. FSP G may be applied over the top of low-growing woody plants. For larger plants, FSP G should be applied uniformly under the dripline beneath the trees, hedge, or shrubs targeted for treatment.

For best results, apply when rainfall is expected within a few days of the application or apply sufficient irrigation to move FSP G into the root zone. Avoid runoff and possible product movement during the initial irrigation after application.

Note: Non-target plants with roots which extend into soil containing FSP G may exhibit growth regulation. **Antidote:** Gibberellin may be applied as an antidote to stimulate terminal shoot growth of over-regulated plants.

Reapplication

To avoid over-regulation of treated plants, repeat applications only after growth regulation from the prior treatment has started to lose its effectiveness. Apply repeat treatments depending on species and desired regulation.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container only. In case of spill, contain material and dispose as waste.

Pesticide Disposal: Wastes resulting from use of this product must be used on site according to use directions or disposed of at an approved waste disposal facility.

Container Handling

Nonrefillable Container (rigid, any size): Do not reuse or refill this container.

Triple rinse (or equivalent). Then offer for recycling (if available) or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Nonrefillable Container (non-rigid, any size): Do not reuse or refill this container.

Completely empty bag into application equipment, then offer for recycling (if available) or dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Triple rinse containers small enough to shake (capacity ≤ 5 gallons) as follows:

Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap.

Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip.

Repeat this procedure two more times.

Triple rinse containers too large to shake (capacity >5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and

forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Warranty Disclaimer: SePRO Corporation warrants that this product conforms to the chemical description on the product label. Testing and research have also determined that this product is reasonably fit for the uses described on the product label. To the extent consistent with applicable law, SePRO Corporation makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty and any such warranties are expressly disclaimed.

Misuse: Federal law prohibits the use of this product in a manner inconsistent with its label directions. To the extent consistent with applicable law, the buyer assumes responsibility for any adverse consequences if this product is not used according to its label directions. In no case shall SePRO Corporation be liable for any losses or damages resulting from the use, handling or application of this product in a manner inconsistent with its label.

For additional important labeling information regarding SePRO Corporation's Terms and Conditions of Use, Inherent Risks of Use and Limitation of Remedies, please visit <http://seprolabels.com/terms> or scan the image below.



© Copyright ____ SePRO Corporation

[Base label for ALL containers]



FSP® G

(ABN: Cutless Shrub and Tree Sculptor™)

Active Ingredient

Flurprimidol: α -(1-methylethyl)- α -[4-(trifluoromethoxy)phenyl]-5-pyrimidinemethanol	2.5%
Paclobutrazol: (\pm)-(R*,R*)- β -[(4-chlorophenyl)methyl]- α -(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol.....	7.5%

Other Ingredients	<u>90.0%</u>
TOTAL	100.0%

Contains 0.025 pounds of flurprimidol per one (1) U.S. pound (Granular).
Contains 0.075 pounds of paclobutrazol per one (1) U.S. pound (Granular).

Keep Out of Reach of Children CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container only. In case of spill, contain material and dispose as waste.

Pesticide Disposal: Wastes resulting from use of this product must be used on site according to use directions or disposed of at an approved waste disposal facility.

Container Handling

Nonrefillable Container (rigid, any size): Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling (if available) or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Nonrefillable Container (non-rigid, any size): Do not reuse or refill this container. Completely empty bag into application equipment, then offer for recycling (if available) or dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

See attached booklet for complete container disposal directions including triple rinsing and pressure rinsing instructions.

Specialty Chemical: Do not ship or store with food, feeds, drugs or clothing.

Refer to label booklet for additional Precautionary Information and Directions for Use.

Notice: Read the entire label before using. Use only according to label directions. **Before buying or using this product, read *Warranty Disclaimer* and *Misuse* statements in label booklet. If terms are unacceptable, return at once, unopened.**

EPA Reg. No. 67690-69
FPL20210702

EPA Est. No. _____
[P/N] _____

FSP is a registered trademark of SePRO Corporation.

SePRO Corporation 11550 N. Meridian Street, Suite 600 Carmel, IN 46032, U.S.A.

Plant Growth Regulator

Net weight _____(Non-refillable)

[Text accessed through the weblink / QR code. This is NOT part of the printed label]

TERMS AND CONDITIONS OF USE

If terms of the *Warranty Disclaimer* and *Misuse* provisions on the product label as well as the *Inherent Risks of Use* and *Limitation of Remedies* statements below are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, to the extent consistent with applicable law, use by the buyer or any other user constitutes acceptance of the terms under *Warranty Disclaimer*, *Misuse*, *Inherent Risks of Use*, and *Limitation of Remedies*.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including use under conditions noted on the label such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), the presence of other materials, the manner of application, or other factors, all of which are beyond the control of SePRO Corporation or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the buyer and/or user of the product.

LIMITATION OF REMEDIES

To the extent consistent with applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at SePRO Corporation's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

To the extent consistent with applicable law, SePRO Corporation shall not be liable for losses or damages resulting from handling or use of this product unless SePRO Corporation is promptly notified of such losses or damages in writing. In no case shall SePRO Corporation be liable for consequential or incidental damages or losses. The terms of the *Warranty Disclaimer* and *Misuse* provisions on the product label and these *Terms and Conditions of Use*, *Inherent Risks of Use* and *Limitation of Remedies* cannot be varied by any written or verbal statements or agreements. No employee or sales agent of SePRO Corporation or the seller is authorized to vary or exceed the terms of the *Warranty Disclaimer* and *Misuse* provisions on the product label and these *Terms and Conditions of Use*, *Inherent Risks of Use* and *Limitation of Remedies* in any manner.