

67702-3

1/21/2011

Page 1 of 18

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JAN 21 2011

Walter G Talarek
 Authorized Agent
 1008 Riva Ridge Drive
 Great Falls Virginia 22066

Subject NEU 1165M Slug and Snail Bait (EPA Reg No 67702 3)
 Label Amendment
 Application Dated October 28 2010
 Decision Number 441780

Dear Mr Talarek


The amendment referred to above submitted in connection with registration under FIFRA section 3(c)(7)(A) is acceptable provided that you

- 1 Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data
- 2 Submit three (3) copies of your final printed labeling before you release the product for shipment Final printed labeling means the label or labeling of the product when distributed or sold Clearly legible reproductions or photo reductions will be accepted for unusual labels such as those silk screened directly onto glass or metal containers or large bags or drum labels

If these conditions are not complied with the registration will be subject to cancellation in accordance with FIFRA section 6(b) Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions

If you have any questions contact John Fournier at 703 308 0169 or by email at fournier.john@epa.gov A stamped copy of the label is enclosed for your records

Sincerely



Linda A Hollis Chief
 Biochemical Pesticides Branch
 Biopesticides and Pollution

Prevention Division (7511P)

Enclosure

CONCURRENCES								
SYMBOL	7511P	7511P						
SURNAME	Fournier	CDLE						
DATE	13 Jan 11	1/19/11						

2818

MASTER LABEL

**NEU1165M
SLUG AND SNAIL BAIT**

Active Ingredient	By weight
Iron phosphate	1 0%
Other Ingredients	<u>99 0%</u>
Total	100 0%

SUBLABEL A Home and Garden Use
SUBLABEL B Commercial Agriculture Use

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Registration #67702 3

EPA Establishment #

Registrant W Neudorff GmbH KG
An der Muhle 3 Postfach 1209
D 31860 Emmerthal Germany
www.neudorff.com

[in the alternative the distributor s telephone number and website address may be used]

Home and Garden Use NET WEIGHT 1oz 13oz 20oz 26oz 30oz 0 5lb 1 lb 1 25lbs
1 5 lbs 1 lb 14oz 2lbs 2 5lbs 3lbs 3 2lbs 4 lbs 5lbs 5 25lbs 5 5lbs 6lbs 7lbs 8lbs
10lbs 20lbs 25lbs 40 lbs 1lb 4oz 1lb 14oz 2lb 8oz 2116 lbs (960kg)

Commercial Agriculture Use NET WEIGHT 20lbs 25lbs 40lbs 45lbs 50lbs 55lbs
(25 kg) 1984lbs (900 kg) 2011lbs (912 kg) 2116 lbs (960kg)

ACCEPTED
JAN 21 2011

Under the Federal Insecticide Fungicide
and Rodenticide Act as amended for
the pesticide registered under
EPA Reg No 67702-3

3 8 18

SUBLABEL A Home and Garden Use

**NEU1165M
SLUG AND SNAIL BAIT**

Active Ingredient	By weight
Iron phosphate	1 0%
Other Ingredients	<u>99 0%</u>
Total	100 0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Registration #67702 3

**EPA Establishment # 67702 DEU 1 67702 DEU 2 39609 MO 1 35497 OR 1 67572 GA 1 66876
OR 1 4 NY 1 48498 CA 1 83598 NJ 1 or 56872 IN 1**

**NET WEIGHT 1oz 13oz 20oz 26oz 30oz 0 5lb 1 lb 1 25lbs 1 5 lbs 1 lb 14oz 2lbs
2 5lbs 3lbs 3 2lbs 4lbs 5lbs 5 25lbs 5 5lbs 6lbs 7lbs 8lbs 10lbs 20lbs 25lbs 40 lbs
1lb 4oz 1lb 14oz 2lb 8oz 2116 lbs (960 kg)**

FIRST AID

If in eyes Hold eye open and rinse slowly and gently with water for 15 20 minutes
Remove contact lenses if present after the first 5 minutes then continue rinsing eye
Call a poison control center or doctor for treatment advice

Hotline Number

Have the product container or label with you when calling a poison control center or
doctor or going for treatment For emergency information concerning this product call
the National Pesticide Information Center at 1 800 858 7378 seven days a week 6 30 am
to 4 30 Pacific Time (NPIC Web site www.npic.orst.edu)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals CAUTION Causes moderate eye
irritation Avoid contact with eyes or clothing Wash thoroughly with soap and water

after handling and before eating drinking chewing gum using tobacco and using the toilet

Environmental Hazards To protect the environment do not allow pesticide to enter or run off into storm drains drainage ditches gutters or surface waters Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area Sweeping any product that lands on a driveway sidewalk or street back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

HOW TO APPLY Scatter the slug and snail bait granules on the soil around or near the plants to be protected For broadcast application use standard broadcast spreaders For row application use standard granular spreaders Apply bait evenly at the rate of 0.5 lb per 1000 square feet or for smaller areas 0.15 oz or 1 level teaspoon per square yard and reapply as the bait is consumed or at least every two weeks Do not place in piles If the ground is dry wet it before applying bait The product works best when soil is moist but with little or no standing water

Reapply as the bait is consumed or at least every two weeks Apply more heavily if the infestation is severe if the area is heavily watered or after long periods of heavy rain See specific directions for different plant types and for inside greenhouses

WHEN TO APPLY Apply the bait during the evening as slugs and snails travel and feed mostly by night or early morning

WHERE TO APPLY Treat all likely areas of infestation especially around the perimeter of garden plots because these pests travel into plant areas from daytime refuges They favor damp places around vegetable plants such as beans tomatoes lettuce cabbage celery and squash Other favorite areas are flower gardens rockeries hedges dichondra lawns citrus groves ivy patches and other ground cover where they obtain shelter by day

Vegetables

Use the bait to protect any vegetables from slug and snail damage including (but not limited to) artichokes asparagus beans beets blackeyed peas broccoli Brussels sprouts cabbage cantaloupe carrots cauliflower corn cucumbers eggplants garlic lettuce onions peas peppers potatoes radishes rutabagas spinach squash Swiss chard tomatoes and turnips Scatter the bait around the perimeter of the vegetable plot at the rate of 0.5 lb per 1000 square feet or for smaller areas 0.15 oz or 1 level teaspoon per square yard to provide a protective 'barrier' for slugs and snails entering the garden

plot If slugs or snails are inside the rows then scatter the bait on the soil around the base of the plants and between the rows

Fruits Including Citrus

Use the bait to protect fruits from slugs and snails including (but not limited to) apples avocados apricots cherries grapes melons peaches plums citrus pears For seedlings spread the bait around the base of the stem Apply at 0.15 oz or 1 level teaspoon per square yard in a 6 inch circular band around the base of the plants to be protected For older trees spread the bait around the base of the tree to intercept slugs and snails traveling to the trunk Apply the bait at the rate of 0.5-1 lb per 1000 square feet for orchards using standard fertilizer granular spreaders

Berries

Use the bait to protect berries from slugs and snails including (but not limited to) strawberries blackberries blueberries boysenberries loganberries raspberries Spread the bait around the perimeter of the plot to intercept slugs and snails migrating toward the berries Use a rate of 0.5-1 lb per 1000 square feet or for smaller areas 0.15 oz or 1 level teaspoon per square yard and scatter by hand or with granular spreaders If slugs and snails are already in the plots then carefully spread bait between the furrows near the base of the plants For small plots treat around the base of the plants to be protected Do not spread over the entire area but apply selectively

Outdoor Ornamentals

Scatter bait in a 6 inch circular band around the base of the plants to be protected at 0.15 oz or 1 level teaspoon per square yard If plants are next to a grassy area spread the bait between the ornamentals and the grass Slugs and snails traveling to the plants will encounter the bait before reaching the plant In these situations scatter the bait around the perimeter of the plot at the rate of 1 lb per 1000 square feet to intercept snails and slugs traveling to the plot

Greenhouses

Where slugs or snails are a problem in greenhouses scatter the bait in the plant pots of plants being damaged or around pots on greenhouse benches Apply ½ teaspoon per 9 inch pot

Lawns

Use the bait on lawns as a buffer zone around gardens When slugs or snails are detected scatter the bait at a rate of 0.15 oz or 1 level teaspoon per square yard Scatter by hand or with a granular spreader where the slugs or snails are observed

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

PESTICIDE STORAGE Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals

CONTAINER DISPOSAL

Nonrefillable container

If empty Do not reuse or refill this container Offer for recycling if available

If partly filled Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

BATCH CODE

[The registrant may use any or none of these optional statements

"WARRANTY

To the extent consistent with applicable law the seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions for use This warranty does not extend to use of this product contrary to label directions or under abnormal use conditions or under conditions not reasonably foreseeable to seller To the extent consistent with applicable law seller makes no other warranties either expressed or implied

OR

OUR COMMITMENT TO YOUR SATISFACTION If you are not happy with the way this product works in your garden please let us know We will be happy to replace the product or refund your money Simply send your name address and proof of purchase to [insert name and address of supplemental registrant]

OR

[The] (insert company name) Guarantee If for any reason you are not satisfied with this product mail us proof of purchase to obtain a full refund of your purchase price

OR

The [brand name] promise Satisfaction guaranteed or your money back! If you apply NEU1165M Slug and Snail Bait as directed and are not completely satisfied send proof of purchase from this package and the original cash register receipt to the address at right (below) We will refund the purchase price you paid]

[The following claims and product information may or may not be presented on the product's label and labeling]

Quick Facts

Product Facts

What it does Kills snails and slugs

Where to Use For use around vegetables fruit trees citrus berries ornamentals shrubs flowers trees lawns gardens and in greenhouses

Read the Label First!

NOTE This package is sold by weight Contents may have settled during shipment
US Patent number 5 437 870

This container is made from XX% recycled materials

Resealable waterproof package

The highly compressed granules (pellets) are easy to use clean to handle and economical

Patented technology

Patented technology Patented snail & (and) slug killer

Unique patented formula

Easy to use (ready to use) (RTU) granular (pellet) formulation

Easy to apply granules

Kills snails & (and) slugs

Treats (will treat) x xxx sq ft

Remains effective after rain or sprinkling

Proven snail & (and) slug killer (kill control)

Convenient Easy to use Requires no mixing spraying or special applicators

SATISFACTION GUARANTEED

Money Back Guarantee If you are not satisfied with this product we will gladly refund your original purchase price

Can be used in vegetable gardens

For use around vegetables fruit trees citrus berries ornamentals shrubs flowers trees lawns gardens and in greenhouses

Use around (flowers) (gardens) (vegetables) and (fruit trees)

Can be used around domestic animals (pets) and wildlife

Read Entire Container Label Before Using This Product

The active ingredient in this product is exempt from the requirement for a tolerance when used as a molluscicide in or on all food commodities

For broadcast application standard broadcast applicators may be used such as (but not limited to) Cyclone

For row application standard granular spreaders may be used such as (but not limited to) Gandy and Clampco

Unconditionally guaranteed by [insert name of supplemental registrant]

Baits and Kills

Baits and Kills Slugs and Snails

For household home garden use

The slugs and snails controlled by this product include (but are not limited to) *Deroceras reticulatum* (Field slug) *Deroceras laeve* (Smooth slug) *Arion subfuscus* (Dusky slug) *Arion circumscriptus* (Gray garden slug) *Arion hortensis* (Black field

slug) *Arion rufus* (Large red slug) *Arion ater* (Large black slug) *Limax flavus* (Spotted garden slug) *Limax tenellus* (Slender slug) *Ariolimax columbianus* (Banana slug) *Helix* spp *Helicella* spp and *Cepaea* spp

Kills a wide variety of slugs and snails

Effective against a wide variety of slugs and snails

No slime trails

No messy cleanup

Dead snails no slime trails

Rain Proof Formula

Guaranteed (Results)

Protecting your garden and landscapes from snail and slug damage has never been easier!

Easy (to use) Shaker Applicator

Easy (to use) (Pour) Spout

Contains Ferramol™ Slug and Snail Bait a trademark of W Neudorff GmbH KG

Made with Ferramol™ Slug and Snail Bait a trademark of W Neudorff GmbH KG

Ferramol™ is a trademark of W Neudorff GmbH KG Germany

www.neudorff.com

Manufactured under [a] license of W Neudorff GmbH KG [Germany]



For information on this pesticide product (including health concerns medical emergencies or pesticide incidents) call the National Pesticide Information Center at 1 800 858 7378 All other inquiries [subregistrants email and/or phone number]

Questions or comments? Call 1 XXX XXX XXXX or visit our website at [subregistrant's website]

May be used up to and including day of harvest

Does not contain metaldehyde

Iron phosphate is a component of soil

Iron phosphate occurs in soil

Iron phosphate is a plant nutrient

Iron phosphate is a plant nutrient that occurs in soils

Iron phosphate is a plant nutrient that occurs in soil and is used as an ingredient in fertilizers

Contains iron phosphate a plant nutrient

Contains iron phosphate a fertilizer

Contains iron phosphate which is found in soil and which is a plant nutrient

Contains iron phosphate which is a fertilizer

Contains iron phosphate which is found in soil

Contains iron phosphate which is a plant nutrient

Unconsumed bait will degrade and become part of soil

Exclusive smaller particle size makes it easier for pests to find

Questions comments (or medical information) X XXX XXX XXXX

© 20XX Licensed (insert company name) World rights reserved

Manufactured Distributed by (insert company name)

Made in/Produced in _____ (from US and imported products/parts)
 See back (booklet) label for additional first aid
 See attached booklet for complete Directions for Use Precautionary Statements and
 First Aid
 Designed for GardenPro (/Independent) Retailers
 (Insert company website)
 Superscript is first letter of lot number

This container is made with a minimum X% recycled material



For Organic Gardening



GENERAL INFORMATION (WHY SLUG AND SNAIL BAIT IS EFFECTIVE)

This product contains a unique combination of iron phosphate which is a plant nutrient that occurs in soils with slug and snail bait additives. The bait which is not ingested by snails and slugs will degrade and become a part of the soil.

The bait is ingested by slugs and snails when they travel from their hiding places to plants. Ingestion even in small amounts will cause them to cease feeding. This physiological effect of the bait gives immediate protection to the plants even though the slugs and snails may remain in the area. After eating the bait the slugs and snails cease feeding, become less mobile and begin to die within three to six days. Dead slugs and snails may not be visible as they often crawl away to secluded places to die. Plant protection will be observed in the decrease in plant damage.

This product is effective against a wide variety of slugs and snails and will give protection to home lawns, gardens, greenhouses, outdoor ornamentals, vegetable gardens, fruits, berries, citrus and crop plants. The bait can be scattered on the lawn or on the soil around any vegetable plants, flowers or fruit trees or bushes to be protected.

[when The Scotts Company uses the brand name Ecosense when selling or distributing this product it must place a qualifying symbol after the brand name and in close proximity to the brand name place the statement economically sensible alternative pest control.]

Registrant W Neudorff GmbH KG Postfach 1209 An der Muhle 3
 D 31860 Emmerthal Germany
 Phone 250 652 5888

www.neudorff.com [in the alternative the distributor's telephone number
and website address may be used]

SUBLABEL B Commercial Agriculture Use

**NEU1165M
SLUG AND SNAIL BAIT**

Active Ingredient	By weight
Iron phosphate	1 0%
Other Ingredients	99 0%
Total	100 0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Registration #67702 3

EPA Establishment # 67702 DEU 1 or 67702 DEU 2

NET WEIGHT 20lbs 25lbs 40 lbs 45lbs 50lbs 55lbs (25 kg) 1984lbs (900 kg)
2011lbs (912 kg) 2116lbs (960kg)

FIRST AID
If in eyes Hold eye open and rinse slowly and gently with water for 15 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye Call a poison control center or doctor for treatment advice
Hotline Number
Have the product container or label with you when calling a poison control center or doctor or going for treatment For emergency information concerning this product call the National Pesticide Information Center at 1-800 858-7378 seven days a week 6 30 am to 4 30 Pacific Time (NPIC Web site www.npic.orst.edu)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals Caution Causes moderate eye irritation
Avoid contact with eyes or clothing Wash thoroughly with soap and water after handling
and before eating drinking chewing gum using tobacco or using the toilet

Personal Protective Equipment (PPE) Requirements Applicators and other handlers
must wear long sleeved shirts and long pants and shoes plus socks Follow

manufacturer's instructions for maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards For terrestrial uses. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a manner that will contact workers or other persons, either directly or through drift. Only protected workers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency representative responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE) and the restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS).

There is a restricted entry interval of zero hours for this product.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

There is a restricted entry interval of zero hours for this product

COMMERCIAL AGRICULTURE

HOW TO APPLY Scatter the slug and snail bait granules on the soil around or near the plants to be protected. For broadcast application use standard broadcast spreaders. For row application use standard granular spreaders. Apply the higher rates if the infestation is severe or if the area is heavily watered or after long periods of heavy rain. Reapply as the bait is consumed or at least every two weeks.

Do not place in piles. If the ground is dry wet it before applying bait. The product works best when soil is moist but with little or no standing water. See specific directions for different plant types and for inside greenhouses.

WHEN TO APPLY Apply the bait in the evening as slugs and snails travel and feed mostly by night or early morning.

WHERE TO APPLY Treat all likely areas of infestation especially around the perimeter of garden plots because these pests travel into plant areas from daytime refuge sites. They favor damp places around vegetable plants such as beans tomatoes lettuce cabbage celery and squash and in weeds or ditches around field margins. Other favorite areas are flower gardens rockeries hedges dichondra lawns citrus groves ivy patches and other ground cover where they obtain shelter by day.

Vegetables

Use the bait to protect any vegetables from slug and snail damage including (but not limited to) asparagus beans beets blackeyed peas broccoli Brussels sprouts cabbage cantaloupe carrots cauliflower corn cucumbers eggplants garlic lettuce onions peas peppers potatoes radishes rutabagas spinach squash Swiss chard tomatoes and turnips. Scatter the bait around the perimeter of the vegetable plantings at the rate of 20 44 lbs per acre (0.5 1 lb per 1 000 square feet) to provide a protective "barrier" for slugs and snails entering the vegetable plantings. If slugs or snails are inside the rows then scatter the bait on the soil around the plants and between the rows.

Fruits Including Citrus

Use the bait to protect fruits from slugs and snails including (but not limited to) apples avocados apricots cherries grapes melons peaches plums nectarines citrus pears. For seedlings spread the bait around the base of the stem. Apply at 0.15 oz or 1 level teaspoon per square yard in a 6 inch circular band around the base of the plants to be protected. For older trees spread the bait around the base of the trees to intercept slugs and snails traveling to the trunk. Apply the bait at 20 44 lbs per acre (0.5 1 lb per 1 000 square feet) in orchards using standard fertilizer granular spreaders. Use the higher rates for heavy infestations.

Berries

Use the bait to protect berries from slugs and snails including (but not limited to) strawberries blackberries blueberries boysenberries loganberries raspberries Spread the bait around the perimeter of the plot to intercept slugs and snails migrating toward the berries Use a rate of 20 44 lbs per acre (0 5-1 lb per 1 000 square feet) and scatter by hand or with granular spreaders If slugs and snails are already in the plots then carefully spread bait between the furrows near the base of the plants For small plots treat around the base of the plants to be protected Do not spread over the entire area but apply selectively

Field Crops

Use the bait to protect field and seed crops from slugs and snails including beans field corn sweet corn soybeans sugarbeets sugar cane asparagus beets broccoli Brussels sprouts cabbage carrots cauliflower cucumbers lettuce onions peas peppers potatoes radishes strawberries tomatoes and turnips At the seedling and later stages apply the bait between the rows and around the perimeter of the field Scatter pellets at a rate of 20 44 lbs per acre (0 5 1 lb per 1 000 square feet) Use the higher dosage rate for heavy infestations

Artichokes

Use the bait to protect artichokes from slugs and snails At the seedling and later stages apply the bait within the rows and around the perimeter of the field Scatter pellets at a rate of 10 44 lbs per acre (0 23 1 lb per 1 000 square feet) Use the higher dosage rate for heavier infestations

Outdoor Ornamentals

Scatter bait in a 6 inch circular band around the base of the plants to be protected at 0 15 oz or 1 level teaspoon per square yard If plants are next to a grassy area spread the bait between the ornamentals and the grass Slugs and snails traveling to the plants will encounter the bait before reaching the plant In these situations scatter the bait around the perimeter of the plot at 1 lb per 1000 square feet to intercept snails and slugs traveling to the plot

Greenhouses

Where slugs or snails are a problem in greenhouses scatter the bait in the plant pots of plants being damaged or around pots on greenhouse benches Apply about ½ teaspoon per 9 inch pot

Outdoor Container Grown Nursery Plants

Where slugs or snails are a problem in outdoor nurseries scatter the bait in the plant containers at the rate of 1 tablespoon per container of plants being damaged or scatter around the soil near the containers at the rate of 1 teaspoon per square yard (24 44 lbs per acre)

Commercial Turf, Sod, Golf Courses and Grass Buffers around Gardens, Crop Areas and Ornamentals

Use the bait on turf and sod for resale golf courses and on lawns as a buffer zone around gardens and agricultural crop areas When slugs or snails are detected scatter the bait at a rate of 0 54 to 1 lb per 1000 square feet (24 44 lbs per acre) Use the higher rate for heavy infestations Scatter by hand or with a granular spreader where the slugs or snails are observed

Grass Grown for Seed Production, Wheat

Use the bait to protect grass grown for seed production and wheat When slugs or snails are detected scatter the bait at a rate of approximately 0 23 to 1 lb per 1000 square feet (10 44 lbs per acre) Use the higher rate for heavy infestations Scatter by hand or with a granular spreader where the slugs or snails are observed

Surrounding Agricultural Areas Suffering Infestation

Use the bait to protect non crop areas including fallow land barrier strips and buffer zones around agricultural crop areas Apply at a rate of 20 44 lbs/acre (0 5 1 lb per 1 000 square feet) Use the higher rate for heavy infestations

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

PESTICIDE STORAGE Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals

PESTICIDE DISPOSAL Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

CONTAINER DISPOSAL Nonrefillable container Do not reuse or refill this container Offer for recycling if available Completely empty metal drum plastic bag box or plastic tote into application equipment Then dispose of empty metal drum plastic bag box or plastic tote in a sanitary landfill or by incineration or if allowed by State and local authorities by burning If burned stay out of smoke

BATCH CODE

The registrant may use one or both of these two optional statements either

"WARRANTY

To the extent consistent with applicable law the seller warrants that this product conforms to the chemical description on this label and is

reasonably fit for purposes stated on this label only when used in accordance with the directions for use This warranty does not extend to use of this product contrary to label directions or under abnormal use conditions or under conditions not reasonably foreseeable to seller To the extent consistent with applicable law seller makes no other warranties either expressed or implied

or

OUR COMMITMENT TO YOUR SATISFACTION If you are not happy with the way this product works in your garden please let us know We will be happy to replace the product or refund your money Simply send your name address and proof of purchase to [insert name and address of supplemental registrant]

[The following claims and product information may or may not be presented on the product s label and labeling

Quick Facts

Product Facts

What it does Kills snails and slugs

Where to Use For use around vegetables fruit trees citrus berries ornamentals shrubs flowers trees lawns gardens and in greenhouses

Read the Label First!

-NOTE This package is sold by weight Contents may have settled during shipment

US Patent number 5 437 870

This container is made from XX% recycled materials

The highly compressed granules (pellets) are easy to use clean to handle and economical

Patented technology Patented snail & (and) slug killer

Unique patented formula

Easy to use (ready to use) (RTU) granular (pellet) formulation

Easy to apply granules

Easy to use small (short) pellets

Small (short) pellets for even coverage

Shorts

Kills snails & (and) slugs

Treats (will treat) x xxx sq ft

Remains effective after rain or sprinkling

Proven snail & (and) slug killer (kill control)

Convenient Easy to use Requires no mixing spraying or special applicators

SATISFACTION GUARANTEED

Money Back Guarantee If you are not satisfied with this product we will gladly refund your original purchase price

Can be used in vegetable gardens

For use around vegetables fruit trees citrus berries ornamentals shrubs flowers trees lawns gardens and in greenhouses

Use around flowers gardens and fruit trees
 Iron phosphate is a component of soil
 Iron phosphate occurs in soil
 Iron phosphate is a plant nutrient
 Iron phosphate is a plant nutrient that occurs in soils
 Iron phosphate is a plant nutrient that occurs in soil and is used as an ingredient in fertilizers
 Contains iron phosphate a plant nutrient
 Contains iron phosphate a fertilizer
 Contains iron phosphate which is found in soil and which is a plant nutrient
 Contains iron phosphate which is a fertilizer
 Contains iron phosphate which is found in soil
 Contains iron phosphate which is a plant nutrient
 Can be used around domestic animals (pets) and wildlife
 Read Entire Container Label Before Using This Product
 The active ingredient in this product is exempt from the requirement for a tolerance when used as a molluscicide in or on all food commodities
 For broadcast application standard broadcast applicators may be used such as (but not limited to) Cyclone
 For row application standard granular spreaders may be used such as (but not limited to) Gandy and Clampco
 Unconditionally guaranteed by [insert name of supplemental registrant]
 Barts and Kills
 The slugs and snails controlled by this product include (but are not limited to) *Deroceras reticulatum* (Field slug) *Deroceras laeve* (Smooth slug) *Arion subfuscus* (Dusky slug) *Arion circumscriptus* (Gray garden slug) *Arion hortensis* (Black field slug) *Arion rufus* (Large red slug) *Arion ater* (Large black slug) *Limax flavus* (Spotted garden slug) *Limax tenellus* (Slender slug) *Ariolimax columbianus* (Banana slug) *Helix* spp *Helicella* spp and *Cepaea* spp
 Kills a wide variety of slugs and snails
 Effective against a wide variety of slugs and snails
 No slime trails
 No messy cleanup
 Dead snails no slime trails
 Contains Ferramol™ Slug and Snail Bait a trademark of W Neudorff GmbH KG
 Made with Ferramol™ Slug and Snail Bait a trademark of W Neudorff GmbH KG
 Ferramol™ is a trademark of W Neudorff GmbH KG Germany
 www.neudorff.com
 Manufactured under a license of W Neudorff GmbH KG Germany



May be used up to and including day of harvest
 Does not contain metaldehyde



For Organic Gardening



-For Organic Production



Listed by the Organic Materials Review Institute (OMRI) for use in production of organic food and fiber

Listed by the Organic Materials Review Institute (OMRI) for use in organic production

GENERAL INFORMATION (WHY SLUG AND SNAIL BAIT IS EFFECTIVE)

This product contains a unique combination of iron phosphate which is a plant nutrient that occurs in soils with slug and snail bait additives. The bait which is not ingested by snails and slugs will degrade and become part of the soil.

The bait is ingested by slugs and snails when they travel from their hiding places to plants. Ingestion, even in small amounts, will cause them to cease feeding. This physiological effect of the bait gives immediate protection to the plants even though the slugs and snails may remain in the area. After eating the bait, the slugs and snails cease feeding, become less mobile and begin to die within three to six days. Dead slugs and snails may not be visible as they often crawl away to secluded places to die. Plant protection will be observed in the decrease in plant damage.

This product is effective against a wide variety of slugs and snails and will give protection to home lawns, gardens, greenhouses, outdoor ornamentals, vegetable gardens, fruits, berries, citrus, crop and seed plants. The bait can be scattered on the lawn or on the soil around any vegetable or seed crops, flowers or fruit trees or bushes to be protected.

Registrant W. Neudorff GmbH KG, Postfach 1209, An der Muhle 3
D 31860 Emmerthal, Germany
Phone 250 652 5888
www.neudorff.com
[in the alternative, the distributor's telephone number and website address may be used]